Appendix A: Comments and Selection Process

- 1. Review Comments
- 2. Selection of Study Locations
- 3. Public Participation

Part 1: Review Comments

Summary of District 3 Comments on Route 9 REPORT CLIENT REVIEW.docx Author: Leary S. Text Date: 5/31/2022 2:15:13 PM

Page: 2

General: Please proof read the writing throughout the report for errors in grammar, wording, descriptions, etc.

Page: 65

Please note that some of these pedestrian improvements will be implemented in the park and ride project (Project # 611951)

Consider adding the following (paraphrased from the Route 9 RSA conducted on 2/1/2022):

- -Consider aligning signal heads better with their respective lanes
- -Refresh pavement markings as needed
- -Consider SWL's and "stay in lane" signage for WB receiving to discourage sudden/dangerous merging to get to the ramp
- -Consider installing flashing beacon in the ramp gore area to notify of median barriers at Crossing Blvd ramp

Page: 66

Consider adding the following (paraphrased from the Route 9 RSA conducted on 2/1/2022):

- -Evaluate speed regulations in relation to the reverse curves
- -Evaluate potential for use of curve/advisory speed warning signage
- -Consider using HFST (high friction surface treatment) to help drivers take the curves
- -Consider adding a green arrow for the EB right turn movement
- -Consider use of flashing signal/queue warning signs

Page: 67

Consider adding the following (paraphrased from the Route 9 RSA conducted on 2/1/2022):

- -Consider adding intersection warning signage on Temple St SB
- -Consider moving utility poles further back from the road, or putting utility pole protectors and reflective strips on them
- -Consider aligning signal heads better with their respective lanes
- -Consider installing a signal with a FYA to replace the 3-section signal head for Temple St NB
- -Consider use of flashing signal/queue warning signage

Page: 71

Consider adding the following (paraphrased from the Route 9 RSA conducted on 2/1/2022):

- -Consider replacing R1-1 (stop) with R1-2 (yield) for turning onto Route 9
- -Evaluate the effectiveness of the flashing intersection warning beacon for Route 9 approach
- -Consider the potential for ramp metering and "1 vehicle at a time" sign for the Cochituate Rd approach (and consider the potential to use this at other locations for consistency)
- -Consider potential use of merge warning signs (W4-1 for Route 9, W4-5 for Cochituate Rd, W4-5P)
- -Evaluate and update guide signage as needed

Page: 72

Consider adding the following (paraphrased from the Route 9 RSA conducted on 2/1/2022):

- -Consider possible ways to simplify the interchange by eliminating redundancy and excessive access
- -Consider potential for use of merge warning signs (W4-1 for Route 9, W4-5 for 126, W4-5P)
- -Evaluate and update guide signage as needed

Page: 73

Consider adding the following (paraphrased from the Route 9 RSA conducted on 2/11/2022):

- -Consider better aligning signal heads with their respective lanes
- -Consider adding advanced lane use warning signage for Caldor Rd SB

Natick Select Board

Paul R. Joseph, Chair Michael J. Hickey, Jr., Vice Chair Bruce T. Evans, Clerk Kathryn M. Coughlin PHONE 508-647-6410

EMAIL: selectboard@natickma.org



Town Hall

13 East Central Street
Natick, Massachusetts

01760

Town of Natick • Select Board Office

June 9, 2022

Seth Asante, Project Manager Central Transportation Planning Staff Boston Region Metropolitan Planning Organization 10 Park Plaza, Suite 2150 Boston, MA 02116

Dear Mr. Asante:

The Town of Natick appreciates the opportunity to comment on the Route 9 Priority Corridor Study ("Study") for Framingham and Natick. Copied on this letter is MassDOT's Office of Transportation Planning to demonstrate our support for District 3's request for a planning study of bicycle and pedestrian improvements on Route 9 and Speen Street.

The Town is grateful that the Route 9 corridor in Natick and Framingham was identified as a priority in *Destination 2040*, the MPO's Long-Range Transportation Plan.

We encourage the MPO and MassDOT to think proactively and sustainably when planning the future of Route 9. Historically, the development of the Worcester Turnpike reflected and accommodated the dominance of the automobile. In 2022, it is time to anticipate change by planning the next version of Route 9 as a future-ready corridor – one that supports multi-modal connections and non-automobile modes of transport within the communities it serves.

Route 9 is both a critical part of the region's transportation infrastructure as well as a significant barrier to the communities it serves. Indeed, this barrier is noted in the Town's Master Plan, Natick 2030+, which cites Natick's need for greater north-south access.

In addition to the at-grade intersection improvements cited in the Study, we encourage solutions that prioritize safe and efficient bicycle and pedestrian mobility to further connect neighborhoods, provide safer travel to schools and workplaces, and improve access to public transit. For example, there are several locations between intersections that are suitable for grade-separated, multi-modal crossings.

We also support fully separated and protected bicycle lanes (not unpleasant ones directly abutting high-speed travel lanes, which pose safety concerns and are unusable in the winter

Seth Asante, Project Manager June 9, 2022 Page 2

due to their use as snow storage areas) suggested in the Study. As e-bikes become more widespread, and people seek more sustainable mobility options, the need for separated bike lanes continues to increase. This will complement the multi-use paths contemplated by other MassDOT projects, such as Lake Cochituate Path and the replacement Route 9/27 interchange.

We urge the MPO and MassDOT to undertake stakeholder outreach in upcoming planning, including with the employers who are locating and expanding in the region, and whose workforce is seeking active, safe, and convenient public transportation options.

Finally, the Town is leading a Golden Triangle planning study to envision the future of this important area, and the transportation improvements that are the subject of the CTPS Corridor Study and the proposed MassDOT Planning Study are highly complementary.

Natick looks forward to participating with the MPO and MassDOT to support successful planning along and near Route 9. Thank you for your consideration.

Sincerely,

Natick Select Board

Paul R. Joseph, Chair

Cc: Barry Lorion, MassDOT District 3

Liz Williams, MassDOT Office of Transportation Planning Sarkis Sarkisian, Director of Planning & Community Development, City of Framingham



Route 9 Priority Corridor Study Framingham and Natick

January 18, 2022

Seth Asante

Boston Region Metropolitan Planning Organization

AGENDA

- 1. Introductions
- 2. Existing conditions
- 3. Suggested improvements
- 4. Feedback and other matters

Projects

MassDOT Project #	City/Town	Project Description	Status
608836	Framingham	Drainage Improvements and Related Work (Including Salt Shed Demolition) at the Intersection of Routes 9 and 126 (Worcester Road and Concord Street)	Construction
609247	Framingham	Framingham- Park N' Ride Reconstruction and Salt Shed Depot Site Work on Route 9	Design
609402	Framingham- Natick	Resurfacing and Related Work on Route 9	Design
605313	Natick	Bridge Replacement, N-03-020, Route 27 (North Main Street) Over Route 9 (Worcester Street) and Interchange Improvements	Design

We recommend including the Route 9 - Connected Corridor (SPaT Challenge) project (Project No. 609003), which is in construction now and should be completed this year. The project extends from Shrewsbury to I-95 and includes all of the signalized intersections in the study area.

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.




AGENDA

- Introductions
- 2. Existing conditions
- Suggested improvements
- 4. Feedback and other matters

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.

Route 9 at California Avenue




MANNING

AGENDA

- 1. Introductions
- 2. Existing conditions
- Suggested improvements
- 4. Feedback and other matters

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.

Route 9 at Country Club Lane



. NAMNIMO

Another idea to


AGENDA

- 1. Introductions
- 2. Existing conditions
- Suggested improvements
- 4. Feedback and other matters

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.

consider is moving the order of the pedestrian phase to not have it immediately after the Route 9 mainline

Route 9 mainline




AGENDA

- Introductions
- 2. Existing conditions
- Suggested improvements
- 4. Feedback and other matters

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.

Route 9 at Edgell Road/Main Street



AGENDA

- Introductions
- 2. Existing conditions
- Suggested improvements
- 4. Feedback and other matters

Note that emergency pre-emption is typically owned and maintained by the municipality (through an agreement with DOT). Unless part of a MassDOT project, it is typically installed through our access permit process.

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.

Route 9 at Prospect Street




AGENDA

- 1. Introductions
- 2. Existing conditions
- Suggested improvements
- 4. Feedback and other matters

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.

Route 9 at Cochituate Road



AGENDA


- Introductions
- 2. Existing conditions
- Suggested improvements
- 4. Feedback and other matters

Please provide more information on what is recommended. Signage may be difficult given that all users cannot use the staircase.

This section of proposed sidewalk is not included in the drainage improvement contract.

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.

Route 9 at Route 126 (Concord Street)




AGENDA

- Introductions
- 2. Existing conditions
- Suggested improvements
- 4. Feedback and other matters

One safety issue at this location (and the other signals in front of Shoppers World and Natick Mall) is that the side street phases operate concurrently, and no through movements were considered (the lane use markings typically do not include a through arrow). However, the through movement is not physically prohibited.

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.

Route 9 at Caldor Road



AGENDA


- 1. Introductions
- 2. Existing conditions
- Suggested improvements

4. Feedback and other matters

The discussion of improvements for bicyclists should include how the intersections (where the shoulders generally narrow today) and ramp conflict areas would be addressed.

Narrowing the roadway shoulder to 2 feet is concerning on a roadway like Route 9. It leaves our Maintenance forces with little space to perform routine work during the day (as any stopping on the roadway would require closing a lane).

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.



AGENDA

- 1. Introductions
- 2. Existing conditions
- 3. Suggested improvements
- Feedback and other matters

Questions and Comments

Thank You!

Technical difficulties? Call Róisín Foley at 857.702.3704 or email rfoley@ctps.org.



Part 2: Selection of Study Locations



BOSTON REGION METROPOLITAN PLANNING ORGANIZATION

Stephanie Pollack, MassDOT Secretary and CEO and MPO Chair Tegin L. Teich, Executive Director, MPO Staff

TECHNICAL MEMORANDUM

DATE: December 17, 2020

TO: Boston Region Metropolitan Planning Organization

FROM: Seth Asante, MPO Staff

RE: Selection of FFY 2021 LRTP Priority Corridor Study Location

1 BACKGROUND

During the development of the Boston Region Metropolitan Planning Organization's (MPO) Long-Range Transportation Plan (LRTP), *Destination 2040*, the MPO staff identified the existing needs for all transportation modes in the region. The results were compiled in the LRTP Needs Assessment, which is used to guide the MPO's decision-making process for selecting transportation projects to fund in future Transportation Improvement Programs (TIP). The MPO goals that guided the development of the LRTP Needs Assessment include the following:

- Safety—make all modes safe
- Preservation—maintain and modernize the system
- Capacity Management and Mobility—use existing facility capacity more efficiently and increase healthy transportation capacity
- Clean Air/Clean Communities—create an environmentally friendly transportation system
- Transportation Equity—provide comparable transportation access and service quality among communities, regardless of income level or minority population
- Economic Vitality—ensure our transportation network serves as a strong foundation for economic vitality

Based on previous and ongoing transportation-planning work—including the MPO's Congestion Management Process (CMP) and planning studies—MPO staff identified several priority arterial roadway segments that require

Civil Rights, nondiscrimination, and accessibility information is on the last page.

¹ Destination 2040: The New Long-Range Transportation Plan of the Boston Region Metropolitan Planning Organization was adopted by the Boston Region MPO in August 2019.

maintenance, modernization, and safety and mobility improvements. These locations are documented in the LRTP Needs Assessment.

To address problems on some of these arterial segments, the *Addressing Priority Corridors from the Long-Range Transportation Plan Needs Assessment* study was included in the federal fiscal year (FFY) 2021 Unified Planning Work Program (UPWP).² This memorandum presents the results of the selection process and a recommendation for a location to study to the MPO board for discussion.

By focusing on arterial segments, planners can evaluate multimodal transportation needs comprehensively (with the goal of creating Complete Streets). A holistic approach to analyzing problems and forming recommendations ensures that the needs of all transportation users are considered. Ultimately, this approach will result in roadways where it is safe to cross the street and walk or bicycle to shops, schools, train stations, and recreational facilities, and where buses can run on time. Typically, the recommended improvements are within a roadway's right-of-way and the interests and support of stakeholders are also considered.

2 SELECTION PROCEDURE

The process for selecting study locations consisted of three steps:

- 1. MPO staff gathered and assembled data about the arterial segments from the LRTP Needs Assessment and used the data to identify and prioritize the segments in need of improvements.
- 2. Staff examined the arterial segments more closely by applying specific criteria.
- 3. Staff scored each arterial segment and assigned a priority of *low*, *medium*, or *high* to each segment.

Details about each step in the process are provided below.

2.1 Gathering Data and Identifying Potential Arterial Segments

MPO staff identified 43 arterial segments in 33 municipalities in the Boston region based on the following data sources:

 The Massachusetts Department of Transportation (MassDOT) Road Inventory File and 2013–17 crash database were used to assemble the following information for each arterial segment: roadway jurisdiction,

² The FFY 2021 UPWP was endorsed by the Boston Region MPO on June 16, 2020.

- National Highway System status, average daily traffic (ADT), high-crash locations, and crash rates.
- The MPO's CMP data on arterial congestion were used to determine average travel speeds, travel-time index (travel time in the peak period divided by travel time during free-flow conditions), and speed index (average travel speed divided by the speed limit) on each arterial segment.
- The MPO's data on gaps in the bike network and data on the location of MassDOT's bike facilities were used to identify bicyclists' needs, including locations where connectivity between bicycle facilities and bicyclists' accommodations could be improved.
- Data on Massachusetts Bay Transportation Authority (MBTA) bus service performance and passenger loads were used to determine the percentage of bus trips that do not adhere to the schedule (in other words, that provide late service) or do not adhere to passenger load standards (resulting in crowding).
- Data on MBTA bus routes, subway lines, and commuter rail lines were used to identify which arterial segments serve MBTA buses or stations.
- Data on the MPO's transportation equity analysis zones were used to identify areas of concern as relates to transportation equity.
- Data selected from MassDOT's project-information database, the MPO's FFY 2021–25 TIP project database, MPO planning studies and other studies, and municipal websites were used to obtain data on projects, studies, and TIP projects that are planned or programmed for each arterial segment.

Table 1 (attached) presents the data and information gathered about each of the arterial segments:

- Municipality
- Metropolitan Area Planning Council (MAPC) subregion
- Jurisdiction
- MassDOT district office
- Number of top-200 high-crash locations
- Number of crash clusters that are eligible for Highway Safety Improvement Program (HSIP) funding
- Travel-time index
- Transit service performance

- Proximity to a transportation equity analysis zone (within one-half mile distance)
- Relevant studies or projects within or near the segment

Table 1 also includes the score and priority rating that were determined by applying the selection criteria. The processes for scoring and assigning priority ratings to segments are described below.

2.2 Selection Criteria

MPO staff examined the arterial segments more closely by applying the following six criteria and assigning points based on the number of criteria that apply to each location.

- 1. Safety Conditions, 0–4 points (each of the four criteria is worth one point)
 - Location has a higher-than-average crash rate for its functional class
 - Location contains an HSIP-eligible crash cluster
 - Location is identified in the Massachusetts Top High-Crash Locations Report
 - Location has a significant number of pedestrian and bicycle crashes per year (two or more per mile) or contains one or more HSIP-eligible bike-pedestrian crash cluster
- 2. Congested Conditions, 0–2 points (each of the two criteria is worth one point)
 - Travel-time index is at least 1.3
 - Travel-time index is at least 2.0
- 3. Multimodal Significance, 0–3 points (each of the three criteria is worth one point)
 - Location currently supports transit, bicycle, or pedestrian activities
 - Location needs to have improved transit, bicycle, or pedestrian facilities
 - Location has a high volume of truck traffic serving regional commerce
- 4. Regional Significance, 0–4 points (each of the four criteria is worth one point)
 - Location is in the National Highway System
 - Location carries a significant portion of regional traffic (ADT is greater than 20,000)
 - Location lies within 0.5 miles of a transportation equity analysis zone
 - Location is essential for the region's economic, cultural, or recreational development

- 5. Regional Equity, 0–2 points (each of the two criteria is worth one point)
 - Location is in an MAPC subregion for which there has not been a Priority Corridors study
 - Location is in an MAPC subregion for which there has not been a Priority Corridors study in the previous three years
- 6. Implementation Potential, 0–3 points (each of the three criteria is worth one point)
 - Location is proposed or endorsed for study by the agency that administers the roadway
 - Location is proposed or endorsed by its MAPC subregional group and is a priority for that subregional group
 - Other stakeholders strongly support improvements for the location

2.3 Rating Potential Roadways

MPO staff rated arterial segments with a total score of 11 or fewer points as *low* priority; those with a score of 12 to 13 points as *medium* priority; and those with a total score of 14 or more points as *high* priority. Staff gave 6 arterial segments a high-priority rating based on safety and operational needs, multimodal and regional significance, regional equity, and support for improvements from agencies and municipalities. Staff then examined high-priority segments more closely and excluded arterials for which there were projects meeting any of the following criteria from further consideration for this cycle of the Priority Corridors study: recently completed, in construction, in design, under study, or programmed in the TIP with the 25 percent design completed.

Staff also evaluated the pedestrian accommodation and safety improvement needs for the segment with the highest score by applying the MPO's Pedestrian Report Card Assessment and Bicycle Level-of-Service Metric (Bicycle Report Card).³ These locations highly qualify based on pedestrian and bicycle accommodation or safety improvement requirements. Appendix A contains detailed results of the assessments for Route 9 in Framingham and Natick, the arterial segment with the highest score. Based on this evaluation, staff recommends studying the segment on Route 9 in Framingham and Natick. Figure 1 shows the study area with seven HSIP intersection crash clusters.

³ Ryan Hicks and Casey-Marie Claude, Boston Region Metropolitan Planning Organization, Pedestrian Level-of-Service Memorandum, January 19, 2017; Casey-Marie Claude, Boston Region Metropolitan Planning Organization, Development of a Scoring System for Bicycle Travel in the Boston Region, November 8, 2018.

3 ARTERIAL SEGMENT SELECTED FOR STUDY: ROUTE 9 IN FRAMINGHAM AND NATICK

The arterial segment on Route 9 in Framingham and Natick received a total score of 16, based on the selection criteria (safety, congestion, multimodal and regional significance, regional equity, and implementation potential). Route 9 runs east and west through Framingham and Natick and it serves residential, commercial, industrial, educational, and recreational areas. Within the selected corridor, there are several transportation equity zones that exceed the threshold of the MPO, including low-income households, minority, low English proficiency, and carless households.

Being a principal arterial, Route 9 carries local and commuter traffic to and from Boston and connects major north-south road Routes 27, 30, and 126, Main Street/Edgell Road, Speen Street, and Oak Street. Staff's evaluation indicates that there are safety and mobility problems in the segment. Seven locations along the segment contain HSIP-eligible crash clusters, two of which are in the top 200 of intersection crash clusters in Massachusetts. Also, accommodation for bicyclists is poor and better bicycle connections are needed in the corridor. Pedestrian accommodations need improvement as there are gaps in the sidewalk network.

MassDOT Highway District 3 has been fielding inquiries about improving the safety of pedestrian and bicycles along the corridor, pedestrian signal equipment, and phasing/timing changes. District 3, City of Framingham, and Town of Natick are looking for solutions to the problems (see Appendix B). MPO staff would focus on segments where safety and people who bike or walk would benefit the most. MPO staff would work with stakeholders to identify the problems and develop solutions that could be incorporated into MassDOT project number 609402. The recommended arterial segment meets the selection criteria of this study, especially by supporting the transportation improvement priorities of the MPO's LRTP.

4 NEXT STEPS

After the MPO board discusses this recommendation, staff will meet with officials from the City of Framingham, Town of Natick, and MassDOT and other stakeholders to discuss the study specifics, conduct field visits, collect data, identify needs, and develop solutions.

SA/sa

Table 1 Figure 1 Appendix A—Route 9 pedestrian and bicycle levels of service Appendix B—Letter of support

The Boston Region Metropolitan Planning Organization (MPO) operates its programs, services, and activities in compliance with federal nondiscrimination laws including Title VI of the Civil Rights Act of 1964 (Title VI), the Civil Rights Restoration Act of 1987, and related statutes and regulations. Title VI prohibits discrimination in federally assisted programs and requires that no person in the United States of America shall, on the grounds of race, color, or national origin (including limited English proficiency), be excluded from participation in, denied the benefits of, or be otherwise subjected to discrimination under any program or activity that receives federal assistance. Related federal nondiscrimination laws administered by the Federal Highway Administration, Federal Transit Administration, or both, prohibit discrimination on the basis of age, sex, and disability. The Boston Region MPO considers these protected populations in its Title VI Programs, consistent with federal interpretation and administration. In addition, the Boston Region MPO provides meaningful access to its programs, services, and activities to individuals with limited English proficiency, in compliance with U.S. Department of Transportation policy and guidance on federal Executive Order 13166.

The Boston Region MPO also complies with the Massachusetts Public Accommodation Law, M.G.L. c 272 sections 92a, 98, 98a, which prohibits making any distinction, discrimination, or restriction in admission to, or treatment in a place of public accommodation based on race, color, religious creed, national origin, sex, sexual orientation, disability, or ancestry. Likewise, the Boston Region MPO complies with the Governor's Executive Order 526, section 4, which requires that all programs, activities, and services provided, performed, licensed, chartered, funded, regulated, or contracted for by the state shall be conducted without unlawful discrimination based on race, color, age, gender, ethnicity, sexual orientation, gender identity or expression, religion, creed, ancestry, national origin, disability, veteran's status (including Vietnam-era veterans), or background.

A complaint form and additional information can be obtained by contacting the MPO or at http://www.bostonmpo.org/mpo_non_discrimination. To request this information in a different language or in an accessible format, please contact

Title VI Specialist
Boston Region MPO
10 Park Plaza, Suite 2150
Boston, MA 02116
civilrights@ctps.org
857.702.3700 (voice)
617.570.9193 (TTY)

TABLE 1
Arterial Segments Considered for Study: Priority Corridors for Long-Range Transportation Plan Needs Assessment Study

Arterial Segment	Community	MAPC Subregion	MassDOT District	Jurisdiction	National Highway System	Functional Class*	Number of Top- 200 High-Crash Locations 2015–17			Transit Service	Crowded or Late Bus	In or Near Transportation Equity Priority Area	Study, Project, or TIP Project	Safety Conditions***	Congested	Multimodal Significance***	Regional Significance***	Regional Equity***	Implementation Potential***	Score	Priority Rating	Summary of Comments
Route 9	Framingham and Natick		3	MassDOT	Yes	2	2	7	3.47	MWRTA Routes 1, 2 3, 7, and 9		Yes	MassDOT Project #609402, Framingham-Natick resurfacing and related work on Route 9; programmed FFY 2025. MassDOT Project #607732, Framingham-Natick Cochituate Rail Trail, the project involves construction of 2.4 miles of rail trail and includes a grade separated crossing at Routes 9 and 30; in construction. MassDOT Project #608006, Framingham Pedestrian Hybrid Beacon Installation at Route 9 and Maynard Road and the Framingham Fire Station; in design. MassDOT Project #608281, Installation of adaptive traffic control signal equipment, vehicle detection, and communication equipment at 5 traffic signals in Framingham and Natick on Route 9, in construction. MassDOT Project #608286, Drainage improvements on Route 9 at Route 126 interchange and salt shed relocation (Phase 1); in design.	3	2	3	4	1	3	16	High	This arterial segment was selected because staff's evaluation indicates that there are safety and mobility problems in the segment. Eight locations along the segment contain HSIP-eligible crash clusters, two of which are in the top 200 of intersection crash clusters in Massachusetts. Also, accommodation for people who bicycle is poor and better bicycle connections are needed in the corridor. Accommodations for people who walk need improvement as there are gaps in the sidewalk network. MassDOT Highway District 3 has been fielding inquiries about improving the safety of people who bicycle or walk along the corridor and better signal equipment and phasing/timing changes. Within the selected corridor, there are several transportation equity zones that exceed threshold of the MPO. Recommendations from the study could be incorporated into MassDOT project number 609402.
Route 37	Braintree	ssc	6	MassDOT	Yes	2	1	2	2.73	MBTA bus Routes 230 and 236 and travel on or across the segment.	Yes	Yes	MassDOT Project #608651, Adaptive traffic signal control on Route 37 (Granite Street). Installation of adaptive traffic control signal equipment, vehicle detection, communication equipment, and managing software at seven traffic signals on Route 37; in construction. MassDOT Project #607684, Bridge replacement, B-21-017, Washington Street (Route 37) over MBTA/CSX railroad; preliminary design.	3	2	2	4	2	2	15	High	The arterial segment has a 5- to 6-foot shoulder on either side of the roadway for most of the corridor. There are sidewalks on either side of the roadway throughout the corridor. In addition, MassDOT is installing adaptive traffic control signal equipment, vehicle detection, communication equipment, and managing software at seven traffic signals on Route 37, a project that is under construction.
Route 16	Medford	ICC	4	MassDOT	Yes	2, 3	1	7	3.04	MBTA bus Routes 90, 97, 99, 100, 106, 108, 110, 112, and 134 MBTA rapid transit on the Orange Line at Wellington and on the Red Line at Porter Square; MBTA commuter rail at West Medford and Porter Square		Yes	MassDOT Project #604660, Everett-Medford-Bridge Replacements, Revere Beach Parkway (Route 16), E-12-004=M- 12-018 over the Malden River (Woods Memorial Bridge) and M-12- 017 over MBTA and Rivers Edge Drive—The purpose of this project is to replace the existing non-operating draw bridge with a new fixed bridge. The project is under construction. MassDOT Project #605531, Structure maintenance, E-12-004=M- 12-018, Revere Beach Parkway (Route 16) over the Malden River (Woods Memorial Draw Bridge); in construction.	4	2	3	4	0	2	15	High	In FFY 2019, MPO staff studied Route 16 in Chelsea and Everett and suggested improvements to address safety, congestion, multimodal transportation, and pedestrian and bicycle accommodations. The section of Route 16 in Medford has five HSIP intersection clusters, including two pedestrian clusters. The roadway experiences congestion and high truck volumes. It also carries vehicular, pedestrian, and bicycle traffic to Wellington Station. Studying this segment in Medford will provide MassDOT with improvement concepts to comprehensively address safety, capacity management and mobility, and pedestrian and bicycle accommodations in the corridor.
Route 3A	Burlington	NSPC	4	MassDOT	Yes	3	0	2	1.67	MBTA bus Routes 350, 351, and 354 travel on or across the segment.	Yes	Yes	MassDOT Project #608068, will install an adaptive traffic control signal system on Cambridge Street, Middlessex Turnpike, and Burlington Mall Road. The project includes the installation of compatible traffic signal control equipment, video detection, communication devices and software to integrate 11 MassDOT and 16 Town-owned traffic signal locations into one adaptive signal system. The project is in construction.	3	1	3	4	2	1	14	High	On this segment, there are no accommodations for bicycles, gaps in sidewalk network, and travel lanes that are very wide (drivers form two lanes in each direction). Land use is mixed along the corridor. There are three MBTA bus routes operating in the corridor. Pedestrian and bicycle crashes have occurred in the corridor. The installation of an adaptive traffic control signal system is underway on Cambridge Street, Middlessex Turmpike, and Burlington Mall Road to integrate 11 MassDOT and 16 Town-owned traffic signal locations into one adaptive signal system.
Route 18	Weymouth	SSC	6	MassDOT	Yes	3	3	8	2.55	MBTA bus Route 225 MBTA commuter rail at South Weymouth	Voc	Yes	MassDOT Project #601630, Reconstruction and widening on Route 18 (Main Street) from Highland Place to Route 139 (4.0 miles) includes replacing W-32-013, Route 18 over the Old Colony Railroad (MBTA); in construction.	4	2	2	4	2	0	14	High	This arterial segment was not selected because a MassDOT project, currently in construction, would address problems in the entire segment and no study is needed at this time.
Routes 38/129	Wilmington	NSPC	4	MassDOT an Wilmington	d Yes	3	0	4	3.31	MBTA commuter rail at Wilmington, North Wilmington, Anderson/Woburn, and Reading		Yes	MassDOT Project #608051, Reconstruct Route 38 from Route 62 to the Woburn city line, add bike lanes, sidewalks, and turn lanes, and upgrade signals; programmed FFY 2024. MassDOT Project #609253, Intersection improvements at Lowell Street (Route 129) and Woburn Street; programmed FFY 2024. MassDOT Project #601732, Rehabilitation, Route 129 (Lowell Street) from Route 38 (Main Street) to Woburn Street; completed in 2009.	3	2	2	4	2	1	14	High	Several sections of the arterial have projects that are currently in design. These MassDOT projects would address problems in the corridor.
Route 2A/3	Arlington	ICC	4	Arlington	Yes	3	0	2	2.39	MBTA bus Routes 67, 77, 79, 80, 87, and 350 travel on or across the segment.	Yes	Yes	None	3	2	3	4	0	1	13	Medium	None
Route 203	Boston	ICC	6	MassDOT	Yes	3	5	13	2.94	MBTA bus Routes 14, 26, 201, 202, 215, and 217 travel on or across the segment.	Yes	Yes	MassDOT Project #606318, Intersection improvements at Gallivan Boulevard (Route 203) and Morton Street; in construction. MassDOT Project #608755, Intersection improvements Morton Street (Route 203) at Blue Hill Ave, at Courtland Road/Havelock Street, and at Havard Street; programmed in the FFY 2019 TIP; in design. MassDOT Project #606896, Reconstruction on (Route 203) Gallivan Boulevard, from Neponset Circle to east of Morton Street intersection; in preliminary design. MassDOT Project #606897, Improvements on (Route 203) Morton Street, from west of Gallivan Boulevard to Shea Circle; in preliminary design.	4	2	2	4	0	1	13	Medium	The FFY 2012 Priority Corridors for LRTP Needs Assessment Study and several MassDOT projects in the corridor will address issues.
Route 2A	Cambridge	ICC	6	Cambridge and DCR	Yes	3	1	5	2.05	MBTA bus Routes 67, 77, 79, 80, 87, and 350 travel on or across the segment.	Yes	Yes	None	4	2	2	4	0	1	13	Medium	None

Arterial Segm	ent Community	MAPC Subregion	MassDOT District	Jurisdictio	National Highway on System	Functional Class*	Number of Top- 200 High-Crash Locations 2015–17					In or Near Transportation Equity Priority Area	Study, Project, or TIP Project	Safety Conditions***	Congested Conditions***	Multimodal Significance***	Regional Significance***	Regional Equity***	Implementation Potential***	Score	Priority Rating	Summary of Comments
Route 135	Framingham	n MWRC	3	Framingha	am Yes	3	1	2	1.63	MBTA commuter rail at Framingham. MWRTA Routes 4, 5, 6, and 11	No data	Yes	MassDOT Project #606109, Intersection improvements at Route 126/135/MBTA and CSX railroad.	4	1	2	4	1	1	13	Medium	MassDOT Project #606109: Intersection improvements at Route 126/135/MBTA and CSX railroad. Roadway has received improvements to address congestion and make it multimodal (accommodation for pedestrians and bicycles).
Route 107	Lynn	ICC	4	MassDOT Lynn	and Yes	3	4	11		MBTA bus Routes 424,426, 435, 436, 441, 442, 450, 455, 456, 459, 429, and 435 MBTA commuter rail at River Works, Lynn/Central Square, and Swampscott Ferry service	Yes	Yes	MassDOT Project #808817, Resurfacing of Route 107 and related improvements; programmed FFY 2021. MassDOT Project #808927, Reconstruction of Route 107 in Lynn and Salem; in preliminary design. MassDOT project #609246, Rehabilitation of Western Avenue (Route 107); in preliminary design. MassDOT Project #604952, Bridge Replacement, Route 107 over the Saugus River; programmed 2019. MassDOT Project #26710, Bridge Replacement, Route 107 over the Saugus River (Fox Hill Bridge); completed spring 2013.	4	1	3	4	0	1	13	Medium	This arterial segment was not selected for study because a Route 107 Corridor Study in Lynn and Salem has been completed by MassDOT recently and the proposed improvements would be addressed under project #608927, which is in design.
Route 16	Milford	SWAP	3	MassDOT Milford	and Yes	3	0	4	3.58	MWRTA Route 14	No data	Yes	MassDOT Project #607428, Resurfacing and intersection improvements on Route 16 (Main Street), from Water Street west to approximately 120 feet west of the Milford/Hopedale town line and the intersection of Route 140; programmed FFY 2019. MassDOT Project #606142, Signal and intersection improvements on Route 16 (Main Street and East Main Street) at six locations; completed in 2013.	3	2	2	4	1	1	13	Medium	This corridor is not recommended for study. The corridor received improvements in 2013 based on a CTPS study and currently a MassDOT resurfacing and intersection improvement project has been programmed for FFY 2019.
Route 3A	Quincy	ICC	6	MassDOT DCR, and Quincy		3	1	8	2.76	MBTA bus Routes 210, 211, 212, 214, 216, 217, 220, 221, 222, 225, 230, 236, 238, and 245 MBTA Red Line rapid transit at Quincy Center MBTA commuter rail at Quincy Center	Yes	Yes	MassDOT Project #608569, Intersection improvements at Route 3A (Southern Artery) and Broad Street; programmed FFY 2022 TIP. MassDOT Project #605729, Intersection and signal improvements at Hancock Street and East/West Squantum streets; completed in 2015. An FFY 2012 CTPS safety and operations study addressed problems at the Route 3A and Coddington Street intersection.		2	2	4	0	1	13	Medium	Route 3A (Hancock Street and Southern Artery) has received several improvement projects and was the focus of a CTPS study. The location was suggested in the 2017 MPO outreach program.
Route 28	Randolph	TRIC	6	MassDOT Randolph	and Yes	3	3	8	2.00	MBTA bus Routes 240 and 238 MBTA commuter rail at Holbrook/Randolph BAT Route 12	Yes	Yes	MassDOT Project #609399, Resurfacing and related work on Route 28; in preliminary design. Arterial Coordination Study, CTPS study (2010).	4	2	2	4	0	1	13		The location has received several MassDOT projects and CTPS studies and it is not recommended for study.
Route 114	Salem	NSTF	4	MassDOT Salem	and Yes	2, 3	0	3	2.06	MBTA bus Routes 450, 451, 455, 456, and 465 MBTA commuter rail at Salem and Beverly; Ferry service	Yes	Yes	MassDOT Project #608521, Bridge Maintenance, North Street (Route 114) over Bridge Street (Route 107) and MBTA, in construction. MassDOT Project #605332, Bridge Replacement (Route 114) North Street over North River; in design stage.	3	2	2	4	1	1	13	Medium	This roadway has Complete Streets improvements, including sidewalks and bicycle lanes on either side of the roadway. The section that requires improvements to improve safety, capacity management and mobility, and accommodate bicycles is between Bridge Street (Route 107) and Route 128.
Route 16	Wellesley	MWRC	6	MassDOT Wellesley	and Yes	3	0	0	2.57	MBTA commuter rail at Wellesley Square, Wellesley Hills, Wellesley Farms and Waltham	N/A	Yes	MassDOT Project #94762, Bridge Rehabilitation, Br# W-13-014 Route 16 (Washington Street) over Route 9 including relocation of retaining wall.	3	2	2	4	1	1	13	Medium	The location was suggested in 2014 LRTP outreach through verbal comments at a 495/MetroWest Partnership meeting.
Route 20	Weston	MWRC	6	MassDOT	Yes	3	0	2	3.06	MBTA bus Route 70 MBTA commuter rail at Waltham and Kendal Green	Yes	Yes	Intersection improvements on Boston Post Road (Route 20) at Wellesley Street; in design stage.	3	2	2	4	1	1	13	Medium	A congestion study was suggested through UPWP and LRTP outreach in 2012, 2013, and 2014 by MAGIC; a formal letter was submitted and verbal comments were made at an MWRC subregion meeting. A suggestion to study this location was resubmitted in a comment on the Draft FFY 2014 UPWP and during the 2017 MPO outreach program.
Route 3A	Weymouth	ssc	6	MassDOT	Yes	3	0	1		30 MBTA bus stops MBTA bus Routes 220, 221, and 222 MBTA commuter rail at Quincy Center, Weymouth Landing/East Braintree, and West Hingham Ferry service	Yes	Yes	MassDOT Project #608231, Reconstruction of Route 3A including pedestrian and traffic signal improvements; in design. MassDOT Project #604382, Route 3A (Washington Street) Bridge; in construction. MassDOT Project #608483, Work consists of resurfacing on Route 3A; in preliminary design.		2	2	4	2	1	13	Medium	A road safety audit was completed for Route 3A in Weymouth in September 2016. The audit identified the problems and needs on the roadway, and suggested short-, medium-, and long-term improvements. MassDOT Project #608321, in design, will address problems and needs identified in the corridor.
Route 60	Arlington	ICC	4	Arlington	Yes	3	0	1	3.92	MBTA bus Routes 67, 77, 79, 80, 88, and 350 travel on or across the segment	Yes	Yes	CTPS and MAPC Community Transportation Technical Assistance Program evaluated the high-crash location at the intersection at Massachusetts Avenue in March 2010. MassDOT Project #606885 reconstructed the intersection of Route 3 and Route 60; the project was completed in 2017.	3	2	3	3	0	1	12	Medium	None

Arterial Segm	ent Community	MAPC y Subregion	MassDOT District	Jurisdiction	National Highway System	Functional Class*	Number of Top- 200 High-Crash Locations 2015–17			Transit Service		In or Near Transportation Equity Priority Area	Study, Project, or TIP Project	Safety Conditions***	Congested Conditions***	Multimodal Significance***	Regional Significance***	Regional Equity***	Implementation Potential***	Score	Priority Rating	Summary of Comments
Route 2/3/3A/1	6 Cambridge	icc	6	DCR	Yes	2	3	5	4.80	MBTA bus Routes 75, 71, 72, 73, 74, and 78 MBTA Red Line rapi transit MBTA commuter rai at Porter Square		Yes	DCR announced that the agency will conduct a traffic study of several intersections along Mount Auburn Street and Fresh Pond Parkway, in partnership with the City of Cambridge and the MBTA The study will focus on safety measures, bus prioritization, and accessibility. MassDOT Project #608806, Multiuse Path Contruction (Phase II), will create a multiuse greenway on the former B&M railroad right-of-way extending from Concord Avenue in Cambridge through the Fresh Pond Reservation, under Huron Avenue and Mount Auburn Street and into Watertown; this project is in construction. MassDOT Project #609290, Intersection improvements at Fresh Pond Parkway/Gerrys Landing Road, from Brattle Road to Memorial Drive.	3	2	2	4	0	1	12	Medium	The Fresh Pond Residents Alliance identified Fresh Pond Parkway and Alewife Brook Parkway as locations in need of transportation improvements. Concerns include pedestrian safety, particularly for young students who walk to Shady Hill School, because of high traffic volumes, environmental issues, and lack of livability.
Route 16	Chelsea and Everett	^d ICC	4	MassDOT	Yes	2	7	8	1.99	MBTA bus Routes 97, 99, 106, 110, 112, 104, 105, and 109 MBTA Orange Line rapid transit at Wellington and MBTA commuter rai at Chelsea		Yes	FFY 2019 Priority Corridor for LRTP Needs Assessment Study (Chelsea and Everett)	3	1	3	4	0	1	12	Medium	FFY 2019 Priority Corridors for LRTP Needs Assessment Study (Concord and Lincoln)
Route 2	Concord	MAGIC	4	MassDOT	Yes	2	0	2	5.93	MBTA commuter rai at West Concord, Concord, and Lincol	N/A		MassDOT Project #602984, Crosby's Corner (Route 2 at Route 2A) Improvements; in construction. MassDOT Project #608015, Reconstruction and widening on Route 2, from Sandy Pond Road to Bridge over MBTA/B&M railroad. MassDOT Project #602091, Concord Rotary; in preliminary design MassDOT Project #604069, Bridge Replacement over Sudbury River; in preliminary design. MassDOT Project #606223: Bruce Freeman Rail Trail Construction (Phase II-B) in Acton and Concord, will connect the trail across Route 2; programmed in the FFY 2019 TIP; in design.		2	2	4	1	1	12	Medium	FFY 2013 Priority Corridors for LRTP Needs Assessment Study (Concord and Lincoln) Route 2 was suggested during MPO outreach as a route experiencing congestion that affects MAGIC communities as well as Cambridge. There are many projects and studies conducted for this corridor, including the Route 2 (Crosby's Corner) improvements and Concord Rotary upgrade and improvements.
Route 99	Everett	ICC	4	Everett	Yes	3	0	1	2.23	MBTA bus Routes 97, 99, 104, 105, 106, 109, 110, and 112 travel on or across the segment	res	Yes	MassDOT Project #602383 reconstructed Route 99 with a traffic signal upgrade, from Second Street to the Malden city line; completed in 2008. MassDOT Project #602382 reconstructed Route 99 from Sweetse Circle to the Alford Street Bridge in 2013; completed spring 2013.	2	2	3	4	0	1	12	Medium	This roadway is not recommended for study because MassDOT completely reconstructed Route 99 with signal improvements from Alford Street Bridge to the Malden city line. Route 99 (Lower Broadway) has also received improvements, including pedestrian and bicycle accommodation, as a result of the Encore Boston Harbor mitigation improvements.
Route 3A	Hingham	SSC	5	MassDOT	Yes	3	0	2	1.69	MBTA commuter rai at Cohasset, Nantasket Junction, West Hingham, and East Weymouth Ferry service MBTA bus Routes 220 and 221			MassDOT Project #605168, Improvements on Route 3A from Otis Street/Cole Road including Summer Street and rotary; Rockland Street to George Washington Boulevard; in preliminary design. MassDOT Project #603137, Intersection Improvements on Route 3A at Kirby Street. There has been local interest in installing a traffic signal at this intersection; in preliminary design.		1	2	4	2	1	12	Medium	In FFY 2015, a subregional priority roadway study was conducted for Route 3A in Hingham and Hull. The location received strong support from the Towns of Hingham and Hull, as well as the South Shore Coalition and the MassDOT Highway Division District 5 Office.
Route 16	Holliston	MWRC	3	MassDOT an Holliston	nd Yes	3	0	2	1.76	MWRTA Routes 6 and 14	No data	Voc	2011 CTPS study, Route 126 Corridor: Transportation Improvement Study. 2008 CTPS study, Washington Street (Route 16/126) at Hollis Street.	2	1	2	4	1	2	12	wedium	This location has MassDOT projects and CTPS studies, which have not been implemented. The 495/MetroWest Partnership expressed interest in a Route 16 study. The section that experiences the most crashes is the town center portion (under Holliston jurisdiction). A road safety audit
Route 28	Milton	ICC and TRIC	6	MassDOT ar Milton	nd Yes	3	1	4	2.48	MBTA bus Routes 240, 245, 24, 28, 29 30, and 31 MBTA Red Line rapi transit at Mattapan/Ashmont Station, BAT Route 12	id Yes		MassDOT Project #607342, Intersection and Signal Improvements at Route 28 (Randolph Avenue) and Chickatawbut Road; programmed FFY 2022. MassDOT Project #609396, Resurfacing and related work on Route 28; programmed FFY 2024. MassDOT Project # 106901, Reconstruction on Route 28 (Randolph Avenue) from Reedsdale Road to Quincy town line; completed in 2008.	4	2	3	3	0	0	12	Medium	This arterial segment was studied in FFY 2020. There are four HSIP intersection clusters in the segment. There is no accommodation for bicycles in the segment, which presents a significant connectivity problem because several of the side streets have bicycle lanes. There are peak period traffic congestion problems that create safety, operations, and mobility issues for the residents. The Town of Milton and MassDOT have expressed their support and will participate in the study. In addition, recommendations from the study could be incorporated into MassDOT Project #609396 or a new project.
Route 1	Norwood	TRIC	5	MassDOT	Yes	3	0	5	3.85	MBTA commuter rai at Islington, Dedham Corp. Center, Endicott, Norwood Depot, Norwood Central, Windsor Gardens, and Plimptonville	n	Yes	MassDOT's I-95 South Corridor Study, provided a comprehensive evaluation of the I-95 and Route 1 corridors south of Route 128 that included a recommended plan of short-term and long-term improvements; June 2010. MassDOT Project #609371, Median jersey barrier and fencing upgrade; programmed FFY 2019. MassDOT Project #608052, Route 1 at Morse Street (approved by PRC November 2014); programmed FFY 2023. MassDOT Project #605857, Route 1 at University Avenue and Everett Street; programmed FFY 2022. MassDOT Project #605321, Bridge Preservation, Route 1 over the Neponset River; in design stage. MassDOT Project #605645, Median jersey barrier and fencing upgrade; completed in 2012.	2	2	3	4	0	1	12	Medium	The location has MassDOT projects and studies and it is not recommended for study.

Arterial Segment	Community	MAPC Subregion	MassDO1 District	Jurisdiction	National Highway	Functiona	Number of Top- 200 High-Crash I Locations 2015–17			Transit Service	Crowded or Late Bus	In or Near Transportation Equity Priority Area	n y Study, Project, or TIP Project	Safety Conditions**	Congested * Conditions***	Multimodal Significance***	Regional Significance***	Regional Equity***	Implementation Potential***	Score	Priority Rating	Summary of Comments
Route 114	Peabody	NSTF	4	MassDOT ar Peabody	nd Yes	3	0	1	3.60	MBTA bus Routes 435, 465	Yes	Yes	MassDOT Project # 608567, Improvements at Route 114 at Sylvan Street, Cross Street, Northshore Mall, Loris Road, Route 128 Interchange, and Esquire Drive; programmed FFY 2022.	3	2	2	3	1	1	12	Medium	Route 114 in Peabody was listed as a potential corridor in need of signal progression and improvements to accommodate pedestrians and bicyclists. However, the arterial segment was not selected because, according to MassDOT Highway District 4, a road safety audit was completed for the segment in August 2016 and a consultant has started design work as part of project #608567, which is programmed for FFY 2022.
Route 16 (Revere Beach Parkway)	Revere	ICC	4	MassDOT	Yes	2	0	1	2.93	MBTA bus Routes 110 and 116 travel on or across the segment MBTA rapid transit on Blue Line MBTA commuter rail at Chelsea	Yes	Yes	None	2	2	3	4	0	1	12	Medium	This location is not recommended for study because the Suffolk Downs Redevelopment project is evaluating several scenarios that would affect traffic on Route 16 and Route 1A.
Route 107	Salem	NSTF	4	MassDOT ar Salem	nd Yes	3	0	2	2.84	MBTA bus Routes 450, 456, 461, and 465 MBTA commuter rail at Salem and Beverly Ferry service		Yes	Route 107 Corridor Study in Salem and Lynn; completed in 2016. MassDOT Project #608059, Stormwater improvements along Route 107 (Salem Bypass Road); in construction. MassDOT Project #608650, Adaptive Signal Controls on Route 107 (Highland Avenue); in construction. MassDOT Project #6080817, Resurfacing and related work on Route 107; programmed FFY 2022 TIP. MassDOT Project #608927, reconstruction of Route 107; in preliminary design.	3	2	2	4	1	0	12	Medium	This arterial segment is not recommended for study. The Route 107 corridor in Lynn and Salem was studied in 2016 and many of the recommendations have advanced into MassDOT projects. Also, there is a FFY 2022 TIP project programmed for the corridor.
Route 1A	Salem	NSTF	4	MassDOT ar Salem	nd Yes	2	0	0	1.59	16 MBTA bus stops MBTA bus Route 455 MBTA commuter rail at Salem Ferry service		Yes	MassDOT Project #605146, Reconstruction of Canal Street from Washington Street and Mill Street to Loring Avenue (Route 1A) and Jefferson Street; completed in 2018. MassDOT Project #601017, Reconstruction of Route 1A (Bridge Street) from the Beverty/Salem Bridge to Washington Street (6,000 feet); completed in 2013.	3	1	2	4	1	1	12	Medium	This arterial segment was not selected because the southern end of this arterial segment is included in the study of Route 1A at Vinnin Square in Marblehead and in Swampscott; this location was selected as the subject of the FFY 2016 Priority Corridors Study. The intersection of Route 1A and Jefferson Street and Canal Street was reconstructed in 2018.
Route 16	Sherborn	SWAP	3	Sherborn	Yes	3	0	2	3.20	None	N/A	Yes	None	2	2	1	4	1	2	12	Medium	This location was suggested during 2014 LRTP outreach at a 495/MetroWest Partnership meeting. The section that experiences the most crashes and congestion is in the town center, where Route 16 and Route 27 combine and split.
Route 20	Waltham	ICC	6	MassDOT ar Waltham	nd Yes	3	0	4	2.45	MBTA bus Routes 70, 170, and 505 travel on or across the segment.	Yes	Yes	City of Waltham Transportation Master Plan, January 2017.	3	2	2	4	0	1	12	Medium	This location is not recommended for study because this location had been studied and improvements proposed in the Waltham Transportation Master Plan.
Route 60	Medford	ICC	4	Medford	No	3	0	0		MBTA bus Routes 95, 101, 134, 326, and 710 MBTA commuter rail at West Medford and Porter Square		Yes	None	3	2	3	2	0	1	11	Low	None
Route 138	Milton	ICC and TRIC	: 6	MassDOT	Yes	2	0	2	2.41	MBTA bus Routes 245 and 716 MBTA commuter rail at Route 128 Station MBTA Red Line rapid transit at Mattapan Station	Yes	Yes	MassDOT Project #608484, Roadway Improvements on Route 138, is planned to be funded through the Boston Region Metropolitan Planning Organization's FFY 2020 Transportation Improvement Program; the project will also incorporate work planned originally for Project #607763 (described below); programmed FFY 2020. FFY 2018 LRTP Priority Corridor Study	2	2	2	4	0	1	11	Low	FFY 2018 Priority Corridors for LRTP Needs Assessment Study, MassDOT Project #608484, Roadway Improvements on Route 138, programmed for FFY 2020, will address problems and needs in the corridor.
Route 9	Newton	ICC	6	MassDOT	Yes	2	0	3	4.90	MWRTA Route 1 MBTA bus Routes 60, 51, 52, and 59 travel on or across the segment MBTA Green Line	Yes	Yes	MassDOT Project #608821, Resurfacing and related work on Route 9; in preliminary design. MassDOT Project #604327, Resurfacing and Related Work on Route 9 (Boylston Street) from the Wellesley/Newton city line to Newton/Brookline city line; completed in summer 2012. MassDOT Project #606635, Reconstruction of Highland Avenue, Needham Street, and Charles River Bridge, from Webster Street to Route 9; programmed FFY 2019.	2	2	2	4	0	1	11	Low	According to MassDOT District 6, improvements were recently made to accommodate new developments. An analysis of the new existing conditions would be helpful to compare with the future projected conditions.
Route 129	Reading	NSPC	4	MassDOT ar Reading	nd Yes	3	0	0	1.82	MBTA bus Route 136 MBTA commuter rail at Wakefield, Reading, and Woburn		Yes	No projects	3	1	2	2	2	1	11	Low	None

Arteria	Segment Co	ommunity	MAPC Subregion	MassDOT District	Jurisdict	Natio High	nway F		Number of Top- 200 High-Crash Locations 2015–17	Number of HSIP-Eligible Crash Clusters 2015–17**		Transit Service	Crowded or Late Bus	In or Near Transportation Equity Priority Area	Study, Project, or TIP Project	Safety Conditions***	Congested Conditions***	Multimodal Significance***	Regional Significance***	Regional Equity***		Score	Priority Rating	Summary of Comments
Route ¹	w	'alpole	TRIC	5	MassDO	T Yes		3	0	1	1.53	MBTA commuter rail at Sharon and Walpole	N/A	Yes	MassDOT's I-95 South Corridor Study presented a comprehensive evaluation of the I-95 and Route 1 corridors south of Route 128 and included a recommended plan of short-term and long-term improvements; June 2010. MassDOT Project #608480, Resurfacing and related work on Route 1; programmed FFY 2020. MassDOT Project #608599, Stormwater Improvements to treat discharges from Route 1, I-95, and Route 1A to the Neponset River and an Unnamed Tributary; programmed FFY 2022.	2	1	3	4	0	1	11	Low	The location has MassDOT projects and studies and was not recommended for study by MassDOT Highway District 5.
Route 9	w	'ellesley	MWRC	6	MassDO	T Yes		2	0	3	1.77	MBTA commuter rail at Wellesley Hills and Wellesley Farms MWRTA bus Route 1	No data	Yes	MassDOT Project #608180, Resurfacing on Route 9, from limit of add-a-lane to east of Overbrook intersection; in construction. MassDOT Project #606530, Drainage improvements along Route 9 Boulder Brook Culvert (design only); in design. MassDOT Project #607340, Resurfacing and related work on Route 9 from Dearborn Street to Natick town line; in preliminary design. MassDOT Project #609402, Resurfacing and related work on Route 9; in preliminary design. MassDOT Project #69402, Resurfacing and related work on Route 9; in preliminary design. MassDOT work of Warfold Route 9, including relocation of retaining wall; completed summer 2010. MAPC Land Use/Corridor Study (fall 2013).	2	1	2	4	1	1	11	Low	MassDOT has completed a preliminary assessment of this corridor that will develop into 25 percent design plans for roadway improvements.
Route	w	estwood	TRIC	6	MassDO	T Yes		3	0	0	3.49	MBTA commuter rail at Islington	N/A	Yes	MassDOT's I-95 South Corridor Study provided a comprehensive evaluation of the I-95 and Route 1 corridors south of Route 128 and included a recommended plan of short-term and long-term improvements; June 2010. MassDOT Project #603162, Route 128 Add-a-Lane Bridges (Bridge III), Route 1 and 1A over I-95/128; completed in 2012.	2	2	2	4	0	1	11	Low	This segment is the subject of MassDOT projects and studies.
Route	17 Bo	olton	MAGIC	3	Bolton				0	1	1.70	None	N/A	Yes	None	2	1	2	3	1	1	10	Low	None
Route 6	2 Co	oncord	MAGIC	4	Concord	Yes		3	0	1	2.65	MBTA commuter rail at Concord and West Concord		Yes	MassDOT Project #604646, Reconstruction of Main Street (Route 62) from Water Street to the Acton town line; completed 2010.	2	2	2	2	1	1	10	Low	None
Route	35 Ne	atick	MWRC	3	MassDO [*] Natick	T and Yes		3	0	2	1.97	MWRTA bus Routes 10 and 11 MBTA commuter rail at Natick and West Natick	No data	Yes	MassDOT Project #600573 reconstructed Route 135 in Natick in 2008. More extensive improvements were proposed in the downtown area, on East Central Street between North Main Street and Union Street, including signal upgrades, new sidewalks, pavement rehabilitation, and shoulders; Contract #32302 was completed; all construction operations were suspended (as of June 30, 2007). 2010 CTPS study, West Central Street (Route 135) at Speen Street.	3	1	2	2	1	1	10	Low	There is congestion in the downtown area. The likely focus area would be on the intersection of Route 135 at Route 27 and the intersection of Route 135 at Speen Street because of the crash history of those locations.

Notes:

2 = principal arterial. 3 = principal arterial other (rural minor arterial or urban principal arterial). 5 = minor arterial (urban minor arterial or rural major collector).

**Number of HSIP-eligible crash clusters
HSIP-eligible crash clusters are defined by MassDOT as crash clusters that rank within the top five percent of crash clusters for each regional planning agency, based on the Equivalent Property Damage Only (EDPO) index. In the EDPO index, property damage only crashes are awarded one point each, crashes involving injuries are given five points each, and fatal crashes are given 10 points each. In the Boston region, the 896 intersections in the top five percent have crash clusters with a minimum EDPO value of 42.

***Selection Criteria
Safety Conditions: Segment has a high crash rate for its functional class, contains an HSIP-eligible crash location, a top-200 high-crash location, and/or a significant number or HSIP-eligible clusters of pedestrian or bicycle crashes.

Congested Conditions: Segment has a Travel Time Index of at least 1.3 and/or of at least 2.0, that is, which signify that it experiences delays during peak periods.

Multimodal Significance: Segment supports transit or bicycle or pedestrian activities, has a need to improve these activities, and/or has a high volume of truck traffic serving regional commerce.

Regional Significance: Segment is in the National Highway System, carries a significant provision of regional traffic, lies within 0.5 miles of environmental justice transportation analysis zones, and/or is essential for regional economic, cultural, or recreational development in the area.


Regional Equity: Location is in a subregion that has not had a priority corridor study before, or location is in a subregion that has not had a priority corridor study in the last three years.

Implementation Potential: Improvements to the segment are proposed or endorsed by the roadway administrative agency (agencies), proposed or endorsed by the subregion and are a priority for the subregion, and/or have strong support from other stakeholders.

Acronyms

ADA = Americans with Disabilities Act. BAT = Brockton Area Transit Authority. CTPS = Central Transportation Planning Staff, DCR = Department of Conservation and Recreation. FFY = federal fiscal year. HSIP = Highway Safety Improvement Program. ICC = Inner Core Committee. LRTP = Long-Range Transportation Plan. MAGIC = Minuteman Advisory Group on Interlocal Coordination. MAPC = Metropolitan Area Planning Council. MassDOT = Massachusetts Department of Transportation. MBTA = Massachusetts Bay Transportation Authority. MPO = Boston Region Metropolitan Planning Organization. MWRC = MetroWest Regional Collaborative. MWRTA = MetroWest Regional Transit Authority. NSPC = North Suburban Planning Council. NSTF = North Shore Task Force. PRC = MassDOT Project Review Committee. SSC = South Shore Coalition. SWAP = South West Advisory Planning Committee. TIP = Transportation Improvement Program. TRIC = Three Rivers Interlocal Council. UPWP = Unified Planning Work Program.

Source: Central Transportation Planning Staff.



From: Frawley, Joseph R. (DOT)

To: Chen-Yuan Wang

Cc: Mark Abbott; Seth Asante; Kinahan, Erin (DOT); Sullivan, Ann E. (DOT); Frost, Arthur A. (DOT)

Subject: RE: Suggestions for FFY 2021 MPO Corridor Study Locations

Date: Tuesday, August 4, 2020 8:21:00 PM

image001.png image002.png

Hi Chen-Yuan,

Attachments:

I hope all is well with you also during this time. A corridor that the District would recommend studying further is Route 9 in the City of Framingham and Town of Natick. The District has fielding inquiries about improving the safety of pedestrian and bicycles along the corridor with lower-cost fixes such as pavement marking modifications (for bikes), pedestrian signal equipment and phasing / timing changes. There are also several locations along the corridor that are high crash locations and usually on MassDOT's Top 200 Intersection Crash Cluster list, so it would help us if the study could include safety-based recommendations, particularly at the high crash locations. In addition, the District was recently asked to look closer at potential short to mid-term improvements at the Route 9 / Route 126 interchange in Framingham.

If CTPS decides to include this on the potential locations to study list, we would be happy to provide more background about efforts that are already underway and which locations along the corridor might need more focus.

Thanks, Joe Ten Park Plaza, Suite 2150 | Boston, MA 02116-3968 Main 857.702.3700 | Fax 617.570.9192 | TTY 617.570.9193





From: Chen-Yuan Wang <<u>cwang@ctps.org</u>>

Sent: Monday, July 13, 2020 9:31 AM

To: 'Frawley, Joseph (DOT)' < joseph.frawley@state.ma.us>

Cc: 'Mark Abbott' < <u>mabbott@ctps.org</u>>; 'Seth Asante' < <u>sasante@ctps.org</u>>;

'erin.kinahan@state.ma.us' <erin.kinahan@state.ma.us>

Subject: Suggestions for FFY 2021 MPO Corridor Study Locations

Hi Joe,

Hope everything goes well during this usual period. We are now collecting potential locations for both of the MPO FFY 2021 Priority Corridor and Subregional Roadway studies (FFY21 MPO programs attached). As in the past years, we appreciate your suggestion of any locations that the District is interested in exploring potential improvements. If convenient, please get back to us in a couple of weeks. Meanwhile, we will discuss with you once we compile a short list of the potential locations.

Best regards. Chen-Yuan

Chen-Yuan Wang | Chief Transportation Planner CENTRAL TRANSPORTATION PLANNING STAFF

857.702.3698 | cwang@ctps.org

www.ctps.org/bostonmpo

Ten Park Plaza, Suite 2150 | Boston, MA 02116-3968 Main 857.702.3700 | Fax 617.570.9192 | TTY 617.570.9193





Please be advised that the Massachusetts Secretary of State considers e-mail to be a public record, and therefore subject to the Massachusetts Public Records Law, M.G.L. c. 66 § 10.

Part 3: Public Participation

Route 9 Priority Corridor Study in Framingham and Natick

Virtual Meeting

January 18, 2022

<u>Name</u>	Affiliation	<u>Email</u>
Ann Sullivan	MassDOT District 3	
Lori Shattuck	MassDOT District 3	
Alolade Campbell	MassDOT District 3	
Shane Leary	MassDOT District 3	
Joseph Frawley	MassDOT District 3	
Makaela Niles	MassDOT Planning	
Erica Jerram	City of Framingham	
Simon Alexandrovich	City of Framingham	
William Sedewitz	City of Framingham	
Adam Kiel	City of Framingham	
Matthew Hayes	City of Framingham	
Shane O'Brien	City of Framingham	
Amanda Loomis	Town of Natick	
Jeremy Marsette	Town of Natick	
Emily V	MetroWest Regional Transit Authority	
Jonathan Kapust	HNTB	
Alexandra Siu	HNTB	
Jason Chin	HNTB	
Mark Abbott	CTPS/Boston Region MPO	
Seth Asante	CTPS/Boston Region MPO	

Route 9 Priority Corridor Study MEETING SUMMARY January 18, 2022

Introduction

The meeting was held virtually and began with introductions. Mark Abbott, MPO staff, introduced the study. Mr. Abbott said that the MPO have been conducting these corridor studies to address goal areas such as safety, capacity management and mobility, system preservation, and economic vitality. Mr. Abbott added that the municipalities and MassDOT like these studies because they provide them with what would be required to address deficiencies in the corridors before committing to design and engineering.

Data Collection

Seth Asante, MPO staff, presented summaries of data collected for the Route 9 Priority Corridor study, which included volumes of vehicles and people walking and biking, spot speed data, speed regulations, crashes, and planned projects.

Existing Conditions

Mr. Asante presented the existing conditions, including the problems and corridor needs. Mr. Asante said that there were seven intersections in corridor classified as Highway Safety Improvement Program crash clusters. In addition, he mentioned lack of accommodation for people biking, poor sidewalk conditions, gaps in the sidewalk network, and lack of safe crossing opportunities for people walking and biking. Additional problems in the corridor include insufficient wayfinding signs, street lighting, and advance notifications, pavement surface friction and marking issues, traffic signal equipment and timing issues, and traffic congestion and queueing.

Improvements and Concepts

Mr. Asante presented the improvements and concepts for the corridor. Participants and stakeholders provided feedback after the presentation. The presentation was sent to participants, who were given two weeks to provide any further comments. The proposed improvements included:

- improving curb ramps at intersections and driveways to MassDOT/Americans with Disabilities Act standards
- constructing of new sidewalk-level separated bike lanes to increase safety and security for people biking.
- moving pedestrian signal phases to occur before Route 9 through traffic
- adding median refuge areas in the long crosswalks across Route 9
- installing new crosswalks across Route 9 to facilitate safe crossing opportunities
- adding pedestrian signal heads and pushbuttons on the side streets to improve safety for people walking.
- improving roadway lighting to reduce crashes under dark conditions
- retiming traffic signals to increase safety and traffic operations
- improving advance warning devices, wayfinding signs, and notification signs to reduce crashes
- upgrading emergency vehicle preemption systems

- supplementing intersection pavement markings with appropriate advance intersection lane control signs to reduce crashes.
- introducing measures to calm traffic and reduce speeding, such as uniform speed regulations and enforcement
- installing backplates with yellow retroreflective borders to increase signal visibility,
- installing overhead signals with mast-arm mounts or aligning signal heads better with their respective lanes.
- lengthening acceleration/deceleration lanes for traffic entering/exiting Route 9 at the interchange
- installing delineation to reduce crashes during dark conditions and on horizontal curves.

Follow-Up Task

Route 9 and Cochituate Road: Use the shoulder to create an auxiliary lane for traffic entering Route 9 from Cochituate Road.

Route 9 at Temple Street: Intersection needs to be reconstructed to improve safety, simplify traffic movements, and improve walking and biking accommodations

Route 9 at Edgell Road and Main Street: Consider the building the Framingham Deck Park to enhance the bond between the historical, commercial, recreational, and institutional land use of the area (source: UMass LARP Green Infrastructure for Framingham, Massachusetts: Greenway Planning and Cultural Landscape Design)

Walking and Biking Accommodations: Provide street-level or sidewalk-level separated bike accommodations

Safe Crossing Opportunities: Consider add new safe crossing opportunities (at-grade crossings and bridges) to improve connectivity between neighborhoods and business located north and south of Route 9

Appendix B: Pedestrian and Bicycle Levels of Service





Ryan Hicks, Congestion Management Process Manager:

 $www.ctps.org/cmp \mid 857.702.3661 \mid rhicks@ctps.org$

Casey Claude, Bicycle and Pedestrian Program Manager:

www.ctps.org/bicycle-pedestrian-activities | 857.702.3707 | cclaude@ctps.org

Pedestrian Report Card Assessment (PRCA):

Roadway Segment

Roadway Segment Location

Route 9 in Framingham without improvements

Grading Categories ^[1]	Score	Rating
Safety	1.1	Poor
System Preservation	2.0	Fair
Capacity Management and Mobility	2.1	Fair
Economic Vitality	2.0	Fair

Transportation Equity ^[2]			
High Priority Area	Yes		
Moderate Priority Area			
Low Priority Area			

^[1] Poor = 0 to 1.7; Fair = 1.7 < 2.3; Good = 2.3 to 3.0

^[2] Low = 0 or 1 Factor; Moderate = 2 or 3 Factors; High = 4 or 5 Factors

Grading Categories: Scoring Breakdown Roadway Segment

Capacity Management and Mobility				
Performance Measure ^[1]	Percentage	Score (out of 3.0)	Rating	
Sidewalk Presence	50%	2.5	Good	
Crosswalk Presence	33%	1.0	Poor	
Walkway Width	17%	3.0	Good	
GRADING CATEGORY TOTAL ^[2] (Sidewalk Presence Score * 0.5) + (Crosswalk Presence Score * 0.33) + (Walkway Width Score * 0.17)	100%	2.1	Fair	

Economic Vitality				
Performance Measure ^[1]	Percentage	Score (out of 3.0)	Rating	
Pedestrian Volumes	50%	2.0	Fair	
Adjacent Bicycle Accommodations	50%	2.0	Fair	
GRADING CATEGORY TOTAL ^[2] (Pedestrian Volumes Score * 0.5) + (Adjacent Bicycle Accommodations Score * 0.5)	100%	2.0	Fair	

- [1] Poor = 1.0; Fair = 2.0; Good = 3.0
- [2] Poor = 0 to 1.7; Fair = 1.7 < 2.3; Good = 2.3 to 3.0
- [3] Use these factors to determine Transportation Equity priority level (front)

Safety			
Performance Measure ^[1]	Percentage	Score (out of 3.0)	Rating
Pedestrian Crashes	60%	1.0	Poor
Pedestrian-Vehicle Buffer	20%	1.5	Poor
Vehicle Travel Speed	20%	1.0	Poor
GRADING CATEGORY TOTAL ^[2] (Pedestrian Crashes Score * 0.6) + (Pedestrian-Vehicle Buffer Score * 0.2) + (Vehicle Travel Speed Score * 0.2)	100%	1.1	Poor

System Preservation				
Performance Measure ^[1] Percentage Score (out of 3.0) Rating				
Sidewalk Condition	100%	2.0	Fair	

Transportation Equity Factors ^[3]			
Area Condition	Yes/No		
Low-Income Population ≥ 32.32%	No		
Minority Population ≥ 28.19%	Yes		
More than 6.69% of Population > 75 Years of Age	Yes		
More than 16.15% of Households w/o Vehicle	Yes		
Within ¼ Mile of School/College	Yes		





Ryan Hicks, Congestion Management Process Manager:

www.ctps.org/cmp | 857.702.3661 | rhicks@ctps.org

Casey Claude, Bicycle and Pedestrian Program Manager:

www.ctps.org/bicycle-pedestrian-activities | 857.702.3707 | cclaude@ctps.org

Pedestrian Report Card Assessment (PRCA):

Roadway Segment

Roadway Segment Location

Route 9 in Natick without improvements

Grading Categories ^[1]	Score	Rating
Safety	1.1	Poor
System Preservation	2.0	Fair
Capacity Management and Mobility	2.1	Fair
Economic Vitality	2.0	Fair

Transportation Equity ^[2]			
High Priority Area	Yes		
Moderate Priority Area			
Low Priority Area			

^[1] Poor = 0 to 1.7; Fair = 1.7 < 2.3; Good = 2.3 to 3.0

^[2] Low = 0 or 1 Factor; Moderate = 2 or 3 Factors; High = 4 or 5 Factors

Grading Categories: Scoring Breakdown Roadway Segment

Capacity Management and Mobility				
Performance Measure ^[1]	Percentage	Score (out of 3.0)	Rating	
Sidewalk Presence	50%	2.5	Fair	
Crosswalk Presence	33%	1.0	Poor	
Walkway Width	17%	3.0	Good	
GRADING CATEGORY TOTAL ^[2] (Sidewalk Presence Score * 0.5) + (Crosswalk Presence Score * 0.33) + (Walkway Width Score * 0.17)	100%	2.1	Good	

Economic Vitality				
Performance Measure ^[1]	Percentage	Score (out of 3.0)	Rating	
Pedestrian Volumes	50%	2.0	Fair	
Adjacent Bicycle Accommodations	50%	2.0	Fair	
GRADING CATEGORY TOTAL ^[2] (Pedestrian Volumes Score * 0.5) + (Adjacent Bicycle Accommodations Score * 0.5)	100%	2.0	Fair	

- [1] Poor = 1.0; Fair = 2.0; Good = 3.0
- [2] Poor = 0 to 1.7; Fair = 1.7 < 2.3; Good = 2.3 to 3.0
- [3] Use these factors to determine Transportation Equity priority level (front)

Safety			
Performance Measure ^[1]	Percentage	Score (out of 3.0)	Rating
Pedestrian Crashes	60%	1.0	Good
Pedestrian-Vehicle Buffer	20%	1.5	Fair
Vehicle Travel Speed	20%	1.0	Poor
GRADING CATEGORY TOTAL ^[2] (Pedestrian Crashes Score * 0.6) + (Pedestrian-Vehicle Buffer Score * 0.2) + (Vehicle Travel Speed Score * 0.2)	100%	1.1	Good

System Preservation				
Performance Measure ^[1] Percentage Score (out of 3.0) Rating				
Sidewalk Condition	100%	2.0	Good	

Transportation Equity Factors ^[3]		
Area Condition	Yes/No	
Low-Income Population ≥ 32.32%	No	
Minority Population ≥ 28.19%	Yes	
More than 6.69% of Population > 75 Years of Age	Yes	
More than 16.15% of Households w/o Vehicle	Yes	
Within ¼ Mile of School/College	Yes	





Casey Claude, Bicycle and Pedestrian Program Manager:

www.ctps.org/bicycle-pedestrian-activities | 857.702.3707 | cclaude@ctps.org

Bicycle Report Card

Roadway Segment Location

Route 9 in Framingham without Improvements

Grading Categories	Score	Grade
Safety	8.5	F
System Preservation	0	F
Capacity Management and Mobility	50	F
Economic Vitality	50	F

Transportation Equity		
High Priority Area	Yes	
Moderate Priority Area		
Low Priority Area		

<u>Grading</u>

A: 90–100 Excellent B: 80–89 Satisfactory C: 70–79 Acceptable

D: 60-69 Needs Improvement

F: 59–0 Not recommended for bicycle travel

Transportation Equity Priority

High: Four (4) or Five (5) Factors **Moderate**: Two (2) or Three (3) Factors

Grading Categories: Scoring Breakdown

Capacity Management and Mobility			
Performance Measure	Percentage	Points	Grade
Bicycle Facility Presence	50%	0	F
Proximity to Bike Network	33%	100	А
Proximity to Transit	17%	100	А
Total	100%	50	F

Economic Vitality			
Performance Measure	Percentage	Points	Grade
Bike Rack Presence	50%	0	F
Land Use	50%	100	А
Total	100%	50	F

Grading

A: 90–100 Excellent
B: 80–89 Satisfactory
C: 70–79 Acceptable

D: 60–69 Needs Improvement

F: 59–0 Not recommended for bicycle travel

Transportation Equity Priority

High: Four (4) or Five (5) Factors **Moderate**: Two (2) or Three (3) Factors

Safety			
Performance Measure	Percentage	Points	Grade
Bicycle Facility Presence	33%	0	F
Absence of Bicycle Crashes	33%	0	F
Bicyclist Operating Space	17%	0	F
Number of Travel Lanes	17%	50	F
Total	100%	8.5	F

System Preservation				
Performance Measure	Percentage	Points	Grade	
Bicycle Facility Continuity	50%	0	F	
Bicycle Facility Condition	50%	0	F	
Total 100% 0 A				

Transportation Equity Priority		
Area Condition	Yes/No	
Low Income Population =/> 32.32%	No	
Minority Population =/> 28.19%	Yes	
18.2%+ of Population < 16 Years Old	Yes	
16.15%+ of Households w/o Vehicle	Yes	
Within ¼ Mile of School/College	Yes	





Casey Claude, Bicycle and Pedestrian Program Manager:

www.ctps.org/bicycle-pedestrian-activities | 857.702.3707 | cclaude@ctps.org

Bicycle Report Card

Roadway Segment Location

Route 9 in Natick without Improvements

Grading Categories	Score	Grade
Safety	8.5	F
System Preservation	0	F
Capacity Management and Mobility	50	F
Economic Vitality	50	F

Transportation Equity		
High Priority Area	Yes	
Moderate Priority Area		
Low Priority Area		

<u>Grading</u>

A: 90–100 Excellent B: 80–89 Satisfactory C: 70–79 Acceptable

D: 60–69 Needs Improvement

F: 59–0 Not recommended for bicycle travel

Transportation Equity Priority

High: Four (4) or Five (5) Factors **Moderate**: Two (2) or Three (3) Factors

Grading Categories: Scoring Breakdown

Capacity Management and Mobility			
Performance Measure	Percentage	Points	Grade
Bicycle Facility Presence	50%	0	F
Proximity to Bike Network	33%	100	А
Proximity to Transit	17%	100	А
Total	100%	50	F

Economic Vitality			
Performance Measure	Percentage	Points	Grade
Bike Rack Presence	50%	0	F
Land Use	50%	100	Α
Total	100%	50	F

Grading

D: 60–69 Needs Improvement

F: 59–0 Not recommended for bicycle travel

Transportation Equity Priority

High: Four (4) or Five (5) Factors **Moderate**: Two (2) or Three (3) Factors

Safety			
Performance Measure	Percentage	Points	Grade
Bicycle Facility Presence	33%	0	F
Absence of Bicycle Crashes	33%	0	F
Bicyclist Operating Space	17%	0	F
Number of Travel Lanes	17%	50	F
Total	100%	8.5	F

System Preservation			
Performance Measure	Percentage	Points	Grade
Bicycle Facility Continuity	50%	0	F
Bicycle Facility Condition	50%	0	F
Total	100%	0	Α

Transportation Equity Priority		
Area Condition	Yes/No	
Low Income Population =/> 32.32%	No	
Minority Population =/> 28.19%	Yes	
18.2%+ of Population < 16 Years Old	Yes	
16.15%+ of Households w/o Vehicle	Yes	
Within 1/4 Mile of School/College	Yes	





Ryan Hicks, Congestion Management Process Manager:

www.ctps.org/cmp | 857.702.3661 | rhicks@ctps.org

Casey Claude, Bicycle and Pedestrian Program Manager: www.ctps.org/bicycle-pedestrian-activities | 857.702.3707 | cclaude@ctps.org

Pedestrian Report Card Assessment (PRCA):

Roadway Segment

Roadway Segment Location

Route 9 in Framingham with improvements

Grading Categories ^[1]	Score	Rating
Safety	2.4	Good
System Preservation	3.0	Good
Capacity Management and Mobility	2.3	Good
Economic Vitality	2.0	Fair

Transportation Equity ^[2]		
High Priority Area	Yes	
Moderate Priority Area		
Low Priority Area		

^[1] Poor = 0 to 1.7; Fair = 1.7 < 2.3; Good = 2.3 to 3.0

^[2] Low = 0 or 1 Factor; Moderate = 2 or 3 Factors; High = 4 or 5 Factors

Grading Categories: Scoring Breakdown Roadway Segment

Capacity Management and Mobility			
Performance Measure ^[1]	Percentage	Score (out of 3.0)	Rating
Sidewalk Presence	50%	3	Good
Crosswalk Presence	33%	1	Poor
Walkway Width	17%	3	Good
GRADING CATEGORY TOTAL ^[2] (Sidewalk Presence Score * 0.5) + (Crosswalk Presence Score * 0.33) + (Walkway Width Score * 0.17)	100%	2.3	Good

Economic Vitality			
Performance Measure ^[1]	Percentage	Score (out of 3.0)	Rating
Pedestrian Volumes	50%	2	Fair
Adjacent Bicycle Accommodations	50%	2	Fair
GRADING CATEGORY TOTAL [2] (Pedestrian Volumes Score * 0.5) + (Adjacent Bicycle Accommodations Score * 0.5)	100%	2.0	Fair

- [1] Poor = 1.0; Fair = 2.0; Good = 3.0
- [2] Poor = 0 to 1.7; Fair = 1.7 < 2.3; Good = 2.3 to 3.0
- [3] Use these factors to determine Transportation Equity priority level (front)

Safety			
Performance Measure ^[1]	Percentage	Score (out of 3.0)	Rating
Pedestrian Crashes	60%	3	Good
Pedestrian-Vehicle Buffer	20%	2	Fair
Vehicle Travel Speed	20%	1	Poor
GRADING CATEGORY TOTAL ^[2] (Pedestrian Crashes Score * 0.6) + (Pedestrian-Vehicle Buffer Score * 0.2) + (Vehicle Travel Speed Score * 0.2)	100%	2.4	Good

System Preservation				
Performance Measure ^[1] Percentage Score (out of 3.0) Rating				
Sidewalk Condition	100%	3.0	Good	

Transportation Equity Factors ^[3]		
Area Condition	Yes/No	
Low-Income Population ≥ 32.32%	No	
Minority Population ≥ 28.19%	Yes	
More than 6.69% of Population > 75 Years of Age	Yes	
More than 16.15% of Households w/o Vehicle	Yes	
Within ¼ Mile of School/College	Yes	





Ryan Hicks, Congestion Management Process Manager:

www.ctps.org/cmp | 857.702.3661 | rhicks@ctps.org

Casey Claude, Bicycle and Pedestrian Program Manager: www.ctps.org/bicycle-pedestrian-activities | 857.702.3707 | cclaude@ctps.org

Pedestrian Report Card Assessment (PRCA):

Roadway Segment

Roadway Segment Location

Route 9 in Natick with improvements

Grading Categories ^[1]	Score	Rating
Safety	2.4	Good
System Preservation	3.0	Good
Capacity Management and Mobility	2.3	Good
Economic Vitality	2.0	Fair

Transportation Equity ^[2]		
High Priority Area	Yes	
Moderate Priority Area		
Low Priority Area		

^[1] Poor = 0 to 1.7; Fair = 1.7 < 2.3; Good = 2.3 to 3.0

^[2] Low = 0 or 1 Factor; Moderate = 2 or 3 Factors; High = 4 or 5 Factors

Grading Categories: Scoring Breakdown Roadway Segment

Capacity Management and Mobility						
Performance Measure ^[1] Percentage Score (out of 3.0) Rating						
Sidewalk Presence	50%	3	Good			
Crosswalk Presence	33%	1	Poor			
Walkway Width	17%	3	Good			
GRADING CATEGORY TOTAL ^[2] (Sidewalk Presence Score * 0.5) + (Crosswalk Presence Score * 0.33) + (Walkway Width Score * 0.17)	100%	2.3	Good			

Economic Vitality			
Performance Measure ^[1]	Rating		
Pedestrian Volumes	50%	2	Fair
Adjacent Bicycle Accommodations	50%	2	Fair
GRADING CATEGORY TOTAL ^[2] (Pedestrian Volumes Score * 0.5) + (Adjacent Bicycle Accommodations Score * 0.5)	100%	2.0	Fair

- [1] Poor = 1.0; Fair = 2.0; Good = 3.0
- [2] Poor = 0 to 1.7; Fair = 1.7 < 2.3; Good = 2.3 to 3.0
- [3] Use these factors to determine Transportation Equity priority level (front)

Safety			
Performance Measure ^[1]	Percentage	Score (out of 3.0)	Rating
Pedestrian Crashes	60%	3	Good
Pedestrian-Vehicle Buffer	20%	2	Fair
Vehicle Travel Speed	20%	1	Poor
GRADING CATEGORY TOTAL ^[2] (Pedestrian Crashes Score * 0.6) + (Pedestrian-Vehicle Buffer Score * 0.2) + (Vehicle Travel Speed Score * 0.2)	100%	2.4	Good

System Preservation				
Performance Measure ^[1] Percentage Score (out of 3.0) Rating				
Sidewalk Condition	100%	3.0	Good	

Transportation Equity Factors ^[3]		
Area Condition	Yes/No	
Low-Income Population ≥ 32.32%	No	
Minority Population ≥ 28.19%	Yes	
More than 6.69% of Population > 75 Years of Age	Yes	
More than 16.15% of Households w/o Vehicle	Yes	
Within ¼ Mile of School/College	Yes	





Casey Claude, Bicycle and Pedestrian Program Manager:

www.ctps.org/bicycle-pedestrian-activities | 857.702.3707 | cclaude@ctps.org

Bicycle Report Card

Roadway Segment Location

Route 9 in Framingham with Improvements

Grading Categories	Score	Grade
Safety	79	С
System Preservation	100	А
Capacity Management and Mobility	92	А
Economic Vitality	75	С

Transportation Equity			
High Priority Area	Yes		
Moderate Priority Area			
Low Priority Area			

<u>Grading</u>

A: 90–100 Excellent B: 80–89 Satisfactory C: 70–79 Acceptable

D: 60-69 Needs Improvement

F: 59–0 Not recommended for bicycle travel

Transportation Equity Priority

High: Four (4) or Five (5) Factors **Moderate**: Two (2) or Three (3) Factors

Grading Categories: Scoring Breakdown

Capacity Management and Mobility					
Performance Measure Percentage Points Grade					
Bicycle Facility Presence	50%	90	Α		
Proximity to Bike Network	33%	90	Α		
Proximity to Transit	17%	100	А		
Total 100% 92 A					

Economic Vitality				
Performance Measure Percentage Points Grade				
Bike Rack Presence	50%	50	F	
Land Use	50%	100	А	
Total 100% 75 C				

Grading

A: 90–100 Excellent
B: 80–89 Satisfactory
C: 70–79 Acceptable

D: 60–69 Needs Improvement

F: 59–0 Not recommended for bicycle travel

Transportation Equity Priority

High: Four (4) or Five (5) Factors Moderate: Two (2) or Three (3) Factors Low: Zero (0) or One (1) Factor

Safety			
Performance Measure	Percentage	Points	Grade
Bicycle Facility Presence	33%	90	Α
Absence of Bicycle Crashes	33%	60	D
Bicyclist Operating Space	17%	100	Α
Number of Travel Lanes	17%	75	С
Total	100%	79	C

System Preservation									
Performance Measure Percentage Points Grade									
Bicycle Facility Continuity	50%	75	А						
Bicycle Facility Condition	50%	75	Α						
Total 100% 75 A									

Transportation Equity Priority						
Area Condition	Yes/No					
Low Income Population =/> 32.32%	No					
Minority Population =/> 28.19%	Yes					
18.2%+ of Population < 16 Years Old	Yes					
16.15%+ of Households w/o Vehicle	Yes					
Within 1/4 Mile of School/College	Yes					





Casey Claude, Bicycle and Pedestrian Program Manager:

www.ctps.org/bicycle-pedestrian-activities | 857.702.3707 | cclaude@ctps.org

Bicycle Report Card

Roadway Segment Location

Route 9 in Natick with Improvements

Grading Categories	Score	Grade
Safety	79	С
System Preservation	100	Α
Capacity Management and Mobility	92	Α
Economic Vitality	75	С

Transportation Equity						
High Priority Area	Yes					
Moderate Priority Area						
Low Priority Area						

<u>Grading</u>

A: 90–100 Excellent B: 80–89 Satisfactory C: 70–79 Acceptable

D: 60-69 Needs Improvement

F: 59–0 Not recommended for bicycle travel

Transportation Equity Priority

High: Four (4) or Five (5) Factors **Moderate**: Two (2) or Three (3) Factors

Grading Categories: Scoring Breakdown

Capacity Management and Mobility							
Performance Measure	Percentage	Points	Grade				
Bicycle Facility Presence	50%	90	Α				
Proximity to Bike Network	33%	90	Α				
Proximity to Transit	17%	100	Α				
Total	100%	92	Α				

Economic Vitality								
Performance Measure Percentage Points Grade								
Bike Rack Presence	50%	50	F					
Land Use	50%	100	А					
Total	100%	75	С					

Grading

A: 90–100 Excellent
B: 80–89 Satisfactory
C: 70–79 Acceptable

D: 60–69 Needs Improvement

F: 59–0 Not recommended for bicycle travel

Transportation Equity Priority

High: Four (4) or Five (5) Factors Moderate: Two (2) or Three (3) Factors Low: Zero (0) or One (1) Factor

Safety									
Performance Measure	Percentage	Points	Grade						
Bicycle Facility Presence	33%	90	Α						
Absence of Bicycle Crashes	33%	60	D						
Bicyclist Operating Space	17%	100	Α						
Number of Travel Lanes	17%	75	С						
Total	100%	79	C						

System Preservation									
Performance Measure Percentage Points Grade									
Bicycle Facility Continuity	50%	75	А						
Bicycle Facility Condition	50%	75	Α						
Total 100% 75 A									

Transportation Equity Priority						
Area Condition	Yes/No					
Low Income Population =/> 32.32%	No					
Minority Population =/> 28.19%	Yes					
18.2%+ of Population < 16 Years Old	Yes					
16.15%+ of Households w/o Vehicle	Yes					
Within 1/4 Mile of School/College	Yes					

Appendix C: Traffic and Signal Timing Data

- 1. Automatic Traffic Recorder (ATR)
- 2. Turning Movement Count (TMC) Data
- 3. Traffic Signal Data

Part 1: Automatic Traffic Recorder (ATR) Data

WEEKLY SUMMARY FOR LANE 1 Starting: 5/3/2021

Page: 1

Station #: 210050000027

STA. I EB

File: D0503001.prn

Site ID: 00000000103 Location: Rte.9 EB, Btwn.County Club Ln.& Temple St

City: Framingham

Direction: EAST

County:

TIME	MON 3	TUE 4	WED 5	THU 6	FRI 7	WKDAY AVG	SAT	SUN	WEEK AVG	TOTAL
01:00		82	99	102	113	99			99	396
02:00		85	68	66	65	71			71	284
03:00		40	44	38	51	43			43	173
04:00		55	51	75	57	60			60	238
05:00		154	137	139	175	151			151	605
06:00		546	511	587	567	553			553	2211
07:00		1395	1335	1466	1351	1387			1387	5547
08:00		1583	1610	1704	1742	1660			1660	6639
09:00		1628	1471	1569	1543	1553			1553	6211
10:00		1380	1295	1351		1342			1342	4026
11:00	1227	1256	1135	1220		1210			1210	4838
12:00	1209	1155	1228	1268		1215			1215	4860
13:00	1198	1218	1248	1227		1223			1223	4891
14:00	1235	1228	1217	1268		1237			1237	4948
15:00	1235	1262	1345	1336		1294			1294	5178
16:00	1347	1331	1337	1340		1339			1339	5355
17:00	1356	1349	1326	1364		1349			1349	5395
18:00	1271	1339	1334	1392		1334			1334	5336
19:00	1073	1071	1002	1203		1087			1087	4349
20:00	790	809	792	872		816			816	3263
21:00	537	585	536	700		590			590	2358
22:00	449	449	447	511		464			464	1856
23:00	332	345	342	394		353			353	1413
24:00	187	211	206	239		211			211	843
TOTALS	13446	20556	20116	21431	5664	20641			20641	81213
% AVG WKDY	65.1	99.6	97.5	103.8	27.4					
% AVG WEEK	65.1	99.6	97.5	103.8	27.4					
AM Times	11:00	09:00	08:00	08:00	08:00	08:00			08:00	
AM Peaks	1227	1628	1610	1704	1742	1660			1660	
PM Times	17:00	17:00	15:00	18:00		17:00			17:00	
PM Peaks	1356	1349	1345	1392		1349			1349	

U3

EB 20641 WB 19831 comb AND 40472 FAC .93 (.98) COMB ADT 36, 900

WEEKLY SUMMARY FOR LANE 1 Starting: 5/3/2021

STA.IWB

File: D0503002.prn City: Framingham County:

Page: 1

Station #: 210050000061 Site ID: 00000000104

Location: Rte.9 WB, Btwn. County Club Ln. & Temple St

Direction: WEST

TIME	MON 3	TUE 4	WED 5	THU 6	FRI 7	WKDAY AVG	SAT	SUN	WEEK AVG	TOTAL
01:00		116	127	137	147	132			132	527
02:00		60	64	63	77	66			66	264
03:00		44	50	40	43	44			44	177
04:00		42	37	52	57	47			47	188
05:00		80	87	102	106	94			94	375
06:00		258	241	268		256			256	767
07:00		676	658	718		684			684	2052
08:00		1071	1015	1110		1065			1065	3196
09:00		1076	1079	1048		1068			1068	3203
10:00		930	945	1029		968			968	2904
11:00	972	1042	945	933		973			973	3892
12:00	983	1070	1012	1091		1039			1039	4156
13:00	1194	1198	1104	1227		1181			1181	4723
14:00	1239	1245	1258	1281		1256			1256	5023
15:00	1446	1432	1410	1535		1456			1456	5823
16:00	1578	1558	1574	1587		1574			1574	6297
17:00	1636	1696	1585	1628		1636			1636	6545
18:00	1557	1547	1549	1605		1564			1564	6258
19:00	1310	1423	1287	1459		1370			1370	5479
20:00	1119	1128	1050	1271		1142			1142	4568
21:00	855	826	800	1005		872			872	3486
22:00	516	663	640	671		622			622	2490
23:00	390	417	406	481		424			424	1694
24:00	257	308	315	310		298			298	1190
TOTALS	15052	19906	19238	20651	430	19831			19831	75277
% AVG WKDY	75.9	100.4	97.0	104.1	2.2					
% AVG WEEK	75.9	100.4	97.0	104.1	2.2					
AM Times	12:00	09:00	09:00	08:00	01:00	09:00			09:00	
AM Peaks	983	1076	1079	1110	147	1068			1068	
PM Times	17:00	17:00	17:00	17:00		17:00			17:00	
	1636	1696	1585	1628		1636			1636	

WEEKLY SUMMARY FOR LANE 1 Starting: 5/3/2021 Page: 1

Station #: 210050000041

STA. 2 EB

File: D0503003.prn

Site ID: 000000000203

City: Natick

Location: Rte.9 EB, Btwn. Speen St. & Rte.27

County:

Direction: EAST

TIME	MON	TUE	WED	THU	FRI	WKDAY	SAT	SUN	WEEK	TOTAL
	3	4	5	6	7	AVG			AVG	
01:00		57	63	80	98	74			74	298
02:00		46	54	51	44	49			49	195
03:00		29	31	42	43	36			36	145
04:00		51	42	43	47	46			46	183
05:00		142	135	154	158	147			147	589
06:00		572	554	611	561	574			574	2298
07:00		1501	1459	1625	1513	1524			1524	6098
08:00		1919	1976	2027	2075	1999			1999	7997
09:00		1924	1918	1957		1933			1933	5799
10:00	1282	1633	1509	1644		1517			1517	6068
11:00	1515	1477	1522	1521		1509			1509	6035
12:00	1527	1573	1650	1662		1603			1603	6412
13:00	1760	1703	1667	1729		1715			1715	6859
14:00	1699	1695	1758	1757		1727			1727	6909
15:00	1780	1709	1757	1829		1769			1769	7075
16:00	1707	1678	1750	1735		1718			1718	6870
17:00	1805	1794	1807	1879		1821			1821	7285
18:00	1694	1772	1764	1825		1764			1764	7055
19:00	1486	1370	1391	1524		1443			1443	5771
20:00	1095	989	1119	1322		1131			1131	4525
21:00	701	688	760	889		760			760	3038
22:00	476	437	470	575		490			490	1958
23:00	295	288	310	381		318			318	1274
24:00	121	150	165	170		152			152	606
TOTALS	18943	25197	25631	27032	4539	25819			25819	101342
% AVG WKDY	73.4	97.6	99.3	104.7	17.6					
% AVG WEEK	73.4	97.6	99.3	104.7	17.6					
AM Times	12:00	09:00	08:00	08:00	08:00	08:00			08:00	
AM Peaks	1527	1924	1976	2027	2075	1999			1999	
									17 To	
	17:00	17:00	17:00	17:00		17:00			17:00	
PM Peaks	1805	1794	1807	1879		1821			1821	

43

WEEKLY SUMMARY FOR LANE 1 Starting: 5/3/2021

Page: 1

Station #: 210050000063

Site ID: 000000000204

STA.ZNB

File: D0503004.prn City: Natick County:

Location: Rte.9 WB, Btwn. Speen St. & Rte.27

Direction: WEST

TIME	MON 3	TUE	WED 5	тни 6	FRI 7	WKDAY AVG	SAT	SUN	WEEK AVG	TOTAL
01:00		95	120	128	144	122			122	487
02:00		49	57	67	66	60			60	239
03:00		42	34	48	52	44			44	176
04:00		26	30	53	24	33			33	133
05:00		70	83	70	83	76			76	306
06:00		288	268	295	281	283			283	1132
07:00		596	647	682	657	646			646	2582
08:00		1126	1134	1188	1151	1150			1150	4599
09:00		1375	1377	1394	1403	1387			1387	5549
10:00		1312	1274	1412		1333			1333	3998
11:00	1446	1526	1453	1550		1494			1494	5975
12:00	1608	1619	1624	1721		1643			1643	6572
13:00	1721	1745	1705	1784		1739			1739	6955
14:00	1692	1733	1830	1871		1782			1782	7126
15:00	2018	1904	1959	1960		1960			1960	7841
16:00	2172	2275	2147	2308		2226			2226	8902
17:00	2058	2177	2110	2163	1	2127			2127	8508
18:00	2144	2093	2113	2221		2143			2143	8571
19:00	1793	1691	1603	1977		1766			1766	7064
20:00	1254	1181	1149	1483		1267			1267	5067
	871	870	795	929		866			866	3465
22:00	493	476	525	598		523			523	2092
23:00	310	308	356	394		342			342	1368
24:00	215	249	235	247		236			236	946
TOTALS	19795	24826	24628	26543	3861	25248			25248	99653
% AVG WKDY	78.4	98.3	97.5	105.1	15.3					
% AVG WEEK	78.4	98.3	97.5	105.1	15.3					
AM Times	12:00	12:00	12:00	12:00	09:00	12:00			12:00	
AM Peaks	1608	1619	1624	1721	1403	1643			1643	
PM Times	16:00	16:00	16:00	16:00		16:00			16:00	
	2172	2275	2147	2308		2226			2226	

Part 2: Turning Movement Count (TMC) Data

217891 (1) Route 9 @ California Avenue TMC - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833233, Location: 42.296951, -71.48348

Provided by: Precision Data Industries, LLC (PDI) 46 Morton Street, Framingham, MA, MA, 01702, US

Log	Californ	ia Arram					Worceste	ou Ctuoot	(Day)	to (1)			Parking I	ot					Worcesto	ou Ctuoot	(Doute 0	1)			
Leg Direction	Southbo		ue				Westbou		(Rou	ite 9)			Northbou						Eastbour		(Route 9	')			
				**					-	**		To 11										**		D 11	
Time	R	T		U	- 11	Ped*	R		L	U		Ped*	R	T		U	App		R	T	L	U	App	Ped*	
2021-05-04 6:00AM	23	8		_	85	0	159	830	_	0	989	0	6	1		0	13	0	6	1694	127	0	1827	0	2914
7:00AM	46	5		0	133	0	166	1337	0	0	1503	1	10	1		0	17	1	10	2005	94	5	2114	0	3767
8:00AM	38	5	107	0	150	0	184	1430	0	1	1615	0	5	0	5	0	10	0	7	1729	104	0	1840	0	3615
3:00PM	137	7	182	0	326	0	121	1938	0	0	2059	0	2	1	8	0	11	0	1	1485	31	5	1522	0	3918
4:00PM	123	3	193	0	319	3	110	2086	0	3	2199	1	6	2	5	0	13	0	6	1548	47	7	1608	0	4139
5:00PM	119	4	185	0	308	0	91	1995	0	0	2086	0	2	0	7	0	9	1	3	1605	46	5	1659	1	4062
Total	486	32	803	0	1321	3	831	9616	0	4	10451	2	31	5	37	0	73	2	33	10066	449	22	10570	1	22415
% Approach	36.8%	2.4%	60.8%	0%	-	-	8.0%	92.0%	0%	0%	-	-	42.5%	6.8%	50.7%	0%	-	-	0.3%	95.2%	4.2%	0.2%	-	-	-
% Total	2.2%	0.1%	3.6%	0%	5.9%	-	3.7%	42.9%	0%	0%	46.6%	-	0.1%	0%	0.2%	0%	0.3%	-	0.1%	44.9%	2.0%	0.1%	47.2%	-	-
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	2	0	0	2	-	2
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	439	16	764	0	1219	-	791	9351	0	4	10146	-	17	4	30	0	51	-	26	9806	409	22	10263	-	21679
% Lights	90.3%	50.0%	95.1%	0%	92.3%	-	95.2%	97.2%	0%	100%	97.1%	-	54.8%	80.0%	81.1%	0%	69.9%	-	78.8%	97.4%	91.1%	100%	97.1%	-	96.7%
Single-Unit Trucks	21	3	36	0	60	-	27	181	0	0	208	-	5	0	1	0	6	-	5	185	13	0	203	-	477
% Single-Unit Trucks	4.3%	9.4%	4.5%	0%	4.5%	-	3.2%	1.9%	0%	0%	2.0%	-	16.1%	0%	2.7%	0%	8.2%	-	15.2%	1.8%	2.9%	0%	1.9%	-	2.1%
Articulated Trucks	26	0	3	0	29	-	13	49	0	0	62	-	0	1	1	0	2	-	2	56	26	0	84	-	177
% Articulated Trucks	5.3%	0%	0.4%	0%	2.2%	-	1.6%	0.5%	0%	0%	0.6%	-	0%	20.0%	2.7%	0%	2.7%	-	6.1%	0.6%	5.8%	0%	0.8%	-	0.8%
Buses	0	13	0	0	13	-	0	35	0	0	35	-	9	0	5	0	14	-	0	17	1	0	18	-	80
% Buses	0%	40.6%	0%	0%	1.0%	-	0%	0.4%	0%	0%	0.3%	-	29.0%	0%	13.5%	0%	19.2%	-	0%	0.2%	0.2%	0%	0.2%	-	0.4%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	3	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	1	
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	- 1	00%	-	-	-	-	-	100%	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (1) Route 9 @ California Avenue TMC - TMC

Tue May 4, 2021

AM Peak (7:15 AM - 8:15 AM)

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833233, Location: 42.296951, -71.48348

Provided by: Precision Data Industries, LLC

Leg	Californi	ia Avenu	e				Worceste	r Street	(Rout	e 9)			Parking l	Lot					Worceste	r Street (Route 9)				
Direction	Southbou	und					Westbou	nd					Northbou	ınd					Eastboun	d					
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 7:15AM	6	2	21	0	29	0	42	325	0	0	367	0	2	0	3	0	5	0	2	509	23	2	536	0	937
7:30AM	6	0	15	0	21	0	33	423	0	0	456	0	3	0	1	0	4	0	2	549	30	0	581	0	1062
7:45AM	15	2	25	0	42	0	41	339	0	0	380	1	2	0	1	0	3	0	2	504	23	3	532	0	957
8:00AM	2	1	24	0	27	0	31	374	0	0	405	0	2	0	1	0	3	0	1	432	18	0	451	0	886
Total	. 29	5	85	0	119	0	147	1461	0	0	1608	1	9	0	6	0	15	0	7	1994	94	5	2100	0	3842
% Approach	24.4%	4.2%	71.4%	0%	-	-	9.1%	90.9%	0%	0%	-	-	60.0%	0%	40.0%	0%	-	-	0.3%	95.0%	4.5%	0.2%	-	-	-
% Total	0.8%	0.1%	2.2%	0%	3.1%	-	3.8%	38.0%	0%	0%	41.9%	-	0.2%	0%	0.2%	0%	0.4%	-	0.2%	51.9%	2.4%	0.1%	54.7%	-	-
PHF	0.483	0.625	0.850	-	0.708	-	0.875	0.863	-	-	0.882	-	0.750	-	0.500	-	0.750	-	0.875	0.908	0.783	0.417	0.904	-	0.904
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	20	2	74	0	96	-	142	1403	0	0	1545	-	5	0	5	0	10	-	6	1930	86	5	2027	-	3678
% Lights	69.0%	40.0%	87.1%	0%	80.7%	-	96.6%	96.0%	0%	0%	96.1%	-	55.6%	0%	83.3%	0%	66.7%	-	85.7%	96.8%	91.5%	100%	96.5%	-	95.7%
Single-Unit Trucks	1	1	10	0	12	-	3	46	0	0	49	-	2	0	1	0	3	-	0	51	2	0	53	-	117
% Single-Unit Trucks	3.4%	20.0%	11.8%	0%	10.1%	-	2.0%	3.1%	0%	0%	3.0%	-	22.2%	0%	16.7%	0%	20.0%	-	0%	2.6%	2.1%	0%	2.5%	-	3.0%
Articulated Trucks	8	0	1	0	9	-	2	5	0	0	7	-	0	0	0	0	0	-	1	13	6	0	20	-	36
% Articulated Trucks	27.6%	0%	1.2%	0%	7.6%	-	1.4%	0.3%	0%	0%	0.4%	-	0%	0%	0%	0%	0%	-	14.3%	0.7%	6.4%	0%	1.0%	-	0.9%
Buses	0	2	0	0	2	-	0	7	0	0	7	-	2	0	0	0	2	-	0	0	0	0	0	-	11
% Buses	0%	40.0%	0%	0%	1.7%	-	0%	0.5%	0%	0%	0.4%	-	22.2%	0%	0%	0%	13.3%	-	0%	0%	0%	0%	0%	-	0.3%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	1	-	-	-	-	-	0	-	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	0%	-	-	-	-	-		-	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (1) Route 9 @ California Avenue TMC - TMC

Tue May 4, 2021

PM Peak (4:15 PM - 5:15 PM) - Overall Peak Hour

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833233, Location: 42.296951, -71.48348

Provided by: Precision Data Industries, LLC (PDI)

46 Morton Street,

Framingham, MA, MA, 01702, US

Leg		Californi	a Avenu	e				Worceste	r Street	(Rou	ite 9)			Parking I	Lot					Worcest	er Street	(Route 9))			
Direction		Southbou	ınd					Westbou	nd					Northbou	ınd					Eastbou	nd					i
Time		R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021	1-05-04 4:15PM	36	0	44	0	80	0	31	551	0	0	582	0	2	1	2	0	5	0	3	370	16	0	389	0	1056
	4:30PM	30	0	44	0	74	1	25	523	0	0	548	0	2	0	2	0	4	0	3	425	9	4	441	0	1067
	4:45PM	18	3	39	0	60	1	31	513	0	0	544	0	2	0	1	0	3	0	0	387	17	2	406	0	1013
	5:00PM	42	0	55	0	97	0	23	482	0	0	505	0	0	0	0	0	0	0	1	424	11	0	436	0	1038
	Total	126	3	182	0	311	2	110	2069	0	0	2179	0	6	1	5	0	12	0	7	1606	53	6	1672	0	4174
	% Approach	40.5%	1.0%	58.5%	0%	-	-	5.0%	95.0%	0%	0%	-	-	50.0%	8.3%	41.7%	0%	-	-	0.4%	96.1%	3.2%	0.4%	-	-	
	% Total	3.0%	0.1%	4.4%	0%	7.5%	-	2.6%	49.6%	0%	0%	52.2%	-	0.1%	0%	0.1%	0%	0.3%	-	0.2%	38.5%	1.3%	0.1%	40.1%	-	
	PHF	0.750	0.250	0.827	-	0.802	-	0.887	0.939	-	-	0.936	-	0.750	0.250	0.625	-	0.600	-	0.583	0.945	0.779	0.375	0.948	-	0.978
	Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	1	0	0	1	-	1
	% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0.1%	0%	0%	0.1%	-	0%
	Lights	120	1	180	0	301	-	104	2029	0	0	2133	-	4	1	4	0	9	-	7	1582	49	6	1644	-	4087
	% Lights	95.2%	33.3%	98.9%	0%	96.8%	-	94.5%	98.1%	0%	0%	97.9%	-	66.7%	100%	80.0%	0%	75.0%	-	100%	98.5%	92.5%	100%	98.3%	-	97.9%
Sing	gle-Unit Trucks	2	0	1	0	3	-	4	25	0	0	29	-	0	0	0	0	0	-	0	14	0	0	14	-	46
% Sing	gle-Unit Trucks	1.6%	0%	0.5%	0%	1.0%	-	3.6%	1.2%	0%	0%	1.3%	-	0%	0%	0%	0%	0%	-	0%	0.9%	0%	0%	0.8%	-	1.1%
Art	ticulated Trucks	4	0	1	0	5	-	2	11	0	0	13	-	0	0	0	0	0	-	0	7	4	0	11	-	29
% Art	ticulated Trucks	3.2%	0%	0.5%	0%	1.6%	-	1.8%	0.5%	0%	0%	0.6%	-	0%	0%	0%	0%	0%	-	0%	0.4%	7.5%	0%	0.7%	-	0.7%
	Buses	0	2	0	0	2	-	0	4	0	0	4	-	2	0	1	0	3	-	0	2	0	0	2	-	11
	% Buses	0%	66.7%	0%	0%	0.6%	-	0%	0.2%	0%	0%	0.2%	-	33.3%	0%	20.0%	0%	25.0%	-	0%	0.1%	0%	0%	0.1%	-	0.3%
Bi	icycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	(
% Bi	icycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
	Pedestrians	-	-	-	-	-	2	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
	% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bicycle	es on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycle	es on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (2) Route 9 @ Country Club Lane TMC - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833236, Location: 42.293977, -71.46724

Provided by: Precision Data Industries, LLC

·	l	1.00 . 0	`			la . 61.1	T				x.7 . D	1.00 . 0				
0	Worcester Ro	ad (Route 9)			Country Club	Lane				Worcester Ro	ad (Route 9)	1			l
	Westbound					Northbound				- 1	Eastbound					
Time	T	L	U	App	Ped*	R	L	U	App	Ped*	R	T	U	App	Ped*	
2021-05-04 6:00AM	602	30	4	636	0	54	207	0	261	0	144	1285	20	1449	0	2346
7:00AM	1041	41	16	1098	0	90	326	0	416	0	284	1544	26	1854	0	3368
8:00AM	960	47	19	1026	0	67	275	0	342	0	388	1399	35	1822	0	3190
3:00PM	1353	92	40	1485	0	68	311	0	379	0	316	1258	34	1608	0	3472
4:00PM	1578	104	53	1735	0	87	338	0	425	0	292	1292	31	1615	0	3775
5:00PM	1412	118	59	1589	0	99	325	2	426	0	331	1268	42	1641	0	3656
Total	6946	432	191	7569	0	465	1782	2	2249	0	1755	8046	188	9989	0	19807
% Approach	91.8%	5.7%	2.5%	-	-	20.7%	79.2%	0.1%	-	-	17.6%	80.5%	1.9%	-	-	-
% Total	35.1%	2.2%	1.0%	38.2%	-	2.3%	9.0%	0%	11.4%	-	8.9%	40.6%	0.9%	50.4%	-	-
Motorcycles	0	0	0	0	-	0	1	0	1	-	0	3	0	3	-	4
% Motorcycles	0%	0%	0%	0%	-	0%	0.1%	0%	0%	-	0%	0%	0%	0%	-	0%
Lights	6752	408	190	7350	-	425	1738	2	2165	-	1719	7775	182	9676	-	19191
% Lights	97.2%	94.4%	99.5%	97.1%	-	91.4%	97.5%	100%	96.3%	-	97.9%	96.6%	96.8%	96.9%	-	96.9%
Single-Unit Trucks	133	9	1	143	-	8	31	0	39	-	25	196	4	225	-	407
% Single-Unit Trucks	1.9%	2.1%	0.5%	1.9%	-	1.7%	1.7%	0%	1.7%	-	1.4%	2.4%	2.1%	2.3%	-	2.1%
Articulated Trucks	47	0	0	47	-	0	0	0	0	-	2	53	2	57	-	104
% Articulated Trucks	0.7%	0%	0%	0.6%	-	0%	0%	0%	0%	-	0.1%	0.7%	1.1%	0.6%	-	0.5%
Buses	14	15	0	29	-	32	12	0	44	-	9	19	0	28	-	101
% Buses	0.2%	3.5%	0%	0.4%	-	6.9%	0.7%	0%	2.0%	-	0.5%	0.2%	0%	0.3%	-	0.5%
Bicycles on Road	0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (2) Route 9 @ Country Club Lane TMC - TMC

Tue May 4, 2021

AM Peak (7:30 AM - 8:30 AM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

Provided by: Precision Data Industries, LLC

All Movements

ID: 833236, Location: 42.293977, -71.46724

Morcoctor Do	ad (Pouto 0)				Country Club	Lano				Morcoctor Do	ad (Doute 0)				
	au (Route 9)				,	Lane					au (Route 9)				i
	т.	***	A	n. J+		т.	T.T.	A	n. 1+		т	TT	A	D - J*	T
														Peu-	
									- 0					0	924
														0	864
				-					0					0	779
260	14	8	282	0	21	66	0	87	0	70	380	6	456	0	825
1070	45	23	1138	0	81	312	0	393	0	334	1508	19	1861	0	3392
94.0%	4.0%	2.0%	-	-	20.6%	79.4%	0%	-	-	17.9%	81.0%	1.0%	-	-	
31.5%	1.3%	0.7%	33.5%	-	2.4%	9.2%	0%	11.6%	-	9.8%	44.5%	0.6%	54.9%	-	-
0.901	0.804	0.719	0.921	-	0.779	0.813	-	0.805	-	0.803	0.889	0.792	0.940	-	0.918
0	0	0	0	-	. 0	0	0	0	-	0	0	0	0	-	0
0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
1036	40	22	1098	-	75	304	0	379	-	329	1444	19	1792	-	3269
96.8%	88.9%	95.7%	96.5%	-	92.6%	97.4%	0%	96.4%	-	98.5%	95.8%	100%	96.3%	-	96.4%
25	1	1	27	-	. 0	6	0	6	-	3	52	0	55	-	88
2.3%	2.2%	4.3%	2.4%	-	0%	1.9%	0%	1.5%	-	0.9%	3.4%	0%	3.0%	-	2.6%
3	0	0	3		. 0	0	0	0	-	0	10	0	10	-	13
0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	-	0%	0.7%	0%	0.5%	-	0.4%
6	4	0	10		6	2	0	8		2	2	0	4	-	22
0.6%	8.9%	0%	0.9%		7.4%	0.6%	0%	2.0%		0.6%	0.1%	0%	0.2%	-	0.6%
0	0	0	0		. 0	0	0	0		0	0	0	0	-	0
0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
-	-	-	-	0	_	-	-	-	0	-	-	-	-	0	
-	-	-	-		_	-	-	-		-	-	-	-	-	
-		_	_	0	-	_	-	_	0	-	_	_		0	
_					_					-				-	
	Westbound T 297 251 262 260 1070 94.0% 31.5% 0.901 0 0% 1036 96.8% 25 2.3% 3 0.3% 6 0.6% 0 0%	Westbound T L 297 5 251 12 262 14 260 14 1070 45 94.0% 4.0% 31.5% 1.3% 0.901 0.804 0 0 0% 0% 1036 40 96.8% 88.9% 25 1 2.3% 2.2% 3 0 0.3% 0% 6 4 0.6% 8.9% 0 0 0% 0%	T L U 297 5 7 251 12 2 262 14 6 260 14 8 1070 45 23 94.0% 4.0% 2.0% 31.5% 1.3% 0.7% 0.901 0.804 0.719 0 0 0 0% 0% 0% 1036 40 22 96.8% 88.9% 95.7% 25 1 1 2.3% 2.2% 4.3% 3 0 0 0.3% 0% 0% 6 4 0 0.6% 8.9% 0% 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Westbound T L U App 297 5 7 309 251 12 2 265 262 14 6 282 260 14 8 282 1070 45 23 1138 94.0% 4.0% 2.0% - 31.5% 1.3% 0.7% 33.5% 0.901 0.804 0.719 0.921 0 0 0 0 0 0% 0% 0% 0% 0% 1036 40 22 1098 96.5% 25 1 1 27 2.3% 88.9% 95.7% 96.5% 25 1 1 27 2.3% 2.2% 4.3% 2.4% 3 0 3 0.3% 0 3 0.3% 0 0 3% 0 0 0 0 0 0 0 0 0	Westbound T L U App Ped* 297 5 7 309 0 251 12 2 265 0 262 14 6 282 0 1070 45 23 1138 0 94.0% 4.0% 2.0% - - 31.5% 1.3% 0.7% 33.5% - 0.901 0.804 0.719 0.921 - 0 0 0 0 - 0% 0% 0% 0% - 1036 40 22 1098 - 96.8% 88.9% 95.7% 96.5% - 25 1 1 27 - 2.3% 2.2% 4.3% 2.4% - 3 0 0 3 - 3 0 0 3 - 0.3% 0% 0% 0	Westbound Northbound T L U App (297) Ped* (297) R 297 5 7 309 0 26 251 12 2 265 0 20 262 14 6 282 0 14 260 14 8 282 0 21 1070 45 23 1138 0 81 94.0% 4.0% 2.0% - - 20.6% 31.5% 1.3% 0.7% 33.5% - 2.4% 0.901 0.804 0.719 0.921 - 0.779 0 0 0 0 - 0 0 0% 0% 0% 0 - 0 </td <td>Westbound Northbound T L U App Ped* R L 297 5 7 309 0 26 96 251 12 2 265 0 20 84 262 14 6 282 0 14 66 260 14 8 282 0 21 66 1070 45 23 1138 0 81 312 94.0% 4.0% 2.0% - - 20.6% 79.4% 31.5% 1.3% 0.79 33.5% - 2.4% 9.2% 0.901 0.804 0.719 0.921 - 0.779 0.813 0 0 0 0 - 0 0 0 0% 0% 0% - 0% 0% 0 0 1036 40 22 1098 - 75 304<td>Westbound Northbound T L U App Ped* R L U 297 5 7 309 0 26 96 0 251 12 2 265 0 20 84 0 262 14 6 282 0 14 66 0 260 14 8 282 0 21 66 0 1070 45 23 1138 0 81 312 0 94.0% 4.0% 2.0% - - 20.6% 79.4% 0% 94.0% 4.0% 2.0% - - 20.6% 79.4% 0% 94.0% 4.0% 2.0% - - 20.6% 79.4% 0% 9.01 0.804 0.719 0.921 - 0.779 0.813 - 0.9% 0% 0% 0% - 0%</td><td>Westbound T L U App Ped* R L U App App Ped* 297 5 7 309 0 26 96 0 122 251 12 2 265 0 20 84 0 104 262 14 6 282 0 14 66 0 80 260 14 8 282 0 14 66 0 80 260 14 8 282 0 21 66 0 80 260 14 8 282 0 21 66 0 80 1000 4.0% 2.0% - - 20.6% 79.4% 0% - 31.5% 1.3% 0.7% 33.5% - 2.4% 9.2% 0% 116% 0.901 0.804 0.719 0.921 - 0.779 0.813 - 0.805</td><td>Westbound Northbound T L U App Ped* R L U App Ped* 297 5 7 309 0 26 96 0 122 0 251 12 2 265 0 20 84 0 104 0 262 14 6 282 0 21 66 0 87 0 260 14 8 282 0 21 66 0 87 0 260 14 8 282 0 21 66 0 87 0 260 4.0% 2.0% - - 20.6% 79.4% 0% - - 31.5% 1.3% 0.7% 33.5% - 2.4% 9.2% 0% 11.6% - 0.90 0 0 0 0 0 0 0 0 0</td><td>Westbound T L U App (a) Ped* (b) R L U App (a) Ped* (b) R 297 5 7 309 0 26 96 0 1122 0 63 251 12 2 265 0 20 84 0 104 0 104 262 14 6 282 0 14 66 0 80 0 97 260 14 8 282 0 21 66 0 80 0 97 260 14 8 282 0 21 66 0 80 0 97 260 14 8 282 0 21 66 0 80 0 79 2100 45 23 1138 0 81 312 0 0 33 0 333 0 334 94.0%</td><td>Westbound Northbound Eastbound T L U App Ped* R L U App Ped* R T 297 5 7 309 0 26 96 0 122 0 63 424 251 12 2 265 0 20 84 0 104 0 104 386 262 14 6 282 0 14 66 0 80 0 97 318 260 14 8 282 0 21 66 0 80 0 97 318 260 14 8 282 0 21 66 0 80 0 70 380 100 45 23 1138 0 81 312 0 393 0 334 1508 31.5% 1.3% 0.79 33.5% -</td><td>Westbound Northbound R L U App Ped* R L U App Ped* R L U App Ped* R T U 297 5 7 309 0 26 96 0 122 0 63 424 6 251 12 2 265 0 20 84 0 104 0 104 386 5 262 14 6 282 0 21 66 0 87 0 70 380 6 1070 45 23 1138 0 81 312 0 393 0 334 1508 19 94.0% 4.0% 2.0% - 2.06% 79.4% 0% - - 17.9% 81.0% 1.0% 31.5% 1.3% 0.7% 33.5% - 2.4% 9.2% 0% 11.6% -</td><td> Northbound</td><td> Northbound</td></td>	Westbound Northbound T L U App Ped* R L 297 5 7 309 0 26 96 251 12 2 265 0 20 84 262 14 6 282 0 14 66 260 14 8 282 0 21 66 1070 45 23 1138 0 81 312 94.0% 4.0% 2.0% - - 20.6% 79.4% 31.5% 1.3% 0.79 33.5% - 2.4% 9.2% 0.901 0.804 0.719 0.921 - 0.779 0.813 0 0 0 0 - 0 0 0 0% 0% 0% - 0% 0% 0 0 1036 40 22 1098 - 75 304 <td>Westbound Northbound T L U App Ped* R L U 297 5 7 309 0 26 96 0 251 12 2 265 0 20 84 0 262 14 6 282 0 14 66 0 260 14 8 282 0 21 66 0 1070 45 23 1138 0 81 312 0 94.0% 4.0% 2.0% - - 20.6% 79.4% 0% 94.0% 4.0% 2.0% - - 20.6% 79.4% 0% 94.0% 4.0% 2.0% - - 20.6% 79.4% 0% 9.01 0.804 0.719 0.921 - 0.779 0.813 - 0.9% 0% 0% 0% - 0%</td> <td>Westbound T L U App Ped* R L U App App Ped* 297 5 7 309 0 26 96 0 122 251 12 2 265 0 20 84 0 104 262 14 6 282 0 14 66 0 80 260 14 8 282 0 14 66 0 80 260 14 8 282 0 21 66 0 80 260 14 8 282 0 21 66 0 80 1000 4.0% 2.0% - - 20.6% 79.4% 0% - 31.5% 1.3% 0.7% 33.5% - 2.4% 9.2% 0% 116% 0.901 0.804 0.719 0.921 - 0.779 0.813 - 0.805</td> <td>Westbound Northbound T L U App Ped* R L U App Ped* 297 5 7 309 0 26 96 0 122 0 251 12 2 265 0 20 84 0 104 0 262 14 6 282 0 21 66 0 87 0 260 14 8 282 0 21 66 0 87 0 260 14 8 282 0 21 66 0 87 0 260 4.0% 2.0% - - 20.6% 79.4% 0% - - 31.5% 1.3% 0.7% 33.5% - 2.4% 9.2% 0% 11.6% - 0.90 0 0 0 0 0 0 0 0 0</td> <td>Westbound T L U App (a) Ped* (b) R L U App (a) Ped* (b) R 297 5 7 309 0 26 96 0 1122 0 63 251 12 2 265 0 20 84 0 104 0 104 262 14 6 282 0 14 66 0 80 0 97 260 14 8 282 0 21 66 0 80 0 97 260 14 8 282 0 21 66 0 80 0 97 260 14 8 282 0 21 66 0 80 0 79 2100 45 23 1138 0 81 312 0 0 33 0 333 0 334 94.0%</td> <td>Westbound Northbound Eastbound T L U App Ped* R L U App Ped* R T 297 5 7 309 0 26 96 0 122 0 63 424 251 12 2 265 0 20 84 0 104 0 104 386 262 14 6 282 0 14 66 0 80 0 97 318 260 14 8 282 0 21 66 0 80 0 97 318 260 14 8 282 0 21 66 0 80 0 70 380 100 45 23 1138 0 81 312 0 393 0 334 1508 31.5% 1.3% 0.79 33.5% -</td> <td>Westbound Northbound R L U App Ped* R L U App Ped* R L U App Ped* R T U 297 5 7 309 0 26 96 0 122 0 63 424 6 251 12 2 265 0 20 84 0 104 0 104 386 5 262 14 6 282 0 21 66 0 87 0 70 380 6 1070 45 23 1138 0 81 312 0 393 0 334 1508 19 94.0% 4.0% 2.0% - 2.06% 79.4% 0% - - 17.9% 81.0% 1.0% 31.5% 1.3% 0.7% 33.5% - 2.4% 9.2% 0% 11.6% -</td> <td> Northbound</td> <td> Northbound</td>	Westbound Northbound T L U App Ped* R L U 297 5 7 309 0 26 96 0 251 12 2 265 0 20 84 0 262 14 6 282 0 14 66 0 260 14 8 282 0 21 66 0 1070 45 23 1138 0 81 312 0 94.0% 4.0% 2.0% - - 20.6% 79.4% 0% 94.0% 4.0% 2.0% - - 20.6% 79.4% 0% 94.0% 4.0% 2.0% - - 20.6% 79.4% 0% 9.01 0.804 0.719 0.921 - 0.779 0.813 - 0.9% 0% 0% 0% - 0%	Westbound T L U App Ped* R L U App App Ped* 297 5 7 309 0 26 96 0 122 251 12 2 265 0 20 84 0 104 262 14 6 282 0 14 66 0 80 260 14 8 282 0 14 66 0 80 260 14 8 282 0 21 66 0 80 260 14 8 282 0 21 66 0 80 1000 4.0% 2.0% - - 20.6% 79.4% 0% - 31.5% 1.3% 0.7% 33.5% - 2.4% 9.2% 0% 116% 0.901 0.804 0.719 0.921 - 0.779 0.813 - 0.805	Westbound Northbound T L U App Ped* R L U App Ped* 297 5 7 309 0 26 96 0 122 0 251 12 2 265 0 20 84 0 104 0 262 14 6 282 0 21 66 0 87 0 260 14 8 282 0 21 66 0 87 0 260 14 8 282 0 21 66 0 87 0 260 4.0% 2.0% - - 20.6% 79.4% 0% - - 31.5% 1.3% 0.7% 33.5% - 2.4% 9.2% 0% 11.6% - 0.90 0 0 0 0 0 0 0 0 0	Westbound T L U App (a) Ped* (b) R L U App (a) Ped* (b) R 297 5 7 309 0 26 96 0 1122 0 63 251 12 2 265 0 20 84 0 104 0 104 262 14 6 282 0 14 66 0 80 0 97 260 14 8 282 0 21 66 0 80 0 97 260 14 8 282 0 21 66 0 80 0 97 260 14 8 282 0 21 66 0 80 0 79 2100 45 23 1138 0 81 312 0 0 33 0 333 0 334 94.0%	Westbound Northbound Eastbound T L U App Ped* R L U App Ped* R T 297 5 7 309 0 26 96 0 122 0 63 424 251 12 2 265 0 20 84 0 104 0 104 386 262 14 6 282 0 14 66 0 80 0 97 318 260 14 8 282 0 21 66 0 80 0 97 318 260 14 8 282 0 21 66 0 80 0 70 380 100 45 23 1138 0 81 312 0 393 0 334 1508 31.5% 1.3% 0.79 33.5% -	Westbound Northbound R L U App Ped* R L U App Ped* R L U App Ped* R T U 297 5 7 309 0 26 96 0 122 0 63 424 6 251 12 2 265 0 20 84 0 104 0 104 386 5 262 14 6 282 0 21 66 0 87 0 70 380 6 1070 45 23 1138 0 81 312 0 393 0 334 1508 19 94.0% 4.0% 2.0% - 2.06% 79.4% 0% - - 17.9% 81.0% 1.0% 31.5% 1.3% 0.7% 33.5% - 2.4% 9.2% 0% 11.6% -	Northbound	Northbound

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (2) Route 9 @ Country Club Lane TMC - TMC

Tue May 4, 2021

PM Peak (4:15 PM - 5:15 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles

on Crosswalk)

All Movements

ID: 833236, Location: 42.293977, -71.46724

Provided by: Precision Data Industries, LLC

x .	k.,	100 . 0	`			0 . 01.1	T				11.7 . D	1.00 . 0				
Leg	Worcester Ro	aa (Route 9)			Country Club	Lane				Worcester Ro	aa (Route 9)				i
Direction	Westbound					Northbound					Eastbound					——
Time	T	L	U	App	Ped*	R	L	U	App	Ped*	R	T	U	App	Ped*	
2021-05-04 4:15PM	429	24	15	468	0	17	81	0	98	0	69	324	8	401	0	
4:30PM	411	21	12	444	0	24	70	0	94	0	95	318	5	418	0	
4:45PM	363	29	12	404	0	23	81	0	104	0	72	347	9	428	0	936
5:00PM	362	24	14	400	0	33	90	1	124	0	82	313	10	405	0	929
Total	1565	98	53	1716	0	97	322	1	420	0	318	1302	32	1652	0	3788
% Approach	91.2%	5.7%	3.1%	-	-	23.1%	76.7%	0.2%	-	-	19.2%	78.8%	1.9%	-	-	-
% Total	41.3%	2.6%	1.4%	45.3%	-	2.6%	8.5%	0%	11.1%	-	8.4%	34.4%	0.8%	43.6%	-	-
PHF	0.912	0.845	0.883	0.917	-	0.735	0.894	0.250	0.847	-	0.837	0.938	0.800	0.965	-	0.979
Motorcycles	0	0	0	0	-	0	1	0	1	-	0	1	0	1	-	2
% Motorcycles	0%	0%	0%	0%	-	0%	0.3%	0%	0.2%	-	0%	0.1%	0%	0.1%	-	0.1%
Lights	1538	94	53	1685	-	93	311	1	405	-	311	1274	32	1617	-	3707
% Lights	98.3%	95.9%	100%	98.2%	-	95.9%	96.6%	100%	96.4%	-	97.8%	97.8%	100%	97.9%	-	97.9%
Single-Unit Trucks	18	3	0	21	-	2	8	0	10	-	4	18	0	22	-	53
% Single-Unit Trucks	1.2%	3.1%	0%	1.2%	-	2.1%	2.5%	0%	2.4%	-	1.3%	1.4%	0%	1.3%	-	1.4%
Articulated Trucks	8	0	0	8	-	0	0	0	0	-	1	7	0	8	-	16
% Articulated Trucks	0.5%	0%	0%	0.5%	-	0%	0%	0%	0%	-	0.3%	0.5%	0%	0.5%	-	0.4%
Buses	1	1	0	2	-	2	2	0	4	-	2	2	0	4	-	10
% Buses	0.1%	1.0%	0%	0.1%	-	2.1%	0.6%	0%	1.0%	-	0.6%	0.2%	0%	0.2%	-	0.3%
Bicycles on Road	. 0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (3) Route 9 @ Temple Street/Old Worce... - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833240, Location: 42.298112, -71.449742

Provided by: Precision Data Industries, LLC

Leg	Temple S	troot						Old Word	octor Doa	d						More	octor l	Poad	(Route 9)	`			_
Direction	Southbou							Southwes		u							bound		(Route 3)	,			
Time	HR	R	Т	L F	IL U	App	Ped*	HR	R	BR	BL	HL	U	App	Ped*	HR		BR	Т	L	U	Арр	Ped*
2021-05-04 6:00AM	_	7	38	94	0 0	139	0	18	2	0	30	25	0	75	0	0	0	0	574	0	0	574	0
7:00AM	_	16	72	165	0 0	257	2	37	15	0	56	53	0	161	1	0	0	0	956	0	0	956	3
8:00AM	4	17	88	184	0 0	293	0	65	15	0	87	62	0	229	0	0	0	0	980	0	0	980	4
3:00PM	7	21	111	138	0 0	277	0	116	26	0	195	115	0	452	7	0	0	0	1426	0	0	1426	7
4:00PM	8	33	92	111	0 0	244	0	96	33	0	177	117	0	423	4	0	0	0	1549	0	0	1549	5
5:00PM	8	25	116	141	0 0	290	0	98	24	1	225	123	0	471	1	0	0	0	1436	0	0	1436	6
Total	31	119	517	833	0 0	1500	2	430	115	1	770	495	0	1811	13	0	0	0	6921	0	0	6921	25
% Approach	2.1%	7.9%	34.5%	55.5% 0	0%	-		23.7%	6.4%	0.1%	42.5%	27.3%	0%		-	0%	0%	0%	100%	0%	0%		_
% Total	+	0.6%	2.5%	4.0% 0	0%	7.3%		2.1%	0.6%	0%	3.7%	2.4%	0%	8.8%	-	0%	0%	0%	33.5%	0%	0%	33.5%	
Motorcycles	0	0	0	0	0 0	0	-	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	
% Motorcycles	0%	0%	0%	0% 0	% 0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	_
Lights	30	119	500	823	0 0	1472	-	422	110	1	755	474	0	1762	-	0	0	0	6715	0	0	6715	-
% Lights	96.8%	100%	96.7%	98.8% 0	% 0%	98.1%	-	98.1%	95.7%	100%	98.1%	95.8%	0%	97.3%	-	0%	0%	0%	97.0%	0%	0%	97.0%	-
Single-Unit Trucks	0	0	9	9	0 0	18	-	4	1	0	9	15	0	29	-	0	0	0	138	0	0	138	-
% Single-Unit Trucks	0%	0%	1.7%	1.1% 0	% 0%	1.2%	-	0.9%	0.9%	0%	1.2%	3.0%	0%	1.6%	-	0%	0%	0%	2.0%	0%	0%	2.0%	-
Articulated Trucks	0	0	1	0	0 0	1	-	1	0	0	2	3	0	6	-	0	0	0	47	0	0	47	-
% Articulated Trucks	0%	0%	0.2%	0% 0	% 0%	0.1%	-	0.2%	0%	0%	0.3%	0.6%	0%	0.3%	-	0%	0%	0%	0.7%	0%	0%	0.7%	-
Buses	1	0	7	1	0 0	9	-	3	3	0	4	3	0	13	-	0	0	0	21	0	0	21	-
% Buses	3.2%	0%	1.4%	0.1% 0	% 0%	0.6%	-	0.7%	2.6%	0%	0.5%	0.6%	0%	0.7%	-	0%	0%	0%	0.3%	0%	0%	0.3%	-
Bicycles on Road		0	0		0 0	0		0	1	0	0	0		1	-	0	0	0	0	0	0	0	-
% Bicycles on Road	0%	0%	0%	0% 0	% 0%	0%	-	0%	0.9%	0%	0%	0%	0%	0.1%	-	0%	0%	0%	0%	0%	0%	0%	-
Pedestrians	-	-	-	-		-	2	-	-	-	-	-	-	-	12	-	-	-	-	-	-	-	24
% Pedestrians	-	-	-	-		-	100%	-	-	-	-	-	-	-	92.3%	-	-	-	-	-	-	-	96.0%
Bicycles on Crosswalk		-	-	-		-	0	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
% Bicycles on Crosswalk	-	-	-	-		-	0%	-	-	-	-	-	-	-	7.7%	-	-	-	-	-	-	-	4.0%

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

217891 (3) Route 9 @ Temple Street/Old Worce... - TMC

Tue May 4, 2021 Full Length (6 AM-9 AM, 3 PM-6 PM)

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833240, Location: 42.298112, -71.449742

Provided by: Precision Data Industries, LLC

																					ingna				
Leg	Temple Str									er Road (F	Route	e 9)					Old Wor		ad						l
Direction	Northboun	d							Eastbour	ıd							Southeas	tbound							
Time	R B	R	T	BL	L	U	App	Ped*	R	T	BL	L	HL	U	App	Ped*	HR	BR	BL	L	HL	U	App	Ped*	Int
2021-05-04 6:00AM	54	0	29	0	75	0	158	0	71	1270	0	14	3	16	1374	0	0	3	19	0	6	0	28	0	2348
7:00AM	65	0	90	2	99	0	256	0	62	1417	0	35	3	17	1534	0	1	8	27	0	12	0	48	1	3212
8:00AM	67	0	120	6	91	0	284	3	78	1335	0	34	5	20	1472	0	3	12	27	0	4	0	46	0	3304
3:00PM	66	0	130	12	123	0	331	1	88	1145	0	48	5	32	1318	0	2	9	15	0	13	0	39	0	3843
4:00PM	62	0	140	7	150	0	359	1	104	1214	0	36	8	15	1377	0	2	7	24	0	7	0	40	0	3992
5:00PM	63	0	156	11	140	0	370	2	113	1174	0	46	7	8	1348	0	1	14	17	0	4	0	36	1	3951
Total	377	0	665	38	678	0	1758	7	516	7555	0	213	31	108	8423	0	9	53	129	0	46	0	237	2	20650
% Approach	21.4% 0	% 3	7.8%	2.2%	38.6%	0%	_	-	6.1%	89.7%	0%	2.5%	0.4%	1.3%	-	-	3.8%	22.4%	54.4%	0%	19.4%	0%	-	-	-
% Total	1.8% 0	%	3.2%	0.2%	3.3%	0%	8.5%	-	2.5%	36.6%	0%	1.0%	0.2%	0.5%	40.8%	-	0%	0.3%	0.6%	0%	0.2%	0%	1.1%	-	-
Motorcycles	0	0	0	0	0	0	0	-	0	3	0	0	0	0	3	-	0	0	0	0	0	0	0	-	3
% Motorcycles	0% 0	%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%
Lights	372	0	646	35	655	0	1708	-	496	7295	0	202	29	108	8130	-	7	49	129	0	43	0	228	-	20015
% Lights	98.7% 0	% 9	7.1%	92.1%	96.6%	0%	97.2%	-	96.1%	96.6%	0%	94.8%	93.5%	100%	96.5%	-	77.8%	92.5%	100%	0%	93.5%	0%	96.2%	-	96.9%
Single-Unit Trucks	4	0	9	1	11	0	25	-	9	182	0	4	0	0	195	-	0	1	0	0	1	0	2	-	407
% Single-Unit Trucks	1.1% 0	%	1.4%	2.6%	1.6%	0%	1.4%	-	1.7%	2.4%	0%	1.9%	0%	0%	2.3%	-	0%	1.9%	0%	0%	2.2%	0%	0.8%	-	2.0%
Articulated Trucks	0	0	1	0	0	0	1	-	0	45	0	0	0	0	45	-	0	0	0	0	0	0	0	-	100
% Articulated Trucks	0% 0	%	0.2%	0%	0%	0%	0.1%	-	0%	0.6%	0%	0%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	0%	0%	-	0.5%
Buses	1	0	9	2	12	0	24	-	11	30	0	7	2	0	50	-	2	3	0	0	1	0	6	-	123
% Buses	0.3% 0	%	1.4%	5.3%	1.8%	0%	1.4%	-	2.1%	0.4%	0%	3.3%	6.5%	0%	0.6%	-	22.2%	5.7%	0%	0%	2.2%	0%	2.5%	-	0.6%
Bicycles on Road	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	0	0	0	0	1	0	1	-	2
% Bicycles on Road	0% 09	%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	2.2%	0%	0.4%	-	0%
Pedestrians	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	2	
% Pedestrians	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%	-
Bicycles on Crosswalk	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	0%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0%	-

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

217891 (3) Route 9 @ Temple Street/Old Worce... - TMC

Tue May 4, 2021

AM Peak (7:30 AM - 8:30 AM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles

on Crosswalk) All Movements

ID: 833240, Location: 42.298112, -71.449742

Provided by: Precision Data Industries, LLC (PDI)

1, 017	<u> </u>																						
			(Route 9)	Road	ester	Worc						d	ester Road	Old Worce	ļ						treet	Temple S	Leg
					oound	Westl							bound	Southwest							nd	Southbou	Direction
App	U	L	T	BR	R	HR	Ped*	App	U	HL	BL	BR	R	HR	Ped*	App	U	HL	L	T	R	HR	Time
251	0	0	251	0	0	0	0	53	0	19	15	0	8	11	1	70	0	0	46	18	4	2	2021-05-04 7:30AM
259	0	0	259	0	0	0	1	52	0	18	17	0	3	14	0	71	0	0	44	24	1	2	7:45AM
288	0	0	288	0	0	0	0	56	0	15	25	0	7	9	0	67	0	0	47	16	4	0	8:00AM
229	0	0	229	0	0	0	0	62	0	16	23	0	6	17	0	88	0	0	58	23	7	0	8:15AM
1027	0	0	1027	0	0	0	1	223	0	68	80	0	24	51	1	296	0	0	195	81	16	4	Total
	0%	0%	100%	0%	0%	0%	-	-	0%	30.5%	35.9%	0%	10.8%	22.9%	-	-	0%	0%	65.9%	27.4%	5.4%	1.4%	% Approach
30.2%	0%	0%	30.2%	0%	0%	0%	-	6.6%	0%	2.0%	2.4%	0%	0.7%	1.5%	-	8.7%	0%	0%	5.7%	2.4%	0.5%	0.1%	% Total
0.891	-	-	0.891	-	-	-	-	0.899	-	0.895	0.800	-	0.750	0.750	-	0.841	-	-	0.841	0.844	0.571	0.500	PHF
(0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	Motorcycles
0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	% Motorcycles
988	0	0	988	0	0	0	-	208	0	61	75	0	22	50	-	290	0	0	192	79	16	3	Lights
96.2%	0%	0%	96.2%	0%	0%	0%	-	93.3%	0%	89.7%	93.8%	0%	91.7%	98.0%	-	98.0%	0%	0%	98.5%	97.5%	100%	75.0%	% Lights
29	0	0	29	0	0	0	-	7	0	4	3	0	0	0	-	3	0	0	3	0	0	0	Single-Unit Trucks
2.8%	0%	0%	2.8%	0%	0%	0%	-	3.1%	0%	5.9%	3.8%	0%	0%	0%	-	1.0%	0%	0%	1.5%	0%	0%	0%	% Single-Unit Trucks
4	0	0	4	0	0	0	-	1	0	1	0	0	0	0	-	0	0	0	0	0	0	0	Articulated Trucks
0.4%	0%	0%	0.4%	0%	0%	0%	-	0.4%	0%	1.5%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	% Articulated Trucks
e	0	0	6	0	0	0	-	7	0	2	2	0	2	1	-	3	0	0	0	2	0	1	Buses
0.6%	0%	0%	0.6%	0%	0%	0%	-	3.1%	0%	2.9%	2.5%	0%	8.3%	2.0%	-	1.0%	0%	0%	0%	2.5%	0%	25.0%	% Buses
(0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	Bicycles on Road
0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	% Bicycles on Road
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	Pedestrians
	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	% Pedestrians
	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	Bicycles on Crosswalk
	-	-	-	-	-	-	0%	-	-	-	-	-	-	-	0%	-	-	-	-	-	-	-	% Bicycles on Crosswalk

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

217891 (3) Route 9 @ Temple Street/Old Worce... - TMC

Tue May 4, 2021

AM Peak (7:30 AM - 8:30 AM)

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

Provided by: Precision Data Industries, LLC (PDI)

All Movements

ID: 833240, Location: 42.298112, -71.449742

l _e	m 10								r. v	n 1	_						0117.7								
0	Temple St								Worceste	,	Rout	e 9)					Old Wor		oad						
	Northbour								Eastbour								Southeas							\longrightarrow	
Time	RI	BR	T	BL	L	U		Ped*	R		BL	L	HL	U		Ped*		BR	BL		HL	U	App	Ped*	
2021-05-04 7:30AM	16	0	20	0	35	0	71	0	15	364	0	8	3	5	395	0	0	1	7	0	2	0	10	1	850
7:45AM	24	0	34	0	16	0	74	0	17	347	0	11	0	3	378	0	1	5	9	0	5	0	20	0	854
8:00AM	14	0	19	1	20	0	54	0	21	372	0	12	0	5	410	0	1	4	4	0	1	0	10	0	885
8:15AM	19	0	23	3	25	0	70	0	20	315	0	8	2	7	352	0	2	3	9	0	0	0	14	0	815
Total	73	0	96	4	96	0	269	0	73	1398	0	39	5	20	1535	0	4	13	29	0	8	0	54	1	3404
% Approach	27.1% (0%	35.7%	1.5%	35.7%	0%	-	-	4.8%	91.1%	0%	2.5%	0.3%	1.3%	-	-	7.4%	24.1%	53.7%	0%	14.8%	0%	-	-	-
% Total	2.1% (0%	2.8%	0.1%	2.8%	0%	7.9%	-	2.1%	41.1%	0%	1.1%	0.1%	0.6%	45.1%	-	0.1%	0.4%	0.9%	0%	0.2%	0%	1.6%	-	
PHF	0.760	-	0.706	0.333	0.686	-	0.909	-	0.869	0.940	-	0.813	0.417	0.714	0.936	-	0.500	0.650	0.806	-	0.400	-	0.675	-	0.962
Motorcycles	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	0
% Motorcycles	0% (0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%
Lights	71	0	94	3	90	0	258	-	70	1337	0	37	4	20	1468	-	3	12	29	0	8	0	52	-	3264
% Lights	97.3% (0%	97.9%	75.0%	93.8%	0%	95.9%	-	95.9%	95.6%	0%	94.9%	80.0%	100%	95.6%	-	75.0%	92.3%	100%	0%	100%	0%	96.3%	-	95.9%
Single-Unit Trucks	1	0	1	1	2	0	5	-	2	49	0	1	0	0	52	-	0	0	0	0	0	0	0	-	96
% Single-Unit Trucks	1.4% (0%	1.0%	25.0%	2.1%	0%	1.9%	-	2.7%	3.5%	0%	2.6%	0%	0%	3.4%	-	0%	0%	0%	0%	0%	0%	0%	-	2.8%
Articulated Trucks	0	0	0	0	0	0	0	-	0	8	0	0	0	0	8	-	0	0	0	0	0	0	0	-	13
% Articulated Trucks	0% (0%	0%	0%	0%	0%	0%	-	0%	0.6%	0%	0%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	0%	0%	-	0.4%
Buses	1	0	1	0	4	0	6	-	1	4	0	1	1	0	7	-	1	1	0	0	0	0	2	-	31
% Buses	1.4% (0%	1.0%	0%	4.2%	0%	2.2%	-	1.4%	0.3%	0%	2.6%	20.0%	0%	0.5%	-	25.0%	7.7%	0%	0%	0%	0%	3.7%	-	0.9%
Bicycles on Road	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	0
% Bicycles on Road	0% (0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	1	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%	
Bicycles on Crosswalk	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0%	

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

217891 (3) Route 9 @ Temple Street/Old Worce... - TMC

Tue May 4, 2021

PM Peak (4:45 PM - 5:45 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833240, Location: 42.298112, -71.449742

Provided by: Precision Data Industries, LLC (PDI)

Leg Direction		Temple S								Old Worce Southwest		i						Worce			(Route 9)				
Time		HR	R	T	I.	HL	U	App			R	BR	BL	HL	U	Арр	Ped*	HR		BR	Т	L	U	Арр	Ped*
	1-05-04 4:45PM	3	7	24	35	0	0	69	0	23	8	0	37	38	0	106	0	0	0	0	390	0	0	390	1
	5:00PM	2	4	30	44	0	0	80	0	25	3	1	44	32	0	105	1	0	0	0	341	0	0	341	2
	5:15PM	5	4	35	33	0	0	77	0	24	7	0	70	41	0	142	0	0	0	0	363	0	0	363	0
	5:30PM	0	10	31	28	0	0	69	0	28	8	0	58	23	0	117	0	0	0	0	382	0	0	382	1
	Total	10	25	120	140	0	0	295	0	100	26	1	209	134	0	470	1	0	0	0	1476	0	0	1476	4
	% Approach	3.4%	8.5%	40.7%	47.5%	0%	0%	-	-	21.3%	5.5%	0.2%	44.5%	28.5%	0%	-	-	0%	0%	0%	100%	0%	0%	-	-
	% Total	0.2%	0.6%	3.0%	3.5%	0%	0%	7.3%	-	2.5%	0.6%	0%	5.2%	3.3%	0%	11.7%	-	0%	0%	0%	36.7%	0%	0%	36.7%	-
	PHF	0.500	0.625	0.857	0.795	-	-	0.922	-	0.893	0.781	0.250	0.746	0.817	-	0.832	-	-	-	-	0.946	-	-	0.946	-
	Motorcycles	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	-
	% Motorcycles	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-
	Lights	10	25	117	139	0	0	291	-	100	25	1	208	130	0	464	-	0	0	0	1452	0	0	1452	-
	% Lights	100%	100%	97.5%	99.3%	0%	0%	98.6%	-	100%	96.2%	100%	99.5%	97.0%	0%	98.7%	-	0%	0%	0%	98.4%	0%	0%	98.4%	-
Sing	gle-Unit Trucks	0	0	2	1	0	0	3	-	0	0	0	1	3	0	4	-	0	0	0	16	0	0	16	-
% Sing	gle-Unit Trucks	0%	0%	1.7%	0.7%	0%	0%	1.0%	-	0%	0%	0%	0.5%	2.2%	0%	0.9%	-	0%	0%	0%	1.1%	0%	0%	1.1%	-
Art	ticulated Trucks	0	0	1	0	0	0	1	-	0	0	0	0	1	0	1	-	0	0	0	7	0	0	7	-
% Art	ticulated Trucks	0%	0%	0.8%	0%	0%	0%	0.3%	-	0%	0%	0%	0%	0.7%	0%	0.2%	-	0%	0%	0%	0.5%	0%	0%	0.5%	-
	Buses		0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	0	0	0	1	0	0	1	-
	% Buses	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0.1%	0%	0%	0.1%	-
Bi	icycles on Road	0	0	0	0	0	0	0	-	0	1	0	0	0	0	1	-	0	0	0	0	0	0	0	-
% Bi	icycles on Road	0%	0%	0%	0%	0%	0%	0%	-	0%	3.8%	0%	0%	0%	0%	0.2%	-	0%	0%	0%	0%	0%	0%	0%	-
	Pedestrians	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	4
	% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0%	-	-	-	-	-	-	-	100%
Bicycle	es on Crosswalk	-	-	-	-	-	-	-	0	-	-	-	-	-	-		1	-	-	-	-	-	-	-	0
% Bicycle	es on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	0%

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

217891 (3) Route 9 @ Temple Street/Old Worce... - TMC

Tue May 4, 2021

PM Peak (4:45 PM - 5:45 PM) - Overall Peak Hour

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833240, Location: 42.298112, -71.449742

Provided by: Precision Data Industries, LLC (PDI)

46 Morton Street,

Framingham, MA, MA, 01702, US

T-									I																
Leg	Temple S								Worceste	,	Route	e 9)						cester Ro	oad						
F	Northbou								Eastboun								Southea								
Time	R	BR	T	BL	L	U	App	Ped*	R	T	BL	L	HL	U	App	Ped*	HR	BR	BL	L	HL	U	App	Ped*	int
2021-05-04 4:45PM	12	0	32	0	28	0	72	0	23	335	0	11	0	7	376	0	0	1	8	0	3	0	12	0	1025
5:00PM	13	0	48	3	48	0	112	0	28	262	0	13	3	4	310	0	0	2	0	0	2	0	4	1	952
5:15PM	14	0	37	2	32	0	85	1	30	314	0	11	1	1	357	0	1	2	11	0	1	0	15	0	1039
5:30PM	16	0	40	0	29	0	85	1	24	309	0	10	0	1	344	0	0	3	4	0	1	0	8	0	1005
Total	55	0	157	5	137	0	354	2	105	1220	0	45	4	13	1387	0	1	8	23	0	7	0	39	1	4021
% Approach	15.5%	0%	44.4%	1.4%	38.7%	0%	-	-	7.6%	88.0%	0%	3.2%	0.3%	0.9%	-	-	2.6%	20.5%	59.0%	0%	17.9%	0%	-	-	
% Total	1.4%	0%	3.9%	0.1%	3.4%	0%	8.8%	-	2.6%	30.3%	0%	1.1%	0.1%	0.3%	34.5%	-	0%	0.2%	0.6%	0%	0.2%	0%	1.0%	-	
PHF	0.859	-	0.818	0.417	0.714	-	0.790	-	0.875	0.910	-	0.865	0.333	0.464	0.922	-	0.250	0.667	0.523	-	0.583	-	0.650	-	0.968
Motorcycles	0	0	0	0	0	0	0	-	0	1	0	0	0	0	1	-	0	0	0	0	0	0	0	-	1
% Motorcycles	0%	0%	0%	0%	0%	0%	0%	-	0%	0.1%	0%	0%	0%	0%	0.1%	-	0%	0%	0%	0%	0%	0%	0%	-	0%
Lights	55	0	156	5	136	0	352	-	103	1204	0	45	4	13	1369	-	1	8	23	0	7	0	39	-	3967
% Lights	100%	0%	99.4%	100%	99.3%	0%	99.4%	-	98.1%	98.7%	0%	100%	100%	100%	98.7%	-	100%	100%	100%	0%	100%	0%	100%	-	98.7%
Single-Unit Trucks	0	0	1	0	1	0	2	-	1	8	0	0	0	0	9	-	0	0	0	0	0	0	0	-	34
% Single-Unit Trucks	0%	0%	0.6%	0%	0.7%	0%	0.6%	-	1.0%	0.7%	0%	0%	0%	0%	0.6%	-	0%	0%	0%	0%	0%	0%	0%	-	0.8%
Articulated Trucks	0	0	0	0	0	0	0	-	0	4	0	0	0	0	4	-	0	0	0	0	0	0	0	-	13
% Articulated Trucks	0%	0%	0%	0%	0%	0%	0%	-	0%	0.3%	0%	0%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	0%	0%	-	0.3%
Buses	0	0	0	0	0	0	0	-	1	3	0	0	0	0	4	-	0	0	0	0	0	0	0	-	5
% Buses	0%	0%	0%	0%	0%	0%	0%	-	1.0%	0.2%	0%	0%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	0%	0%	-	0.1%
Bicycles on Road	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	-	1
% Bicycles on Road	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	1	
% Pedestrians	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%	-
Bicycles on Crosswalk	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	0%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0%	-

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833248, Location: 42.300447, -71.434495

Provided by: Precision Data Industries, LLC (PDI)

Ü	Edgell Road						Worcester Road V	VB Offramp					
Direction	Southbound						Westbound						
Time	R	T	L	U	Арр	Ped*	R	T	BL	L	U	Арр	Ped*
2021-05-04 6:00AM	33	305	0	0	338	0	24	16	29	63	0	132	0
7:00AM	44	524	0	0	568	0	42	42	82	173	0	339	1
8:00AM	37	523	0	0	560	0	73	71	90	244	0	478	0
3:00PM	40	585	0	0	625	1	111	132	121	364	0	728	0
4:00PM	43	571	0	0	614	2	84	125	124	375	0	708	0
5:00PM	32	525	0	0	557	2	70	133	124	304	0	631	1
Total	229	3033	0	0	3262	5	404	519	570	1523	0	3016	2
% Approach	7.0%	93.0%	0%	0%	-	-	13.4%	17.2%	18.9%	50.5%	0%	-	-
% Total	1.9%	25.2%	0%	0%	27.1%	-	3.4%	4.3%	4.7%	12.6%	0%	25.0%	-
Motorcycles	0	1	0	0	1	-	0	0	0	0	0	0	-
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-
Lights	209	2899	0	0	3108	-	395	505	558	1475	0	2933	-
% Lights	91.3%	95.6%	0%	0%	95.3%	-	97.8%	97.3%	97.9%	96.8%	0%	97.2%	-
Single-Unit Trucks	12	65	0	0	77	-	5	6	9	32	0	52	-
% Single-Unit Trucks	5.2%	2.1%	0%	0%	2.4%	-	1.2%	1.2%	1.6%	2.1%	0%	1.7%	-
Articulated Trucks	8	6	0	0	14	-	1	1	1	2	0	5	-
% Articulated Trucks	3.5%	0.2%	0%	0%	0.4%	-	0.2%	0.2%	0.2%	0.1%	0%	0.2%	-
Buses	0	62	0	0	62	-	3	7	2	14	0	26	-
% Buses	0%	2.0%	0%	0%	1.9%	-	0.7%	1.3%	0.4%	0.9%	0%	0.9%	-
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	0	-
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-
Pedestrians	-	-	-	-	-	5	-	-	-	-	-	-	2
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	-	100%
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	-	0
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	-	0%

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833248, Location: 42.300447, -71.434495

Provided by: Precision Data Industries, LLC

Leg		Edgell Road						Worcester F	Road WB (Onramp				
Direction		Northbound						Eastbound						
Time		R	T	L	U	Арр	Ped*	R	T	L	U	Арр	Ped* I	nt
	2021-05-04 6:00AM	0	433	199	0	632	0	0	0	0	0	0	0	1102
	7:00AM	0	677	282	0	959	0	0	0	0	0	0	0	1866
	8:00AM	0	656	337	0	993	0	0	0	0	0	0	1	2031
	3:00PM	0	731	372	0	1103	0	0	0	0	0	0	5	2456
	4:00PM	0	670	446	0	1116	0	0	0	0	0	0	2	2438
	5:00PM	0	588	373	0	961	0	0	0	0	0	0	0	2149
	Total	0	3755	2009	0	5764	0	0	0	0	0	0	8	12042
	% Approach	0%	65.1%	34.9%	0%	-	-	0%	0%	0%	0%	-	-	
	% Total	0%	31.2%	16.7%	0%	47.9%	-	0%	0%	0%	0%	0%	-	
	Motorcycles	0	1	0	0	1	-	0	0	0	0	0	-	2
	% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%
	Lights	0	3588	1920	0	5508	-	0	0	0	0	0	-	11549
	% Lights	0%	95.6%	95.6%	0%	95.6%	-	0%	0%	0%	0%	-	-	95.9%
	Single-Unit Trucks	0	85	53	0	138	-	0	0	0	0	0	-	267
	% Single-Unit Trucks	0%	2.3%	2.6%	0%	2.4%	-	0%	0%	0%	0%	-	-	2.2%
	Articulated Trucks	0	12	18	0	30	-	0	0	0	0	0	-	49
	% Articulated Trucks	0%	0.3%	0.9%	0%	0.5%	-	0%	0%	0%	0%	-	-	0.4%
	Buses	0	69	18	0	87	-	0	0	0	0	0	-	175
	% Buses	0%	1.8%	0.9%	0%	1.5%	-	0%	0%	0%	0%	-	-	1.5%
	Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0
	% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%
	Pedestrians	-	-	-	-	-	0	-	-	-	-	-	8	
	% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	100%	
	Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	
	% Bicycles on Crosswalk	-	-	_	-	-	-	-	-	-	-	-	0%	

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

AM Peak (7:45 AM - 8:45 AM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833248, Location: 42.300447, -71.434495

Provided by: Precision Data Industries, LLC

										. 0			
Leg	Edgell Road						Worcester Road W	/B Offramp					
Direction	Southbound						Westbound						
Time	R	T	L	U	App	Ped*	R	T	BL	L	U	Арр	Ped ²
2021-05-04 7:45A	M 8	165	0	0	173	0	13	15	27	48	0	103	(
8:00A	M 9	135	0	0	144	0	16	15	19	58	0	108	(
8:15A	M 11	146	0	0	157	0	12	15	21	66	0	114	(
8:30A	M 7	115	0	0	122	0	24	22	26	54	0	126	(
To	al 35	561	0	0	596	0	65	67	93	226	0	451	(
% Approa	ch 5.9%	94.1%	0%	0%	-	-	14.4%	14.9%	20.6%	50.1%	0%	-	
% To	al 1.7%	27.2%	0%	0%	28.9%	-	3.2%	3.2%	4.5%	11.0%	0%	21.9%	
PI	IF 0.795	0.850	-	-	0.861	-	0.677	0.761	0.861	0.856	-	0.895	
Motorcyc	es 0	0	0	0	0	-	0	0	0	0	0	0	
% Motorcycl	es 0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	
Ligh	ts 32	531	0	0	563	-	62	64	90	218	0	434	
% Ligh	ts 91.4%	94.7%	0%	0%	94.5%	-	95.4%	95.5%	96.8%	96.5%	0%	96.2%	
Single-Unit Truc	KS 1	15	0	0	16	-	3	2	2	5	0	12	
% Single-Unit Truc	cs 2.9%	2.7%	0%	0%	2.7%	-	4.6%	3.0%	2.2%	2.2%	0%	2.7%	
Articulated Truc	ks 2	2	0	0	4	-	0	0	0	0	0	0	
% Articulated Truc	ks 5.7%	0.4%	0%	0%	0.7%	-	0%	0%	0%	0%	0%	0%	
Bus	es 0	13	0	0	13	-	0	1	1	3	0	5	
% Bus	es 0%	2.3%	0%	0%	2.2%	-	0%	1.5%	1.1%	1.3%	0%	1.1%	
Bicycles on Ro	ad 0	0	0	0	0	-	0	0	0	0	0	0	
% Bicycles on Ro	nd 0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	
Pedestria	ns -	-	-	-	-	0	-	-	-	-	-	-	(
% Pedestria	ns -	-	-	-	-	-	-	-	-	-	-	-	
Bicycles on Crosswa	lk -	-	-	-	-	0	-	-	-	-	-	-	(
% Bicycles on Crosswa	lk -	-	-	-	-	-	-	-	-	-	-	-	

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

AM Peak (7:45 AM - 8:45 AM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833248, Location: 42.300447, -71.434495

Provided by: Precision Data Industries, LLC

1				Inramp	load WB (Worcester F						Edgell Road	~
						Eastbound						Northbound	Direction
Int	Ped*	App	U	L	T	R	Ped*	Арр	U	L	T	R	Time
567	0	0	0	0	0	0	0	291	0	83	208	0	2021-05-04 7:45AM
529	0	0	0	0	0	0	0	277	0	100	177	0	8:00AM
486	1	0	0	0	0	0	0	215	0	71	144	0	8:15AM
480	0	0	0	0	0	0	0	232	0	87	145	0	8:30AM
2062	1	0	0	0	0	0	0	1015	0	341	674	0	Total
	-	-	0%	0%	0%	0%	-	-	0%	33.6%	66.4%	0%	% Approach
	-	0%	0%	0%	0%	0%	-	49.2%	0%	16.5%	32.7%	0%	% Total
0.909	-	-	-	-	-	-	-	0.872	-	0.853	0.810	-	PHF
(-	0	0	0	0	0	-	0	0	0	0	0	Motorcycles
0%	-	-	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	% Motorcycles
1947	-	0	0	0	0	0	-	950	0	321	629	0	Lights
94.4%	-	-	0%	0%	0%	0%	-	93.6%	0%	94.1%	93.3%	0%	% Lights
67	-	0	0	0	0	0	-	39	0	13	26	0	Single-Unit Trucks
3.2%	-	-	0%	0%	0%	0%	-	3.8%	0%	3.8%	3.9%	0%	% Single-Unit Trucks
9	-	0	0	0	0	0	-	5	0	3	2	0	Articulated Trucks
0.4%	-	-	0%	0%	0%	0%	-	0.5%	0%	0.9%	0.3%	0%	% Articulated Trucks
39	-	0	0	0	0	0	-	21	0	4	17	0	Buses
1.9%	-	-	0%	0%	0%	0%	-	2.1%	0%	1.2%	2.5%	0%	% Buses
(-	0	0	0	0	0	-	0	0	0	0	0	Bicycles on Road
0%	-	-	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	% Bicycles on Road
	1	-	-	-	-	-	0	-	-	-	-	-	Pedestrians
	100%	-	-	-	-	-	-	-	-	-	-	-	% Pedestrians
	0	-	-	-	-	-	0	-	-	-	-	-	Bicycles on Crosswalk
	0%	-	-	-	-	-	-	-	-	-	-	-	% Bicycles on Crosswalk

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

PM Peak (3:45 PM - 4:45 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833248, Location: 42.300447, -71.434495

Provided by: Precision Data Industries, LLC

Leg	Edgell Road						Worcester Road V	WB Offramp					
Direction	Southbound						Westbound	_					
Time	I	R T	L	U	Арр	Ped*	R	T	BL	L	U	App	Ped*
2021-05-04 3:4	5PM 1	3 133	0	0	146	0	28	37	32	107	0	204	C
4:0)PM 1:	2 131	0	0	143	1	19	23	32	85	0	159	C
4:1	5PM	7 150	0	0	157	1	14	41	32	102	0	189	C
4:3	PM 1	5 155	0	0	170	0	26	31	29	97	0	183	(
	otal 4	7 569	0	0	616	2	87	132	125	391	0	735	C
% Аррг	oach 7.69	6 92.4%	0%	0%	-	-	11.8%	18.0%	17.0%	53.2%	0%	-	-
% ?	otal 1.99	6 23.0%	0%	0%	24.9%	-	3.5%	5.3%	5.1%	15.8%	0%	29.7%	-
	PHF 0.783	0.918	-	-	0.906	-	0.777	0.805	0.977	0.914	-	0.901	
Motorcy	cles	0	0	0	0	-	0	0	0	0	0	0	-
% Motorcy	cles 09	6 0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	
L	ghts 4	3 536	0	0	579	-	85	131	121	382	0	719	-
% Li	ghts 91.59	6 94.2%	0%	0%	94.0%	-	97.7%	99.2%	96.8%	97.7%	0%	97.8%	
Single-Unit Tr	icks	3 11	0	0	14	-	0	0	3	4	0	7	
% Single-Unit Tr	icks 6.49	6 1.9%	0%	0%	2.3%	-	0%	0%	2.4%	1.0%	0%	1.0%	
Articulated Tr	icks	1 0	0	0	1	-	0	0	0	1	0	1	
% Articulated Tr	2.19	6 0%	0%	0%	0.2%	-	0%	0%	0%	0.3%	0%	0.1%	
P	uses) 22	0	0	22	-	2	1	1	4	0	8	-
% B	uses 09	6 3.9%	0%	0%	3.6%	-	2.3%	0.8%	0.8%	1.0%	0%	1.1%	-
Bicycles on I	oad	0 0	0	0	0	-	0	0	0	0	0	0	-
% Bicycles on I	oad 09	6 0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	
Pedesti	ians		-	-	-	2	-	-	-	-	-	-	C
% Pedesti	ians		-	-	-	100%	-	-	-	-	-	-	
Bicycles on Cross	valk		-	-	-	0	-	-	-	-	-	-	C
% Bicycles on Cross	valk		-	-	-	0%	-	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

PM Peak (3:45 PM - 4:45 PM) - Overall Peak Hour

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833248, Location: 42.300447, -71.434495

Provided by: Precision Data Industries, LLC (PDI)

Log		Edgell Road						Worcester F	load W/D ()				
Leg Direction		Northbound						Eastbound	Odu WD (Jilianip				
					**						**		W 11 F	
Time		R	T	L	U	Арр	Ped*	R	T	L	U	Арр	Ped* I	
	2021-05-04 3:45PM	0	181	103	0	284	0	0	0	0	0	0	3	634
	4:00PM	0	159	108	0	267	0	0	0	0	0	0	0	569
	4:15PM	0	196	116	0	312	0	0	0	0	0	0	1	658
	4:30PM	0	151	110	0	261	0	0	0	0	0	0	1	614
	Total	0	687	437	0	1124	0	0	0	0	0	0	5	2475
	% Approach	0%	61.1%	38.9%	0%	-	-	0%	0%	0%	0%	-	-	
	% Total	0%	27.8%	17.7%	0%	45.4%	-	0%	0%	0%	0%	0%	-	
	PHF	-	0.876	0.942	-	0.901	-	-	-	-	-	-	-	0.940
	Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	(
	% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%
	Lights	0	672	421	0	1093	-	0	0	0	0	0	-	2391
	% Lights	0%	97.8%	96.3%	0%	97.2%	-	0%	0%	0%	0%	-	-	96.6%
	Single-Unit Trucks	0	6	11	0	17	-	0	0	0	0	0	-	38
	% Single-Unit Trucks	0%	0.9%	2.5%	0%	1.5%	-	0%	0%	0%	0%	-	-	1.5%
	Articulated Trucks	0	1	3	0	4	-	0	0	0	0	0	-	(
	% Articulated Trucks	0%	0.1%	0.7%	0%	0.4%	-	0%	0%	0%	0%	-	-	0.2%
	Buses	0	8	2	0	10	-	0	0	0	0	0	-	40
	% Buses	0%	1.2%	0.5%	0%	0.9%	-	0%	0%	0%	0%	-	-	1.6%
	Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	(
	% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%
	Pedestrians	-	-	-	-	-	0	-	-	-	-	-	5	
	% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	100%	
	Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	
	% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	0%	

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, L: Left, R: Right, T: Thru, U: U-Turn

217891 (4B) Worcester Road EB Onramp @ Edgel... - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833252, Location: 42.299831, -71.434404

Provided by: Precision Data Industries, LLC

Leg	Edgell R	load					Wor	cester	Roa	d EB Oı	nramp		Main Str	eet					High Stre	eet					\neg
Direction	Southbo	und					Wes	tboun	d				Northbo	und					Eastboun	ıd					
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	Арр	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 6:00AM	63	227	78	0	368	0	0	0	0	31	31	0	10	387	4	0	401	0	224	12	238	0	474	0	1274
7:00AM	149	398	159	0	706	0	0	0	0	87	87	1	6	662	17	0	685	1	256	11	285	0	552	0	2030
8:00AM	179	456	132	0	767	0	0	0	0	94	94	0	14	689	18	1	722	1	215	26	291	0	532	1	2115
3:00PM	321	500	114	0	935	0	0	0	0	121	121	0	28	770	20	0	818	1	180	32	328	0	540	2	2414
4:00PM	302	524	116	0	942	0	0	0	0	124	124	0	29	806	28	0	863	6	223	28	274	0	525	8	2454
5:00PM	278	459	101	0	838	0	0	0	0	135	135	1	30	733	13	1	777	0	192	26	210	10	438	5	2188
Total	1292	2564	700	0	4556	0	0	0	0	592	592	2	117	4047	100	2	4266	9	1290	135	1626	10	3061	16	12475
% Approach	28.4%	56.3%	15.4%	0%	-	-	0%	0%	0%	100%	-	-	2.7%	94.9%	2.3%	0%	-	-	42.1%	4.4%	53.1%	0.3%	-	-	-
% Total	10.4%	20.6%	5.6%	0%	36.5%	-	0%	0%	0%	4.7%	4.7%	-	0.9%	32.4%	0.8%	0%	34.2%	-	10.3%	1.1%	13.0%	0.1%	24.5%	-	-
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	1
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	1257	2433	682	0	4372	-	0	0	0	578	578	-	110	3842	99	2	4053	-	1234	127	1570	10	2941	-	11944
% Lights	97.3%	94.9%	97.4%	0%	96.0%	-	0%	0%	0%	97.6%	97.6%	-	94.0%	94.9%	99.0%	100%	95.0%	-	95.7%	94.1%	96.6%	100%	96.1%	-	95.7%
Single-Unit Trucks	22	69	11	0	102	-	0	0	0	11	11	-	2	112	0	0	114	-	40	3	26	0	69	-	296
% Single-Unit Trucks	1.7%	2.7%	1.6%	0%	2.2%	-	0%	0%	0%	1.9%	1.9%	-	1.7%	2.8%	0%	0%	2.7%	-	3.1%	2.2%	1.6%	0%	2.3%	-	2.4%
Articulated Trucks	1	7	0	0	8	-	0	0	0	1	1	-	5	27	0	0	32	-	14	0	10	0	24	-	65
% Articulated Trucks	0.1%	0.3%	0%	0%	0.2%	-	0%	0%	0%	0.2%	0.2%	-	4.3%	0.7%	0%	0%	0.8%	-	1.1%	0%	0.6%	0%	0.8%	-	0.5%
Buses	12	55	7	0	74	-	0	0	0	2	2	-	0	65	1	0	66	-	2	5	20	0	27	-	169
% Buses	0.9%	2.1%	1.0%	0%	1.6%	-	0%	0%	0%	0.3%	0.3%	-	0%	1.6%	1.0%	0%	1.5%	-	0.2%	3.7%	1.2%	0%	0.9%	-	1.4%
Bicycles on Road	. 0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	2	-	-	-	-	-	9	-	-	-	-	-	15	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	93.8%	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	6.3%	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (4B) Worcester Road EB Onramp @ Edgel... - TMC

Tue May 4, 2021

AM Peak (7:30 AM - 8:30 AM)

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833252, Location: 42.299831, -71.434404

Provided by: Precision Data Industries, LLC (PDI)

																							,	-,	
Leg	Edgell F	load					Wor	ceste	r Roa	nd EB On	ıramp		Main St	reet					High Stre	et					
Direction	Southbo	und					Wes	tbou	nd				Northbo	und					Eastboun	d					i
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 7:30A	M 30	90	39	0	159	0	0	0	0	31	31	0	1	169	2	0	172	0	62	3	74	0	139	0	501
7:45A	M 35	128	57	0	220	0	0	0	0	32	32	0	1	213	10	0	224	1	59	3	69	0	131	0	607
8:00A	M 47	108	45	0	200	0	0	0	0	20	20	0	1	199	6	1	207	0	76	7	70	0	153	0	580
8:15A	M 49	127	32	0	208	0	0	0	0	22	22	0	0	145	5	0	150	1	48	7	71	0	126	1	506
To	al 161	453	173	0	787	0	0	0	0	105	105	0	3	726	23	1	753	2	245	20	284	0	549	1	2194
% Approa	ch 20.5%	57.6%	22.0%	0%	-	-	0%	0%	0%	100%	-	-	0.4%	96.4%	3.1%	0.1%	-	-	44.6%	3.6%	51.7%	0%	_	-	
% To	al 7.3%	20.6%	7.9%	0%	35.9%	-	0%	0%	0%	4.8%	4.8%	-	0.1%	33.1%	1.0%	0%	34.3%	-	11.2%	0.9%	12.9%	0%	25.0%	-	
Pl	IF 0.821	0.885	0.759		0.894	-	-	-	-	0.820	0.820	-	0.750	0.852	0.575	0.250	0.840	-	0.806	0.714	0.959	-	0.897	-	0.904
Motorcyc	es 0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	
% Motorcyc	es 0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Ligi	ts 152	428	164	0	744	-	0	0	0	104	104	-	3	678	23	1	705	-	233	18	273	0	524	-	2077
% Ligi	ts 94.4%	94.5%	94.8%	0%	94.5%	-	0%	0%	0%	99.0%	99.0%	-	100%	93.4%	100%	100%	93.6%	-	95.1%	90.0%	96.1%	0%	95.4%	-	94.7%
Single-Unit Truc	ks 5	18	4	0	27	-	0	0	0	1	1	-	0	32	0	0	32	-	8	2	6	0	16	-	76
% Single-Unit Truc	s 3.1%	4.0%	2.3%	0%	3.4%	-	0%	0%	0%	1.0%	1.0%	-	0%	4.4%	0%	0%	4.2%	-	3.3%	10.0%	2.1%	0%	2.9%	-	3.5%
Articulated Truc	ks 1	1	0	0	2	-	0	0	0	0	0	-	0	3	0	0	3	-	4	0	3	0	7	-	12
% Articulated Truc	ks 0.6%	0.2%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	0%	0.4%	0%	0%	0.4%	-	1.6%	0%	1.1%	0%	1.3%	-	0.5%
Bus	es 3	6	5	0	14	-	0	0	0	0	0	-	0	13	0	0	13	-	0	0	2	0	2	-	29
% Bus	es 1.9%	1.3%	2.9%	0%	1.8%	-	0%	0%	0%	0%	0%	-	0%	1.8%	0%	0%	1.7%	-	0%	0%	0.7%	0%	0.4%	-	1.3%
Bicycles on Ro	ad 0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	(
% Bicycles on Ro	nd 0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestria	ns -	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	2	-	-	-	-	-	1	
% Pedestria	ns -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	100%	
Bicycles on Crosswa	lk -	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswa	lk -		_			_	_						_			_		0%	_					0%	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (4B) Worcester Road EB Onramp @ Edgel... - TMC

Tue May 4, 2021

PM Peak (3:45 PM - 4:45 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833252, Location: 42.299831, -71.434404

Provided by: Precision Data Industries, LLC

Leg	Edgell R	oad					Wor	ceste	r Roa	id EB Or	nramp		Main Stre	eet					High Stre	et					
Direction	Southbou	ınd					Wes	tbou	nd				Northbou	ınd					Eastboun	d					
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 3:45PM	81	126	29	0	236	0	0	0	0	32	32	0	5	186	7	0	198	1	42	8	95	0	145	0	611
4:00PM	69	129	22	0	220	0	0	0	0	33	33	0	5	197	4	0	206	6	50	7	67	0	124	5	583
4:15PM	74	144	35	0	253	0	0	0	0	32	32	0	8	224	6	0	238	0	66	6	71	0	143	2	666
4:30PM	79	136	30	0	245	0	0	0	0	29	29	0	11	180	8	0	199	0	58	6	77	0	141	1	614
Total	303	535	116	0	954	0	0	0	0	126	126	0	29	787	25	0	841	7	216	27	310	0	553	8	2474
% Approach	31.8%	56.1%	12.2%	0%	-	-	0%	0%	0%	100%	-	-	3.4%	93.6%	3.0%	0%	-	-	39.1%	4.9%	56.1%	0%	-	-	
% Total	12.2%	21.6%	4.7%	0%	38.6%	-	0%	0%	0%	5.1%	5.1%	-	1.2%	31.8%	1.0%	0%	34.0%	-	8.7%	1.1%	12.5%	0%	22.4%	-	
PHF	0.935	0.929	0.829	-	0.943	-	-	-	-	0.955	0.955	-	0.659	0.878	0.781	-	0.883	-	0.818	0.844	0.816	-	0.953	-	0.929
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	(
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	300	502	114	0	916	-	0	0	0	121	121	-	28	762	25	0	815	-	201	26	301	0	528	-	2380
% Lights	99.0%	93.8%	98.3%	0%	96.0%	-	0%	0%	0%	96.0%	96.0%	-	96.6%	96.8%	100%	0%	96.9%	-	93.1%	96.3%	97.1%	0%	95.5%	-	96.2%
Single-Unit Trucks	1	10	1	0	12	-	0	0	0	4	4	-	0	17	0	0	17	-	11	0	3	0	14	-	47
% Single-Unit Trucks	0.3%	1.9%	0.9%	0%	1.3%	-	0%	0%	0%	3.2%	3.2%	-	0%	2.2%	0%	0%	2.0%	-	5.1%	0%	1.0%	0%	2.5%	-	1.9%
Articulated Trucks	0	2	0	0	2	-	0	0	0	0	0	-	1	4	0	0	5	-	3	0	1	0	4	-	11
% Articulated Trucks	0%	0.4%	0%	0%	0.2%	-	0%	0%	0%	0%	0%	-	3.4%	0.5%	0%	0%	0.6%	-	1.4%	0%	0.3%	0%	0.7%	-	0.4%
Buses	2	21	1	0	24	-	0	0	0	1	1	-	0	4	0	0	4	-	1	1	5	0	7	-	36
% Buses	0.7%	3.9%	0.9%	0%	2.5%	-	0%	0%	0%	0.8%	0.8%	-	0%	0.5%	0%	0%	0.5%	-	0.5%	3.7%	1.6%	0%	1.3%	-	1.5%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	7	-	-	-	-	-	7	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	87.5%	
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0%	-	-	-	-	-	12.5%	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (5) Route 9 @ Prospect Street TMC - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833255, Location: 42.298189, -71.422405

Provided by: Precision Data Industries, LLC

T	D	C					X 4.7	D 1 1	D	- 0)			D.:						X 4 7	D -	1 (D :	0)			
Leg	Prospect S		et .				Worceste		Route	9)			Driveway								l (Route !	9)			
Direction	Southbou					_	Westbou						Northbou						Eastbou						
Time	R			U	App	Ped*	R				App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	_
2021-05-04 6:00AM	33	0	77	0	110	0	65	491	_	0	556	1	0	0	0	0	0	2	0	1380	71	10	1461	0	2127
7:00AM	129	0	181	0	310	0	147	999	0	0	1146	1	0	0	0	0	0	1	0	1787	170	45	2002	0	3458
8:00AM	159	0	233	0	392	0	175	1152	0	0	1327	1	0	0	0	0	0	1	0	1927	136	80	2143	0	3862
3:00PM	210	0	249	0	459	4	179	1754	0	0	1933	4	0	1	0	0	1	5	0	1436	147	127	1710	0	4103
4:00PM	189	0	201	0	390	2	126	1699	0	0	1825	6	1	1	3	0	5	9	2	1472	121	121	1716	0	3936
5:00PM	178	0	182	0	360	3	139	1692	0	0	1831	4	0	0	0	0	0	7	0	1493	180	107	1780	2	3971
Total	898	0	1123	0	2021	9	831	7787	0	0	8618	17	1	2	3	0	6	25	2	9495	825	490	10812	2	21457
% Approach	44.4% (0%	55.6%	0%	-	-	9.6%	90.4%	0%	0%	-	-	16.7%	33.3%	50.0%	0%	-	-	0%	87.8%	7.6%	4.5%	-	-	-
% Total	4.2% (0%	5.2%	0%	9.4%	-	3.9%	36.3%	0%	0%	40.2%	-	0%	0%	0%	0%	0%	-	0%	44.3%	3.8%	2.3%	50.4%	-	-
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	2	0	0	2	-	2
% Motorcycles	0% (0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	875	0	1099	0	1974	-	818	7595	0	0	8413	-	1	2	3	0	6	-	2	9265	808	485	10560	-	20953
% Lights	97.4% (0%	97.9%	0%	97.7%	-	98.4%	97.5%	0%	0%	97.6%	-	100%	100%	100%	0%	100%	-	100%	97.6%	97.9%	99.0%	97.7%	-	97.7%
Single-Unit Trucks	15	0	15	0	30	-	10	140	0	0	150	-	0	0	0	0	0	-	0	178	8	3	189	-	369
% Single-Unit Trucks	1.7% (0%	1.3%	0%	1.5%	-	1.2%	1.8%	0%	0%	1.7%	-	0%	0%	0%	0%	0%	-	0%	1.9%	1.0%	0.6%	1.7%	-	1.7%
Articulated Trucks	1	0	1	0	2	-	0	27	0	0	27	-	0	0	0	0	0	-	0	24	0	2	26	-	55
% Articulated Trucks	0.1% (0%	0.1%	0%	0.1%	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	0%	0.3%	0%	0.4%	0.2%	-	0.3%
Buses	7	0	8	0	15	-	3	25	0	0	28	-	0	0	0	0	0	-	0	25	9	0	34	-	77
% Buses	0.8% (0%	0.7%	0%	0.7%	-	0.4%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	0%	0.3%	1.1%	0%	0.3%	-	0.4%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	1	0	0	1	-	1
% Bicycles on Road	0% (0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	9	-	-	-	-	-	13	-	-	-	-	-	18	-	-	-	-	-	2	
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	76.5%	-	-	-	-	-	72.0%	-	-	-	-	-	100%	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	4	-	-	-	-	-	7	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	23.5%	-	-	-	-	-	28.0%	-	-	-	-	-	0%	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (5) Route 9 @ Prospect Street TMC - TMC

Tue May 4, 2021

AM Peak (7:45 AM - 8:45 AM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833255, Location: 42.298189, -71.422405

Provided by: Precision Data Industries, LLC

																						Frammş	5110111, 1	v11 1, 1V11	1, 01	702, 00
Leg	Prospe							Worcester	,	oute 9	9)			Drive	-					1	eseter Roa	ıd (Route	9)			
Direction	Southl	boun	nd					Westboun	d					North	ıboun	d				Eastb	ound					
Time		R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 7:45A	.M	42	0	69	0	111	0	42	302	0	0	344	1	0	0	0	0	0	0	0	480	61	15	556	0	1011
8:00A	.M	34	0	67	0	101	0	38	297	0	0	335	0	0	0	0	0	0	0	0	501	32	19	552	0	988
8:15A	.M	45	0	50	0	95	0	47	268	0	0	315	1	0	0	0	0	0	1	0	463	30	30	523	0	933
8:30A	.M	42	0	57	0	99	0	44	282	0	0	326	0	0	0	0	0	0	0	0	468	34	10	512	0	937
To	tal 1	63	0	243	0	406	0	171	1149	0	0	1320	2	0	0	0	0	0	1	0	1912	157	74	2143	0	3869
% Approa	ch 40.1	%	0%	59.9%	0%	-	-	13.0%	87.0%	0%	0%	-	-	0%	0%	0%	0%	-	-	0%	89.2%	7.3%	3.5%	-	-	
% To	tal 4.2	2%	0%	6.3%	0%	10.5%	-	4.4%	29.7%	0%	0%	34.1%	-	0%	0%	0%	0%	0%	-	0%	49.4%	4.1%	1.9%	55.4%	-	-
P	IF 0.9	06	-	0.880	-	0.914	-	0.910	0.951	-	-	0.959	-	-	-	-	-	-	-	-	0.954	0.643	0.617	0.964	-	0.957
Motorcyc	les	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Motorcyc	les ()%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%
Ligl	nts 1	55	0	237	0	392	-	167	1113	0	0	1280	-	0	0	0	0	0	-	0	1855	150	73	2078	-	3750
% Ligl	nts 95.1	%	0%	97.5%	0%	96.6%	-	97.7%	96.9%	0%	0%	97.0%	-	0%	0%	0%	0%	-	-	0%	97.0%	95.5%	98.6%	97.0%	-	96.9%
Single-Unit Truc	ks	7	0	4	0	11	-	3	28	0	0	31	-	0	0	0	0	0	-	0	50	2	1	53	-	95
% Single-Unit Truc	ks 4.3	3%	0%	1.6%	0%	2.7%	-	1.8%	2.4%	0%	0%	2.3%	-	0%	0%	0%	0%	-	-	0%	2.6%	1.3%	1.4%	2.5%	-	2.5%
Articulated Truc	ks	0	0	1	0	1	-	0	2	0	0	2	-	0	0	0	0	0	-	0	2	0	0	2	-	5
% Articulated Truc	ks ()%	0%	0.4%	0%	0.2%	-	0%	0.2%	0%	0%	0.2%	-	0%	0%	0%	0%	-	-	0%	0.1%	0%	0%	0.1%	-	0.1%
Bus	es	1	0	1	0	2	-	1	6	0	0	7	-	0	0	0	0	0	-	0	5	5	0	10	-	19
% Bus	es 0.6	6%	0%	0.4%	0%	0.5%	-	0.6%	0.5%	0%	0%	0.5%	-	0%	0%	0%	0%	-	-	0%	0.3%	3.2%	0%	0.5%	-	0.5%
Bicycles on Ro	ad	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Ro	ad ()%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%
Pedestria	ns	-	-	-	-	-	0	-	-	-	-	-	2		-	-	-	-	1	-	-	-	-	-	0	
% Pedestria	ns	-	-	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	-	
Bicycles on Crosswa	ılk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswa	ılk	-	-	-	-	-	-	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	-	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (5) Route 9 @ Prospect Street TMC - TMC

Tue May 4, 2021

PM Peak (3 PM - 4 PM) - Overall Peak Hour

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833255, Location: 42.298189, -71.422405

Provided by: Precision Data Industries, LLC (PDI)

																					Tullilli				
Leg	Prospect S						Worceste		Route	9)			Drive						l	eseter Ro	ad (Route	9)			1
Direction	Southbou	nd					Westbour	nd					North	bound					Eastb	ound					
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 3:00PM	40	0	67	0	107	0	39	447	0	0	486	0	0	1	0	0	1	0	0	345	25	29	399	0	993
3:15PM	44	0	73	0	117	1	52	449	0	0	501	0	0	0	0	0	0	0	0	349	32	42	423	0	1041
3:30PM	55	0	53	0	108	1	48	402	0	0	450	4	0	0	0	0	0	4	0	362	44	28	434	0	992
3:45PM	71	0	56	0	127	2	40	456	0	0	496	0	0	0	0	0	0	1	0	380	46	28	454	0	1077
Total	210	0	249	0	459	4	179	1754	0	0	1933	4	0	1	0	0	1	5	0	1436	147	127	1710	0	4103
% Approach	45.8%	0%	54.2%	0%	-	-	9.3%	90.7%	0%	0%	-	-	0%	100%	0%	0%	-	-	0%	84.0%	8.6%	7.4%	-	-	
% Total	5.1%	0%	6.1%	0%	11.2%	-	4.4%	42.7%	0%	0%	47.1%	-	0%	0%	0%	0%	0%	-	0%	35.0%	3.6%	3.1%	41.7%	-	
PHF	0.739	-	0.853	-	0.904	-	0.861	0.962	-	-	0.965	-	-	0.250	-	-	0.250	-	-	0.945	0.799	0.756	0.942	-	0.952
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	1	0	0	1	-	1
% Motorcycles	0%	0%	0%	0%	0%	_	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0.1%	0%	0%	0.1%	-	0%
Lights	204	0	245	0	449	_	177	1726	0	0	1903	-	0	1	0	0	1	-	0	1402	145	126	1673	-	4026
% Lights	97.1%	0%	98.4%	0%	97.8%	-	98.9%	98.4%	0%	0%	98.4%	-	0%	100%	0%	0%	100%	-	0%	97.6%	98.6%	99.2%	97.8%	-	98.1%
Single-Unit Trucks	3	0	1	0	4	-	1	22	0	0	23	-	0	0	0	0	0	-	0	20	1	1	22	-	49
% Single-Unit Trucks	1.4%	0%	0.4%	0%	0.9%	-	0.6%	1.3%	0%	0%	1.2%	-	0%	0%	0%	0%	0%	-	0%	1.4%	0.7%	0.8%	1.3%	-	1.2%
Articulated Trucks	0	0	0	0	0	-	0	3	0	0	3	-	0	0	0	0	0	-	0	5	0	0	5	-	8
% Articulated Trucks	0%	0%	0%	0%	0%	-	0%	0.2%	0%	0%	0.2%	-	0%	0%	0%	0%	0%	-	0%	0.3%	0%	0%	0.3%	-	0.2%
Buses	3	0	3	0	6	-	1	3	0	0	4	-	0	0	0	0	0	-	0	8	1	0	9	-	19
% Buses	1.4%	0%	1.2%	0%	1.3%	-	0.6%	0.2%	0%	0%	0.2%	-	0%	0%	0%	0%	0%	-	0%	0.6%	0.7%	0%	0.5%	-	0.5%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	C
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	4	-	-	-	-	-	4	-	-	-	-	-	5	-	-	-	-	-	0	1
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	-	
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	-	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (6) Route 9 @ Cochituate Road TMC - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833256, Location: 42.298071, -71.413953

Provided by: Precision Data Industries, LLC (PDI) 46 Morton Street, Framingham, MA, MA, 01702, US

Leg	Cochituate Ro	ad				Worcester Road	d (Route 9)				Worcester	Road (Ro	oute 9)			
Direction	Southbound					Westbound					Eastbound					
Time	R	L	U	Арр	Ped*	R	T	U	Арр	Ped*	T	L	U	Арр	Ped*	nt
2021-05-04 6:00AM	121	0	0	121	1	4	440	0	444	0	0	0	0	0	0	565
7:00AM	274	0	0	274	0	8	880	0	888	0	0	0	0	0	0	1162
8:00AM	308	0	0	308	0	11	1035	0	1046	1	0	0	0	0	0	1354
3:00PM	357	0	0	357	3	35	1454	0	1489	0	0	0	0	0	0	1846
4:00PM	348	0	0	348	1	17	1393	0	1410	0	0	0	0	0	0	1758
5:00PM	351	0	0	351	3	27	1428	0	1455	0	0	0	0	0	0	1806
Total	1759	0	0	1759	8	102	6630	0	6732	1	0	0	0	0	0	8491
% Approach	100%	0%	0%	-	-	1.5%	98.5%	0%	-	-	0%	0%	0%	-	-	-
% Total	20.7%	0%	0%	20.7%	-	1.2%	78.1%	0%	79.3%	-	0%	0%	0%	0%	-	-
Motorcycles	0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	-	-	0%
Lights	1699	0	0	1699	-	96	6480	0	6576	-	0	0	0	0	-	8275
% Lights	96.6%	0%	0%	96.6%	-	94.1%	97.7%	0%	97.7%	-	0%	0%	0%	-	-	97.5%
Single-Unit Trucks	49	0	0	49	-	5	114	0	119	-	0	0	0	0	-	168
% Single-Unit Trucks	2.8%	0%	0%	2.8%	-	4.9%	1.7%	0%	1.8%	-	0%	0%	0%	-	-	2.0%
Articulated Trucks		0	0	8	-	0	16	0	16	-	0	0	0	0	-	24
% Articulated Trucks	0.5%	0%	0%	0.5%	-	0%	0.2%	0%	0.2%	-	0%	0%	0%	-	-	0.3%
Buses	3	0	0	3	-	1	20	0	21	-	0	0	0	0	-	24
% Buses	0.2%	0%	0%	0.2%	-	1.0%	0.3%	0%	0.3%	-	0%	0%	0%	-	-	0.3%
Bicycles on Road		0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	-	-	0%
Pedestrians		-	-	-	8	-	-	-	-	1	-	-	-	-	0	
% Pedestrians		-	-	-	100%	-	-	-	-	100%	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	0%	-	-	-	-	0%	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (6) Route 9 @ Cochituate Road TMC - TMC

Tue May 4, 2021

AM Peak (7:45 AM - 8:45 AM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles

on Crosswalk) All Movements

ID: 833256, Location: 42.298071, -71.413953

Provided by: Precision Data Industries, LLC

Leg	Cochituate Ro	ad				Worcester Roa	d (Route 9)				Worcester		oute 9)			
Direction	Southbound					Westbound					Eastbound					
Time	R	L	U	Арр	Ped*	R	T	U	App	Ped*	T	L	U	App	Ped* I	
2021-05-04 7:45AM	86	0	0	86	0	4	264	0	268	0	0	0	0	0	0	354
8:00AM	89	0	0	89	0	3	261	0	264	1	0	0	0	0	0	353
8:15AM	70	0	0	70	0	4	237	0	241	0	0	0	0	0	0	311
8:30AM	65	0	0	65	0	3	271	0	274	0	0	0	0	0	0	339
Total	310	0	0	310	0	14	1033	0	1047	1	0	0	0	0	0	1357
% Approach	100%	0%	0%	-	-	1.3%	98.7%	0%	-	-	0%	0%	0%	-	-	-
% Total	22.8%	0%	0%	22.8%	-	1.0%	76.1%	0%	77.2%	-	0%	0%	0%	0%	-	-
PHF	0.871	-	-	0.871	-	0.875	0.953	-	0.955	-	-	-	-	-	-	0.958
Motorcycles	0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	-	-	0%
Lights	296	0	0	296	-	13	996	0	1009	-	0	0	0	0	-	1305
% Lights	95.5%	0%	0%	95.5%	-	92.9%	96.4%	0%	96.4%	-	0%	0%	0%	-	-	96.2%
Single-Unit Trucks	10	0	0	10	-	1	28	0	29	-	0	0	0	0	-	39
% Single-Unit Trucks	3.2%	0%	0%	3.2%	-	7.1%	2.7%	0%	2.8%	-	0%	0%	0%	-	-	2.9%
Articulated Trucks	1	0	0	1	-	0	2	0	2	-	0	0	0	0	-	3
% Articulated Trucks	0.3%	0%	0%	0.3%	-	0%	0.2%	0%	0.2%	-	0%	0%	0%	-	-	0.2%
Buses	3	0	0	3	-	0	7	0	7	-	0	0	0	0	-	10
% Buses	1.0%	0%	0%	1.0%	-	0%	0.7%	0%	0.7%	-	0%	0%	0%	-	-	0.7%
Bicycles on Road	. 0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	-	-	0%
Pedestrians	-	-	-	-	0	-	-	-	-	1	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	0%	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (6) Route 9 @ Cochituate Road TMC - TMC

Tue May 4, 2021

PM Peak (3 PM - 4 PM) - Overall Peak Hour

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles

on Crosswalk) All Movements

ID: 833256, Location: 42.298071, -71.413953

Provided by: Precision Data Industries, LLC (PDI)

		,				le.e	1.00				*.*					1702, 00
O .	Cochituate Ro	ad				Worcester Road	l (Route 9)				Worcester	Road (Ro	oute 9)			
	Southbound					Westbound					Eastbound					
Time	R	L	U	App	Ped*	R	T	U	App	Ped*	T	L	U	App	Ped* Ir	
2021-05-04 3:00PM	84	0	0	84	0	7	368	0	375	0	0	0	0	0	0	459
3:15PM	99	0	0	99	0	9	353	0	362	0	0	0	0	0	0	461
3:30PM	88	0	0	88	0	13	374	0	387	0	0	0	0	0	0	475
3:45PM	86	0	0	86	3	6	359	0	365	0	0	0	0	0	0	451
Total	357	0	0	357	3	35	1454	0	1489	0	0	0	0	0	0	1846
% Approach	100%	0%	0%	-	-	2.4%	97.6%	0%	-	-	0%	0%	0%	-	-	-
% Total	19.3%	0%	0%	19.3%	-	1.9%	78.8%	0%	80.7%	-	0%	0%	0%	0%	-	-
PHF	0.902	-	-	0.902	-	0.673	0.972	-	0.962	-	-	-	-	-	-	0.972
Motorcycles	0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	-	-	0%
Lights	346	0	0	346	-	33	1432	0	1465	-	0	0	0	0	-	1811
% Lights	96.9%	0%	0%	96.9%	-	94.3%	98.5%	0%	98.4%	-	0%	0%	0%	-	-	98.1%
Single-Unit Trucks	8	0	0	8	-	2	19	0	21	-	0	0	0	0	-	29
% Single-Unit Trucks	2.2%	0%	0%	2.2%	-	5.7%	1.3%	0%	1.4%	-	0%	0%	0%	-	-	1.6%
Articulated Trucks	3	0	0	3	-	0	0	0	0	-	0	0	0	0	-	3
% Articulated Trucks	0.8%	0%	0%	0.8%	-	0%	0%	0%	0%	-	0%	0%	0%	-	-	0.2%
Buses	0	0	0	0	-	0	3	0	3	-	0	0	0	0	-	3
% Buses	0%	0%	0%	0%	-	0%	0.2%	0%	0.2%	-	0%	0%	0%	-	-	0.2%
Bicycles on Road	0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	-	-	0%
Pedestrians	-	-	-	-	3	-	-	-	-	0	-	-	-	-	0	
% Pedestrians	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	0%	-	-	-	-	-	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7A) Beacon Street @ Fairbanks Street... - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833258, Location: 42.299433, -71.408926

Provided by: Precision Data Industries, LLC

Leg	Beacon Street					Fairbanks Stre	eet				Beacon Street					
Direction	Southbound					Westbound					Northbound					
Time	T	L	U	Арр	Ped*	R	L	U	Арр	Ped*	R	T	U	App	Ped*	Int
2021-05-04 6:00AN	1 4	73	0	77	0	28	33	0	61	0	62	9	0	71	0	209
7:00AN	1 19	121	0	140	2	65	56	0	121	0	121	33	0	154	0	415
8:00AN	1 31	120	0	151	1	103	82	0	185	0	115	18	0	133	0	469
3:00PM	1 33	98	0	131	0	121	86	0	207	0	230	82	0	312	0	650
4:00PM	1 23	102	1	126	0	166	61	0	227	0	231	100	0	331	0	684
5:00PN	1 26	99	0	125	2	130	58	1	189	0	263	108	0	371	0	685
Tota	l 136	613	1	750	5	613	376	1	990	0	1022	350	0	1372	0	3112
% Approach	n 18.1%	81.7%	0.1%	-	-	61.9%	38.0%	0.1%	-	-	74.5%	25.5%	0%	-	-	-
% Tota	l 4.4%	19.7%	0%	24.1%	-	19.7%	12.1%	0%	31.8%	-	32.8%	11.2%	0%	44.1%	-	-
Motorcycle	s 0	0	0	0	-	. 0	0	0	0	-	1	0	0	1	-	1
% Motorcycle	s 0%	0%	0%	0%	-	0%	0%	0%	0%	-	0.1%	0%	0%	0.1%	-	0%
Light	s 130	587	1	718	-	589	368	1	958	-	982	343	0	1325	-	3001
% Light	95.6%	95.8%	100%	95.7%	-	96.1%	97.9%	100%	96.8%	-	96.1%	98.0%	0%	96.6%	-	96.4%
Single-Unit Truck	3	14	0	17	-	. 8	6	0	14	-	16	2	0	18	-	49
% Single-Unit Trucks	2.2%	2.3%	0%	2.3%	-	1.3%	1.6%	0%	1.4%	-	1.6%	0.6%	0%	1.3%	-	1.6%
Articulated Truck	1	0	0	1	-	3	0	0	3	-	0	1	0	1	-	5
% Articulated Truck	0.7%	0%	0%	0.1%	-	0.5%	0%	0%	0.3%	-	0%	0.3%	0%	0.1%	-	0.2%
Buse	s 2	12	0	14	-	13	2	0	15	-	23	4	0	27	-	56
% Buse	1.5%	2.0%	0%	1.9%	-	2.1%	0.5%	0%	1.5%	-	2.3%	1.1%	0%	2.0%	-	1.8%
Bicycles on Road	i 0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Bicycles on Road	l 0%	0%	0%	0%		0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
Pedestrian		-	-	-	5	-	-	-	-	0	-	-	-	-	0	
% Pedestrian	-	-	-	-	100%	-	-	-	-	-	_	-	-	-	-	
Bicycles on Crosswall	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Bicycles on Crosswall	-	-	-	-	0%	-	-	-	-	_	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7A) Beacon Street @ Fairbanks Street... - TMC

Tue May 4, 2021

AM Peak (7:30 AM - 8:30 AM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833258, Location: 42.299433, -71.408926

Provided by: Precision Data Industries, LLC

Leg	Beacon Street					Fairbanks Stre	et				Beacon Street					
Direction	Southbound					Westbound					Northbound					1
Time	T	L	U	App	Ped*	R	L	U	Арр	Ped*	R	T	U	Арр	Ped*	Int
2021-05-04 7:30AM	I 5	29	0	34	1	19	14	0	33	0	30	14	0	44	0	111
7:45AM	7	51	0	58	0	26	16	0	42	0	44	10	0	54	0	154
8:00AM	5	36	0	41	0	31	29	0	60	0	29	1	0	30	0	131
8:15AM	8	43	0	51	0	25	15	0	40	0	24	10	0	34	0	125
Total	l 25	159	0	184	1	101	74	0	175	0	127	35	0	162	0	521
% Approach	13.6%	86.4%	0%	-	-	57.7%	42.3%	0%	-	-	78.4%	21.6%	0%	-	-	-
% Total	4.8%	30.5%	0%	35.3%	-	19.4%	14.2%	0%	33.6%	-	24.4%	6.7%	0%	31.1%	-	-
PHI	0.781	0.779	-	0.793	-	0.815	0.638	-	0.729	-	0.722	0.625	-	0.750	-	0.846
Motorcycles	0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Motorcycles	s 0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
Lights	25	153	0	178	-	98	71	0	169	-	121	33	0	154	-	501
% Lights	100%	96.2%	0%	96.7%	-	97.0%	95.9%	0%	96.6%	-	95.3%	94.3%	0%	95.1%	-	96.2%
Single-Unit Trucks	0	2	0	2	-	1	2	0	3	-	1	1	0	2	-	7
% Single-Unit Trucks	0%	1.3%	0%	1.1%	-	1.0%	2.7%	0%	1.7%	-	0.8%	2.9%	0%	1.2%	-	1.3%
Articulated Trucks	0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Articulated Trucks	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
Buses	0	4	0	4	-	2	1	0	3	-	5	1	0	6	-	13
% Buses	s 0%	2.5%	0%	2.2%	-	2.0%	1.4%	0%	1.7%	-	3.9%	2.9%	0%	3.7%	-	2.5%
Bicycles on Road	0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	1	-	-	-	-	0	-	-	-	-	0	
% Pedestrians	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	0%	-	-	-	-	-	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7A) Beacon Street @ Fairbanks Street... - TMC

Tue May 4, 2021

PM Peak (3:30 PM - 4:30 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833258, Location: 42.299433, -71.408926

Provided by: Precision Data Industries, LLC

T	D Church					Fairbanks Stre					D Church					
Leg	Beacon Street						et				Beacon Street					i
Direction	Southbound					Westbound					Northbound					
Time	T	L	U	Арр	Ped*	R	L	U	App	Ped*		T	U	Арр	Ped*	
2021-05-04 3:30PN	1 9	20	0	29	0	26	19	0	45	0	02	25	0	87	0	161
3:45PM	1 11	33	0	44	0	35	27	0	62	0	59	14	0	73	0	179
4:00PN	1 7	32	0	39	0	50	18	0	68	0	50	25	0	75	0	182
4:15PM	1 5	19	1	25	0	48	17	0	65	0	70	32	0	102	0	192
Tota	l 32	104	1	137	0	159	81	0	240	0	241	96	0	337	0	714
% Approach	n 23.4%	75.9%	0.7%	-	-	66.3%	33.8%	0%	-	-	71.5%	28.5%	0%	-	-	
% Tota	l 4.5%	14.6%	0.1%	19.2%	-	22.3%	11.3%	0%	33.6%	-	33.8%	13.4%	0%	47.2%	-	
PHI	0.727	0.788	0.250	0.778	-	0.795	0.750	-	0.882	-	0.861	0.750	-	0.826	-	0.930
Motorcycle	s 0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	C
% Motorcycle	s 0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
Light	s 31	94	1	126	-	155	81	0	236	-	230	95	0	325	-	687
% Light:	96.9%	90.4%	100%	92.0%	-	97.5%	100%	0%	98.3%	-	95.4%	99.0%	0%	96.4%	-	96.2%
Single-Unit Trucks	, 0	5	0	5	-	3	0	0	3	-	5	0	0	5	-	13
% Single-Unit Trucks	0%	4.8%	0%	3.6%	-	1.9%	0%	0%	1.3%	-	2.1%	0%	0%	1.5%	-	1.8%
Articulated Trucks	0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	C
% Articulated Trucks	s 0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
Buse	s 1	5	0	6	-	1	0	0	1	-	6	1	0	7	-	14
% Buse	s 3.1%	4.8%	0%	4.4%	-	0.6%	0%	0%	0.4%	-	2.5%	1.0%	0%	2.1%	-	2.0%
Bicycles on Road	0	0	0	0	-	0	0	0	0	-	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Pedestrian:	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bicycles on Crosswall	-	-	-	-	0	-	-	-	-	0	-	-	-	-	0	
% Bicycles on Crosswall	-	-	-	-	-	-	-	-	-	-	_	-	-	-	-	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7B) Concord Street @ Fairbanks Stree... - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833262, Location: 42.299526, -71.407988

Provided by: Precision Data Industries, LLC

Leg	Concord	Street (Rt	126)				Conc	ord S	treet	Ram	p		Concor S	treet (Rt 1	126)				Fairbanks	Street					
Direction	Southbou	nd					West	boun	d				Northbou	nd					Eastbound	i					ı
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 6:00AM	15	338	0	0	353	0	0	0	0	0	0	1	. 99	704	61	0	864	0	138	0	2	0	140	2	135
7:00AM	31	626	0	0	657	0	0	0	0	0	0	0	151	1018	111	0	1280	0	237	0	2	0	239	0	217
8:00AM	60	630	0	0	690	1	0	0	0	0	0	0	166	879	162	0	1207	0	261	1	6	0	268	2	216
3:00PM	81	778	0	0	859	0	0	0	0	0	0	2	161	795	176	0	1132	0	359	1	7	0	367	11	235
4:00PM	78	905	0	0	983	0	0	0	0	0	0	1	106	844	186	0	1136	0	346	1	7	0	354	5	247
5:00PM	61	897	0	0	958	1	0	0	0	0	0	1	118	803	180	0	1101	0	375	0	7	0	382	5	244
Total	326	4174	0	0	4500	2	0	0	0	0	0	5	801	5043	876	0	6720	0	1716	3	31	0	1750	25	1297
% Approach	7.2%	92.8%	0%	0%	-	-	0%	0%	0%	0%	-		11.9%	75.0%	13.0%	0%	-	-	98.1%	0.2%	1.8%	0%	-	-	
% Total	2.5%	32.2%	0%	0%	34.7%	-	0%	0%	0%	0%	0%		6.2%	38.9%	6.8%	0%	51.8%	-	13.2%	0%	0.2%	0%	13.5%	-	
Motorcycles	0	0	0	0	0	-	0	0	0	0	0		0	0	0	0	0	-	1	0	0	0	1	-	
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-		- 0%	0%	0%	0%	0%	-	0.1%	0%	0%	0%	0.1%	-	09
Lights	319	4021	0	0	4340	-	0	0	0	0	0		774	4848	851	0	6473	-	1650	3	30	0	1683	-	1249
% Lights	97.9%	96.3%	0%	0%	96.4%	-	0%	0%	0%	0%	-		96.6%	96.1%	97.1%	0%	96.3%	-	96.2%	100%	96.8%	0%	96.2%	-	96.39
Single-Unit Trucks	4	75	0	0	79	-	0	0	0	0	0		19	119	11	0	149	-	25	0	0	0	25	-	25
% Single-Unit Trucks	1.2%	1.8%	0%	0%	1.8%	-	0%	0%	0%	0%	-		2.4%	2.4%	1.3%	0%	2.2%	-	1.5%	0%	0%	0%	1.4%	-	2.09
Articulated Trucks	1	35	0	0	36	-	0	0	0	0	0		- 5	25	2	0	32	-	1	0	0	0	1	-	6
% Articulated Trucks	0.3%	0.8%	0%	0%	0.8%	-	0%	0%	0%	0%	-		0.6%	0.5%	0.2%	0%	0.5%	-	0.1%	0%	0%	0%	0.1%	-	0.59
Buses	2	43	0	0	45	-	0	0	0	0	0		. 3	49	12	0	64	-	38	0	1	0	39	-	14
% Buses	0.6%	1.0%	0%	0%	1.0%	-	0%	0%	0%	0%	-		0.4%	1.0%	1.4%	0%	1.0%	-	2.2%	0%	3.2%	0%	2.2%	-	1.19
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0		0	2	0	0	2	-	1	0	0	0	1	-	
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-		- 0%	0%	0%	0%	0%	-	0.1%	0%	0%	0%	0.1%	-	09
Pedestrians	-	-	-	-	-	2	-	-	-	-	-	5	-	-	-	-	-	0	-	-	-	-	-	21	
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-	84.0%	
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	4	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	-	-	-	-	-	-	16.0%	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7B) Concord Street @ Fairbanks Stree... - TMC

Tue May 4, 2021

AM Peak (7:15 AM - 8:15 AM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833262, Location: 42.299526, -71.407988

Provided by: Precision Data Industries, LLC (PDI)

Leg Direction	Concord Southbou	,	126)				Conc West			Ramp			Concor St Northbour	,	26)				Fairbanks Eastbound		t				
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 7:15AM	9	161	0	0	170	0	0	0	0	0	0	0	38	243	22	0	303	0	53	0	1	0	54	0	527
7:30AM	11	156	0	0	167	0	0	0	0	0	0	0	43	261	26	0	330	0	59	0	1	0	60	0	557
7:45AM	6	182	0	0	188	0	0	0	0	0	0	0	36	243	40	0	319	0	84	0	0	0	84	0	591
8:00AM	20	145	0	0	165	0	0	0	0	0	0	0	46	230	48	0	324	0	77	0	0	0	77	1	566
Total	46	644	0	0	690	0	0	0	0	0	0	0	163	977	136	0	1276	0	273	0	2	0	275	1	2241
% Approach	6.7%	93.3%	0%	0%	-	-	0%	0%	0%	0%	-	-	12.8%	76.6%	10.7%	0%	-	-	99.3%	0%	0.7%	0%	-	-	-
% Total	2.1%	28.7%	0%	0%	30.8%	-	0%	0%	0%	0%	0%	-	7.3%	43.6%	6.1%	0%	56.9%	-	12.2%	0%	0.1%	0%	12.3%	-	-
PHI	0.575	0.885	-	-	0.918	-	-	-	-	-	-	-	0.886	0.936	0.708	-	0.967	-	0.813	-	0.500	-	0.818	-	0.948
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	44	608	0	0	652	-	0	0	0	0	0	-	155	919	131	0	1205	-	259	0	2	0	261	-	2118
% Lights	95.7%	94.4%	0%	0%	94.5%	-	0%	0%	0%	0%	-	-	95.1%	94.1%	96.3%	0%	94.4%	-	94.9%	0%	100%	0%	94.9%	-	94.5%
Single-Unit Trucks	1	16	0	0	17	-	0	0	0	0	0	-	6	39	3	0	48	-	5	0	0	0	5	-	70
% Single-Unit Trucks	2.2%	2.5%	0%	0%	2.5%	-	0%	0%	0%	0%	-	-	3.7%	4.0%	2.2%	0%	3.8%	-	1.8%	0%	0%	0%	1.8%	-	3.1%
Articulated Trucks	0	4	0	0	4	-	0	0	0	0	0	-	1	6	0	0	7	-	0	0	0	0	0	-	11
% Articulated Trucks	0%	0.6%	0%	0%	0.6%	-	0%	0%	0%	0%	-	-	0.6%	0.6%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	-	0.5%
Buses	1	16	0	0	17	-	0	0	0	0	0	-	1	13	2	0	16	-	9	0	0	0	9	-	42
% Buses	2.2%	2.5%	0%	0%	2.5%	-	0%	0%	0%	0%	-	-	0.6%	1.3%	1.5%	0%	1.3%	-	3.3%	0%	0%	0%	3.3%	-	1.9%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0%	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7B) Concord Street @ Fairbanks Stree... - TMC

Tue May 4, 2021

PM Peak (4:15 PM - 5:15 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833262, Location: 42.299526, -71.407988

Provided by: Precision Data Industries, LLC

Leg Direction	Concord Southbou	,	126)					ord S boun		Ram)		Concor St Northbou	,	26)				Fairbanks Eastbound						
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	nt
2021-05-04 4:15PM	19	215	0	0	234	0	0	0	0	0	0	0	26	219	53	0	298	0	83	1	0	0	84	0	616
4:30PM	20	240	0	0	260	0	0	0	0	0	0	1	29	199	38	0	266	0	85	0	1	0	86	5	612
4:45PM	15	237	0	0	252	0	0	0	0	0	0	0	18	220	45	0	283	0	93	0	3	0	96	0	631
5:00PM	14	244	0	0	258	0	0	0	0	0	0	1	41	228	47	0	316	0	84	0	4	0	88	0	662
Total	68	936	0	0	1004	0	0	0	0	0	0	2	114	866	183	0	1163	0	345	1	8	0	354	5	2521
% Approach	6.8%	93.2%	0%	0%	-	-	0%	0%	0%	0%	-	-	9.8%	74.5%	15.7%	0%	-	-	97.5%	0.3%	2.3%	0%	-	-	-
% Total	2.7%	37.1%	0%	0%	39.8%	-	0%	0%	0%	0%	0%	-	4.5%	34.4%	7.3%	0%	46.1%	-	13.7%	0%	0.3%	0%	14.0%	-	-
PHF	0.850	0.959	-	-	0.965	-	-	-	-	-	-	-	0.695	0.950	0.863	-	0.920	-	0.927	0.250	0.500	-	0.922	-	0.952
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	1	0	0	0	1	-	1
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0.3%	0%	0%	0%	0.3%	-	0%
Lights	67	911	0	0	978	-	0	0	0	0	0	-	113	850	178	0	1141	-	332	1	8	0	341	-	2460
% Lights	98.5%	97.3%	0%	0%	97.4%	-	0%	0%	0%	0%	-	-	99.1%	98.2%	97.3%	0%	98.1%	-	96.2%	100%	100%	0%	96.3%	-	97.6%
Single-Unit Trucks	0	14	0	0	14	-	0	0	0	0	0	-	1	8	2	0	11	-	6	0	0	0	6	-	31
% Single-Unit Trucks	0%	1.5%	0%	0%	1.4%	-	0%	0%	0%	0%	-	-	0.9%	0.9%	1.1%	0%	0.9%	-	1.7%	0%	0%	0%	1.7%	-	1.2%
Articulated Trucks	1	7	0	0	8	-	0	0	0	0	0	-	0	3	0	0	3	-	0	0	0	0	0	-	11
% Articulated Trucks	1.5%	0.7%	0%	0%	0.8%	-	0%	0%	0%	0%	-	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	0.4%
Buses	0	4	0	0	4	-	0	0	0	0	0	-	0	5	3	0	8	-	6	0	0	0	6	-	18
% Buses	0%	0.4%	0%	0%	0.4%	-	0%	0%	0%	0%	-	-	0%	0.6%	1.6%	0%	0.7%	-	1.7%	0%	0%	0%	1.7%	-	0.7%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	-	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	2	-	-	-	-	-	0	-	-	-	-	-	5	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-	100%	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	0%	-	-	-	-	-	-	-	-	-	-	-	0%	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7C) Route 9 @ Concord Street Ramps T... - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833265, Location: 42.298245, -71.408229

Provided by: Precision Data Industries, LLC

Leg	Concord :	Street	Ran	пр			Worcester	Road (I	Route	9)			Concor S	treet I	Ramp				Worcesete	er Road (Route	9)			
Direction	Southbou	nd					Westboun	ıd					Northbou	nd					Eastbound	i					
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	Арр	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 6:00AM	97	0	0	0	97	0	8	373	0	0	381	0	99	0	0	0	99	0	200	1173	0	0	1373	0	1950
7:00AM	154	0	0	0	154	0	6	831	0	0	837	0	127	0	0	0	127	0	325	1497	0	1	1823	0	2941
8:00AM	179	0	0	0	179	0	10	898	0	0	908	0	178	0	0	0	178	1	413	1618	0	0	2031	0	3296
3:00PM	165	0	0	0	165	1	23	1634	0	0	1657	0	194	0	0	0	194	0	354	1452	0	0	1806	0	3822
4:00PM	112	0	0	0	112	2	27	1563	0	0	1590	0	220	0	0	0	220	1	328	1403	0	0	1731	0	3653
5:00PM	120	0	0	0	120	2	27	1583	0	0	1610	0	205	0	1	0	206	1	305	1404	0	0	1709	0	3645
Total	827	0	0	0	827	5	101	6882	0	0	6983	0	1023	0	1	0	1024	3	1925	8547	0	1	10473	0	19307
% Approach	100%	0%	0%	0%	-	-	1.4%	98.6%	0%	0%	-	-	99.9%	0%	0.1%	0%	-	-	18.4%	81.6%	0%	0%	-	-	-
% Total	4.3%	0%	0%	0%	4.3%	-	0.5%	35.6%	0%	0%	36.2%	-	5.3%	0%	0%	0%	5.3%	-	10.0%	44.3%	0%	0%	54.2%	-	-
Motorcycles	0	0	0	0	0	-	0	1	0	0	1	-	1	0	0	0	1	-	0	1	0	0	1	-	3
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0.1%	0%	0%	0%	0.1%	-	0%	0%	0%	0%	0%	-	0%
Lights	797	0	0	0	797	-	96	6730	0	0	6826	-	994	0	1	0	995	-	1862	8365	0	0	10227	-	18845
% Lights	96.4%	0%	0%	0%	96.4%	-	95.0%	97.8%	0%	0%	97.8%	-	97.2%	0%	100%	0%	97.2%	-	96.7%	97.9%	0%	0%	97.7%	-	97.6%
Single-Unit Trucks	18	0	0	0	18	-	3	95	0	0	98	-	18	0	0	0	18	-	50	128	0	1	179	-	313
% Single-Unit Trucks	2.2%	0%	0%	0%	2.2%	-	3.0%	1.4%	0%	0%	1.4%	-	1.8%	0%	0%	0%	1.8%	-	2.6%	1.5%	0%	100%	1.7%	-	1.6%
Articulated Trucks	8	0	0	0	8	-	1	13	0	0	14	-	2	0	0	0	2	-	9	28	0	0	37	-	61
% Articulated Trucks	1.0%	0%	0%	0%	1.0%	-	1.0%	0.2%	0%	0%	0.2%	-	0.2%	0%	0%	0%	0.2%	-	0.5%	0.3%	0%	0%	0.4%	-	0.3%
Buses	4	0	0	0	4	-	1	42	0	0	43	-	8	0	0	0	8	-	4	23	0	0	27	-	82
% Buses	0.5%	0%	0%	0%	0.5%	-	1.0%	0.6%	0%	0%	0.6%	-	0.8%	0%	0%	0%	0.8%	-	0.2%	0.3%	0%	0%	0.3%	-	0.4%
Bicycles on Road	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	0	2	0	0	2	-	3
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%		0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	5	-	-	-	-	-	0	-	-	-	-	-	2	-	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	-	-	-	-	-	-	66.7%	-	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	-	-	-	-	-	-	33.3%	-	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7C) Route 9 @ Concord Street Ramps T... - TMC

Tue May 4, 2021

AM Peak (8 AM - 9 AM)

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles

on Crosswalk)

All Movements

ID: 833265, Location: 42.298245, -71.408229

Provided by: Precision Data Industries, LLC

Leg	Concord	Stron	t Dam	n			Worceste	r Dood (T	Quita	0)			Concor St	root D	amr			Worcesete	or Dood (Pouts	0)			
Direction	Southbou		ı Kam	ıh			Westbou	,	coute	3)			Northbour		чшр			Eastbound	,	xoute	<i>3)</i>			
Time	R		L	U	Ann	Ped*	R	T	L	U	Ann	Ped*	R	Т	L	U	App Ped	_	T	L	U	App	Ped*	Int
2021-05-04 8:00AM	49			0	Арр 49	Peu ·		212	0	0	214	neu.	35	0	0	0	35 Pet	0 86	439	0	0	525	0	_
		_							_	_		0									_		_	
8:15AM	50	-		0	50	0	1	200	0	0	201	0	47	0	0	0	47	0 97	405	0	0	502	0	
8:30AM	36	-		0	36	0	1	250	0	_	251	0	40	0	0	0	40	0 107	386	0	0	493	0	
8:45AM	44	0	0	0	44	0	6	236	0	0	242	0	56	0	0	0	56	1 123	388	0	0	511	0	853
Total	179	0	0	0	179	0	10	898	0	0	908	0	178	0	0	0	178	1 413	1618	0	0	2031	0	3296
% Approach	100%	0%	0%	0%	-	-	1.1%	98.9%	0%	0%	-	-	100%	0%	0%	0%	-	- 20.3%	79.7%	0%	0%	-	-	-
% Total	5.4%	0%	0%	0%	5.4%	-	0.3%	27.2%	0%	0%	27.5%	-	5.4%	0%	0%	0%	5.4%	- 12.5%	49.1%	0%	0%	61.6%	-	-
PHF	0.895	-	-	-	0.895	-	0.417	0.898	-	-	0.904	-	0.795	-	-	-	0.795	- 0.839	0.921	-	-	0.967	-	0.966
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	- 0	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	- 0%	0%	0%	0%	0%	-	0%
Lights	170	0	0	0	170	-	10	858	0	0	868	-	171	0	0	0	171	- 396	1562	0	0	1958	-	3167
% Lights	95.0%	0%	0%	0%	95.0%	-	100%	95.5%	0%	0%	95.6%	-	96.1%	0%	0%	0%	96.1%	- 95.9%	96.5%	0%	0%	96.4%	-	96.1%
Single-Unit Trucks	4	0	0	0	4	-	0	26	0	0	26	-	3	0	0	0	3	- 11	42	0	0	53	-	86
% Single-Unit Trucks	2.2%	0%	0%	0%	2.2%	-	0%	2.9%	0%	0%	2.9%	-	1.7%	0%	0%	0%	1.7%	- 2.7%	2.6%	0%	0%	2.6%	-	2.6%
Articulated Trucks	2	0	0	0	2	-	0	4	0	0	4	-	2	0	0	0	2	- 3	12	0	0	15	-	23
% Articulated Trucks	1.1%	0%	0%	0%	1.1%	-	0%	0.4%	0%	0%	0.4%	-	1.1%	0%	0%	0%	1.1%	- 0.7%	0.7%	0%	0%	0.7%	-	0.7%
Buses	3	0	0	0	3	-	0	10	0	0	10	-	2	0	0	0	2	- 3	2	0	0	5	-	20
% Buses	1.7%	0%	0%	0%	1.7%	-	0%	1.1%	0%	0%	1.1%	-	1.1%	0%	0%	0%	1.1%	- 0.7%	0.1%	0%	0%	0.2%	-	0.6%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	- 0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	- 0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1 -	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- 100	% -	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0 -	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	- 0'	% -	-	-	-	-	-	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7C) Route 9 @ Concord Street Ramps T... - TMC

Tue May 4, 2021

PM Peak (3 PM - 4 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833265, Location: 42.298245, -71.408229

Provided by: Precision Data Industries, LLC (PDI)

																					0			, .	, 02, 00
Leg	Concord	Stree	t Ran	ıр			Worcester	Road (R	loute !	9)			Concor St	reet F	Ramp				Worcesete	r Road (R	loute	9)			1
Direction	Southbou	ınd					Westboun	d					Northbour	nd					Eastbound						1
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	Арр	Ped*	R	T	L	U	Арр	Ped*	Int
2021-05-04 3:00PM	50	0	0	0	50	0	7	413	0	0	420	0	50	0	0	0	50	0	89	359	0	0	448	0	968
3:15PM	36	0	0	0	36	1	3	394	0	0	397	0	44	0	0	0	44	0	89	344	0	0	433	0	910
3:30PM	38	0	0	0	38	0	7	431	0	0	438	0	56	0	0	0	56	0	95	371	0	0	466	0	998
3:45PM	41	0	0	0	41	0	6	396	0	0	402	0	44	0	0	0	44	0	81	378	0	0	459	0	946
Total	165	0	0	0	165	1	23	1634	0	0	1657	0	194	0	0	0	194	0	354	1452	0	0	1806	0	3822
% Approach	100%	0%	0%	0%	-	-	1.4%	98.6%	0%	0%	-	-	100%	0%	0%	0%	-	-	19.6%	80.4%	0%	0%	-	-	-
% Total	4.3%	0%	0%	0%	4.3%	-	0.6%	42.8%	0%	0%	43.4%	-	5.1%	0%	0%	0%	5.1%	-	9.3%	38.0%	0%	0%	47.3%	-	-
PHF	0.825		-	-	0.825	-	0.821	0.948	-	-	0.946	-	0.866	-	-	-	0.866	-	0.932	0.960	-	-	0.969	-	0.957
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	160	0	0	0	160	-	22	1606	0	0	1628	-	189	0	0	0	189	-	340	1426	0	0	1766	-	3743
% Lights	97.0%	0%	0%	0%	97.0%	-	95.7%	98.3%	0%	0%	98.2%	-	97.4%	0%	0%	0%	97.4%	-	96.0%	98.2%	0%	0%	97.8%	-	97.9%
Single-Unit Trucks	4	0	0	0	4	-	1	19	0	0	20	-	4	0	0	0	4	-	13	15	0	0	28	-	56
% Single-Unit Trucks	2.4%	0%	0%	0%	2.4%	-	4.3%	1.2%	0%	0%	1.2%	-	2.1%	0%	0%	0%	2.1%	-	3.7%	1.0%	0%	0%	1.6%	-	1.5%
Articulated Trucks	1	0	0	0	1	-	0	1	0	0	1	-	0	0	0	0	0	-	1	2	0	0	3	-	5
% Articulated Trucks	0.6%	0%	0%	0%	0.6%	-	0%	0.1%	0%	0%	0.1%	-	0%	0%	0%	0%	0%	-	0.3%	0.1%	0%	0%	0.2%	-	0.1%
Buses	0	0	0	0	0	-	0	8	0	0	8	-	1	0	0	0	1	-	0	9	0	0	9	-	18
% Buses	0%	0%	0%	0%	0%	-	0%	0.5%	0%	0%	0.5%	-	0.5%	0%	0%	0%	0.5%	-	0%	0.6%	0%	0%	0.5%	-	0.5%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	1	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	_	-	0	
% Pedestrians	-	_	-	-	-	100%	-	-	-	-	-		-	-	-	-	-		-	-	-	-	-		-
Bicycles on Crosswalk	-	_	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021 Full Length (6 AM-9 AM, 3 PM-6 PM)

% Bicycles on Crosswalk

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833269, Location: 42.296902, -71.409146

Provided by: Precision Data Industries, LLC (PDI)

46 Morton Street, Framingham, MA, MA, 01702, US

13.3%

																						,	17171, 171	11, 01,	,
Leg	Concord	Street (R	t 126))			Concord	Stree	t Ramp				Conco	or Street	(Rt 12	26)			Worcester	Road	I EB Off	ramp			
Direction	Southbou	ınd					Westbou	nd					North	bound					Eastbound	1					
Time	R	Т	L	U	Арр	Ped*	R	T	L	U	Арр	Ped*	R	T	L	U	App	Ped*	R	T	L	U	Арр	Ped*	Ínt
2021-05-04 6:00AM	43	433	0	0	476	0	199	0	1	0	200	0	0	674	0	0	674	0	58	0	0	0	58	3	1408
7:00AM	70	786	0	0	856	1	345	0	0	0	345	0	0	931	0	0	931	0	83	0	0	0	83	1	2215
8:00AM	85	810	0	0	895	0	409	0	0	0	409	0	0	795	0	0	795	0	116	0	0	0	116	3	2215
3:00PM	108	1036	0	0	1144	0	356	0	0	0	356	1	0	769	0	0	769	1	141	0	4	0	145	17	2414
4:00PM	109	1154	0	0	1263	0	333	0	0	0	333	0	0	781	0	0	781	0	155	0	0	0	155	10	2532
5:00PM	114	1153	0	0	1267	0	307	0	0	0	307	0	0	790	0	0	790	1	128	0	0	0	128	11	2492
Total	529	5372	0	0	5901	1	1949	0	1	0	1950	1	0	4740	0	0	4740	2	681	0	4	0	685	45	13276
% Approach	9.0%	91.0%	0%	0%	_	-	99.9%	0%	0.1%	0%	-	-	0%	100%	0%	0%	-	-	99.4%	0%	0.6%	0%	-	-	
% Total	4.0%	40.5%	0%	0%	44.4%	-	14.7%	0%	0%	0%	14.7%	-	0%	35.7%	0%	0%	35.7%	-	5.1%	0%	0%	0%	5.2%	-	
Motorcycles	0	1	0	0	1	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	1
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	521	5150	0	0	5671	-	1894	0	1	0	1895	-	0	4555	0	0	4555	-	657	0	4	0	661	-	12782
% Lights	98.5%	95.9%	0%	0%	96.1%	-	97.2%	0%	100%	0%	97.2%	-	0%	96.1%	0%	0%	96.1%	-	96.5%	0%	100%	0%	96.5%	-	96.3%
Single-Unit Trucks	5	110	0	0	115	-	33	0	0	0	33	-	0	118	0	0	118	-	17	0	0	0	17	-	283
% Single-Unit Trucks	0.9%	2.0%	0%	0%	1.9%	-	1.7%	0%	0%	0%	1.7%	-	0%	2.5%	0%	0%	2.5%	-	2.5%	0%	0%	0%	2.5%	-	2.1%
Articulated Trucks	3	32	0	0	35	-	8	0	0	0	8	-	0	20	0	0	20	-	2	0	0	0	2	-	65
% Articulated Trucks	0.6%	0.6%	0%	0%	0.6%	-	0.4%	0%	0%	0%	0.4%	-	0%	0.4%	0%	0%	0.4%	-	0.3%	0%	0%	0%	0.3%	-	0.5%
Buses	0	79	0	0	79	-	14	0	0	0	14	-	0	47	0	0	47	-	4	0	0	0	4	-	144
% Buses	0%	1.5%	0%	0%	1.3%	-	0.7%	0%	0%	0%	0.7%	-	0%	1.0%	0%	0%	1.0%	-	0.6%	0%	0%	0%	0.6%	-	1.1%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	1	0	0	0	1	-	1
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0.1%	0%	0%	0%	0.1%	-	0%
Pedestrians	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	39	
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	86.7%	
Bicycles on Crosswalk	-	-	_	-	-	0	-	_	-	_	_	0	-	_	_	-	-	0	-	-	-	-	-	6	

0%

0%

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

AM Peak (7:15 AM - 8:15 AM)

% Bicycles on Crosswalk

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833269, Location: 42.296902, -71.409146

Provided by: Precision Data Industries, LLC (PDI)

46 Morton Street, Framingham, MA, MA, 01702, US

50.0%

																				FIdi	iiiiig	IIdili	, MA, N	IA, 01	/02, 03
Leg	Concord S	Street (Rt	126)				Concord	Street	Ran	ıp			Conce	or Street	(Rt 12	(6)			Worcester	Roa	d EB (Offran	np		
Direction	Southbou	nd					Westbour	nd					North	bound					Eastbound	i				l	
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 7:15AM	13	201	0	0	214	1	72	0	0	0	72	0	0	235	0	0	235	0	19	0	0	0	19	0	540
7:30AM	17	200	0	0	217	0	99	0	0	0	99	0	0	227	0	0	227	0	22	0	0	0	22	0	565
7:45AM	21	238	0	0	259	0	82	0	0	0	82	0	0	237	0	0	237	0	25	0	0	0	25	1	603
8:00AM	20	208	0	0	228	0	87	0	0	0	87	0	0	236	0	0	236	0	32	0	0	0	32	1	583
Total	71	847	0	0	918	1	340	0	0	0	340	0	0	935	0	0	935	0	98	0	0	0	98	2	2291
% Approach	7.7%	92.3%	0%	0%	-	-	100%	0%	0%	0%	-	-	0%	100%	0%	0%	-	-	100%	0%	0%	0%	-	-	-
% Total	3.1%	37.0%	0%	0%	40.1%	-	14.8%	0%	0%	0%	14.8%	-	0%	40.8%	0%	0%	40.8%	-	4.3%	0%	0%	0%	4.3%	-	-
PHF	0.845	0.890	-	-	0.886	-	0.859	-	-	-	0.859	-	-	0.986	-	-	0.986	-	0.766	-	-	-	0.766	-	0.950
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0		0
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%		0%
Lights	70	795	0	0	865	-	328	0	0	0	328	-	0	881	0	0	881	-	92	0	0	0	92		2166
% Lights	98.6%	93.9%	0%	0%	94.2%	-	96.5%	0%	0%	0%	96.5%	-	0%	94.2%	0%	0%	94.2%	-	93.9%	0%	0%	0%	93.9%		94.5%
Single-Unit Trucks	1	24	0	0	25	-	8	0	0	0	8	-	0	38	0	0	38	-	5	0	0	0	5		7€
% Single-Unit Trucks	1.4%	2.8%	0%	0%	2.7%	-	2.4%	0%	0%	0%	2.4%	-	0%	4.1%	0%	0%	4.1%	-	5.1%	0%	0%	0%	5.1%		3.3%
Articulated Trucks	0	3	0	0	3	-	1	0	0	0	1	-	0	4	0	0	4	-	0	0	0	0	0		8
% Articulated Trucks	0%	0.4%	0%	0%	0.3%	-	0.3%	0%	0%	0%	0.3%	-	0%	0.4%	0%	0%	0.4%	-	0%	0%	0%	0%	0%		0.3%
Buses	0	25	0	0	25	-	3	0	0	0	3	-	0	12	0	0	12	-	1	0	0	0	1		41
% Buses	0%	3.0%	0%	0%	2.7%	-	0.9%	0%	0%	0%	0.9%	-	0%	1.3%	0%	0%	1.3%	-	1.0%	0%	0%	0%	1.0%	-	1.8%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	1	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	
% Pedestrians	-	-	-	_	-	100%	-	-	-	-	-		-	-	_	-	-		-	-	-	_	-	50.0%	
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

PM Peak (4:15 PM - 5:15 PM) - Overall Peak Hour

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833269, Location: 42.296902, -71.409146

Provided by: Precision Data Industries, LLC (PDI)

	I								_				_										1, 141/1, 14		
Leg	Concord	,	t 126)				Concord :		Ram	p				or Street (Rt 12	6)			Worcester		l EB	Offran	ıp		
Direction	Southbou						Westbour						North	bound					Eastbound						
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 4:15PM	20	285	0	0	305	0	83	0	0	0	83	0	0	208	0	0	208	0	37	0	0	0	37	1	633
4:30PM	30	304	0	0	334	0	76	0	0	0	76	0	0	177	0	0	177	0	36	0	0	0	36	8	623
4:45PM	34	307	0	0	341	0	98	0	0	0	98	0	0	184	0	0	184	0	45	0	0	0	45	1	668
5:00PM	26	300	0	0	326	0	85	0	0	0	85	0	0	225	0	0	225	0	35	0	0	0	35	1	671
Total	110	1196	0	0	1306	0	342	0	0	0	342	0	0	794	0	0	794	0	153	0	0	0	153	11	2595
% Approach	8.4%	91.6%	0%	0%	-	-	100%	0%	0%	0%	-	-	0%	100%	0%	0%	-	-	100%	0%	0%	0%	-	-	
% Total	4.2%	46.1%	0%	0%	50.3%	-	13.2%	0%	0%	0%	13.2%	-	0%	30.6%	0%	0%	30.6%	-	5.9%	0%	0%	0%	5.9%	-	
PHF	0.809	0.974	-	-	0.957	-	0.872	-	-	-	0.872	-	-	0.882	-	-	0.882	-	0.850	-	-	-	0.850	-	0.967
Motorcycles	0	1	0	0	1	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	1
% Motorcycles	0%	0.1%	0%	0%	0.1%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	110	1155	0	0	1265	-	337	0	0	0	337	-	0	778	0	0	778	-	151	0	0	0	151	-	2531
% Lights	100%	96.6%	0%	0%	96.9%	-	98.5%	0%	0%	0%	98.5%	-	0%	98.0%	0%	0%	98.0%	-	98.7%	0%	0%	0%	98.7%	-	97.5%
Single-Unit Trucks	0	24	0	0	24	-	3	0	0	0	3	-	0	9	0	0	9	-	2	0	0	0	2	-	38
% Single-Unit Trucks	0%	2.0%	0%	0%	1.8%	-	0.9%	0%	0%	0%	0.9%	-	0%	1.1%	0%	0%	1.1%	-	1.3%	0%	0%	0%	1.3%	-	1.5%
Articulated Trucks	0	6	0	0	6	-	0	0	0	0	0	-	0	2	0	0	2	-	0	0	0	0	0	-	8
% Articulated Trucks	0%	0.5%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	0.3%
Buses	0	10	0	0	10	-	2	0	0	0	2	-	0	5	0	0	5	-	0	0	0	0	0	-	17
% Buses	0%	0.8%	0%	0%	0.8%	-	0.6%	0%	0%	0%	0.6%	-	0%	0.6%	0%	0%	0.6%	-	0%	0%	0%	0%	0%	-	0.7%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	C
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	9	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.8%	
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	2	
0/ Dil C	1																							10.20/	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7E) Concord Street @ Corregidor Road... - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833270, Location: 42.295699, -71.408894

Provided by: Precision Data Industries, LLC

46 Morton Street, Framingham, MA, MA, 01702, US Concord Street (Rt 126) Concord Street Ramp Concor Street (Rt 126)

Leg	Concord	Street (F	Rt 126)				Conc	ord Stree	et Ramp				Concor S	Street (Rt	126)				Corregido	or Road					
Direction	Southbo	und					West	bound					Northbou	und					Eastbound	d					
Time	R	T	L	U	App I	ed*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 6:00AM	36	450	6	0	492	3	0	0	15	0	15	2	106	670	1	0	777	0	4	0	1	0	5	2	1289
7:00AM	113	740	8	1	862	0	0	0	22	0	22	0	128	927	2	0	1057	0	2	0	4	0	6	1	1947
8:00AM	126	791	6	0	923	0	0	3	19	0	22	0	180	792	6	0	978	0	4	0	0	0	4	2	1927
3:00PM	189	975	10	0	1174	0	0	1	12	0	13	0	217	765	2	0	984	1	6	1	1	0	8	10	2179
4:00PM	243	1049	9	0	1301	0	0	1	23	0	24	0	234	809	1	0	1044	0	1	1	1	0	3	9	2372
5:00PM	202	1034	7	0	1243	0	0	1	38	0	39	0	214	789	1	0	1004	0	1	0	0	0	1	5	2287
Total	909	5039	46	1	5995	3	0	6	129	0	135	2	1079	4752	13	0	5844	1	18	2	7	0	27	29	12001
% Approach	15.2%	84.1%	0.8%	0%	-	-	0%	4.4%	95.6%	0%	-	-	18.5%	81.3%	0.2%	0%	-	-	66.7%	7.4%	25.9%	0%	-	-	
% Total	7.6%	42.0%	0.4%	0%	50.0%	-	0%	0%	1.1%	0%	1.1%	-	9.0%	39.6%	0.1%	0%	48.7%	-	0.1%	0%	0.1%	0%	0.2%	-	
Motorcycles	1	0	0	0	1	-	0	0	0	0	0	-	2	0	0	0	2	-	0	0	0	0	0	-	3
% Motorcycles	0.1%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0.2%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	874	4834	44	1	5753	-	0	3	124	0	127	-	1045	4545	10	0	5600	-	16	2	6	0	24	-	11504
% Lights	96.1%	95.9%	95.7%	100%	96.0%	-	0%	50.0%	96.1%	0%	94.1%	-	96.8%	95.6%	76.9%	0%	95.8%	-	88.9%	100%	85.7%	0%	88.9%	-	95.9%
Single-Unit Trucks	10	116	0	0	126	-	0	1	2	0	3	-	15	137	2	0	154	-	0	0	1	0	1	-	284
% Single-Unit Trucks	1.1%	2.3%	0%	0%	2.1%	-	0%	16.7%	1.6%	0%	2.2%	-	1.4%	2.9%	15.4%	0%	2.6%	-	0%	0%	14.3%	0%	3.7%	-	2.4%
Articulated Trucks	1	32	0	0	33	-	0	0	0	0	0	-	2	20	0	0	22	-	0	0	0	0	0	-	55
% Articulated Trucks	0.1%	0.6%	0%	0%	0.6%	-	0%	0%	0%	0%	0%	-	0.2%	0.4%	0%	0%	0.4%	-	0%	0%	0%	0%	0%	-	0.5%
Buses	22	57	2	0	81	-	0	2	3	0	5	-	15	48	1	0	64	-	2	0	0	0	2	-	152
% Buses	2.4%	1.1%	4.3%	0%	1.4%	-	0%	33.3%	2.3%	0%	3.7%	-	1.4%	1.0%	7.7%	0%	1.1%	-	11.1%	0%	0%	0%	7.4%	-	1.3%
Bicycles on Road	1	0	0	0	1	-	0	0	0	0	0	-	0	2	0	0	2	-	0	0	0	0	0	-	3
% Bicycles on Road	0.1%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	3	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	25	
% Pedestrians	-	-	-	-	- 10	00%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	86.2%	
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	4	
% Bicycles on Crosswalk	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	0%	-	-	-	-	-	13.8%	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7E) Concord Street @ Corregidor Road... - TMC

Tue May 4, 2021

AM Peak (7:15 AM - 8:15 AM)

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833270, Location: 42.295699, -71.408894

Provided by: Precision Data Industries, LLC (PDI)

																				rairi	mgnan	1, 141	171, 1717	1, 017	02, 00
Leg	Concord	l Street (I	Rt 126)				Conc	ord Stre	et Ramp				Concor S	treet (Rt	126)				Corregid	or Ro	ad				
Direction	Southbo	und					West	bound					Northbou	ınd					Eastboun	ıd					
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	Арр	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 7:15	M 20	196	3	0	219	0	0	0	6	0	6	0	27	233	0	0	260	0	0	0	1	0	1	0	486
7:30	.M 33	187	0	0	220	0	0	0	6	0	6	0	30	227	2	0	259	0	0	0	1	0	1	0	486
7:45	M 43	211	4	1	259	0	0	0	4	0	4	0	37	236	0	0	273	0	2	0	1	0	3	1	539
8:008	M 44	196	4	0	244	0	0	2	7	0	9	0	42	234	1	0	277	0	1	0	0	0	1	0	531
To	tal 140	790	11	1	942	0	0	2	23	0	25	0	136	930	3	0	1069	0	3	0	3	0	6	1	2042
% Appro	ch 14.9%	83.9%	1.2%	0.1%	-	-	0%	8.0%	92.0%	0%	-	-	12.7%	87.0%	0.3%	0%	-	-	50.0%	0%	50.0%	0%	-	-	
% To	tal 6.9%	38.7%	0.5%	0%	46.1%	-	0%	0.1%	1.1%	0%	1.2%	-	6.7%	45.5%	0.1%	0%	52.4%	-	0.1%	0%	0.1%	0%	0.3%	-	
P	HF 0.795	0.936	0.688	0.250	0.909	-	-	0.250	0.821	-	0.694	-	0.810	0.985	0.375	-	0.965	-	0.375	-	0.750	-	0.500	-	0.947
Motorcyc	les 0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	(
% Motorcyc	les 0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lig	hts 135	739	10	1	885	-	0	2	22	0	24	-	129	866	2	0	997	-	3	0	3	0	6	-	1912
% Lig	nts 96.4%	93.5%	90.9%	100%	93.9%	-	0%	100%	95.7%	0%	96.0%	-	94.9%	93.1%	66.7%	0%	93.3%	-	100%	0%	100%	0%	100%	-	93.6%
Single-Unit True	ks 0	27	0	0	27	-	0	0	0	0	0	-	2	48	0	0	50	-	0	0	0	0	0	-	77
% Single-Unit True	ks 0%	3.4%	0%	0%	2.9%	-	0%	0%	0%	0%	0%	-	1.5%	5.2%	0%	0%	4.7%	-	0%	0%	0%	0%	0%	-	3.8%
Articulated True	ks 0	4	0	0	4	-	0	0	0	0	0	-	0	3	0	0	3	-	0	0	0	0	0	-	7
% Articulated True	ks 0%	0.5%	0%	0%	0.4%	-	0%	0%	0%	0%	0%	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	0.3%
Bu	ses 5	20	1	0	26	-	0	0	1	0	1	-	5	13	1	0	19	-	0	0	0	0	0	-	46
% Bu	ses 3.6%	2.5%	9.1%	0%	2.8%	-	0%	0%	4.3%	0%	4.0%	-	3.7%	1.4%	33.3%	0%	1.8%	-	0%	0%	0%	0%	0%	-	2.3%
Bicycles on Ro	ad 0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	C
% Bicycles on Ro	ad 0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestri	ins -	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Pedestri	ins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0%	
Bicycles on Crossw	alk -	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	
0/ Dievelee on Crocew	,11 _c				_		Ι 🗀		_															1000/-	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (7E) Concord Street @ Corregidor Road... - TMC

Tue May 4, 2021

PM Peak (4:15 PM - 5:15 PM) - Overall Peak Hour All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833270, Location: 42.295699, -71.408894

Provided by: Precision Data Industries, LLC (PDI)

Leg	Concord	Street (R	t 126)				Conc	ord Stree	t Ramp				Concor S	treet (Rt	126)				Corregido	or Road					
Direction	Southbou	ınd					Westl	oound	•				Northbou	ınd	ŕ				Eastboun	d					
Time	R	T	L	U	Арр	Ped*	R	T	L	U	Арр	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	int
2021-05-04 4:15PM	61	255	1	0	317	0	0	0	6	0	6	0	78	211	0	0	289	0	1	1	1	0	3	0	615
4:30PM	64	269	6	0	339	0	0	1	6	0	7	0	50	191	0	0	241	0	0	0	0	0	0	8	587
4:45PM	78	274	1	0	353	0	0	0	4	0	4	0	51	194	0	0	245	0	0	0	0	0	0	1	602
5:00PM	58	263	1	0	322	0	0	1	9	0	10	0	61	223	0	0	284	0	0	0	0	0	0	0	616
Total	261	1061	9	0	1331	0	0	2	25	0	27	0	240	819	0	0	1059	0	1	1	1	0	3	9	2420
% Approach	19.6%	79.7%	0.7%	0%	-	-	0%	7.4%	92.6%	0%	-	-	22.7%	77.3%	0%	0%	-	-	33.3%	33.3%	33.3%	0%	-	-	-
% Total	10.8%	43.8%	0.4%	0%	55.0%	-	0%	0.1%	1.0%	0%	1.1%	-	9.9%	33.8%	0%	0%	43.8%	-	0%	0%	0%	0%	0.1%	-	-
PHF	0.833	0.968	0.375	-	0.942	-	-	0.500	0.694	-	0.675	-	0.769	0.918	-	-	0.916	-	0.250	0.250	0.250	-	0.250	-	0.982
Motorcycles	1	0	0	0	1	-	0	0	0	0	0	-	2	0	0	0	2	-	0	0	0	0	0	-	3
% Motorcycles	0.4%	0%	0%	0%	0.1%	-	0%	0%	0%	0%	0%	-	0.8%	0%	0%	0%	0.2%	-	0%	0%	0%	0%	0%	-	0.1%
Lights	250	1027	9	0	1286	-	0	1	25	0	26	-	237	802	0	0	1039	-	1	1	1	0	3	-	2354
% Lights	95.8%	96.8%	100%	0%	96.6%	-	0%	50.0%	100%	0%	96.3%	-	98.8%	97.9%	0%	0%	98.1%	-	100%	100%	100%	0%	100%	-	97.3%
Single-Unit Trucks	3	23	0	0	26	-	0	1	0	0	1	-	1	9	0	0	10	-	0	0	0	0	0	-	37
% Single-Unit Trucks	1.1%	2.2%	0%	0%	2.0%	-	0%	50.0%	0%	0%	3.7%	-	0.4%	1.1%	0%	0%	0.9%	-	0%	0%	0%	0%	0%	-	1.5%
Articulated Trucks	1	5	0	0	6	-	0	0	0	0	0	-	0	3	0	0	3	-	0	0	0	0	0	-	9
% Articulated Trucks	0.4%	0.5%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	-	0%	0.4%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	0.4%
Buses	5	6	0	0	11	-	0	0	0	0	0	-	0	5	0	0	5	-	0	0	0	0	0	-	16
% Buses	1.9%	0.6%	0%	0%	0.8%	-	0%	0%	0%	0%	0%	-	0%	0.6%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	-	0.7%
Bicycles on Road	1	0	0	0	1	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	1
% Bicycles on Road	0.4%	0%	0%	0%	0.1%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	6	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66.7%	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	3	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33.3%	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021 Full Length (6 AM-9 AM, 3 PM-6 PM)

% Bicycles on Crosswalk

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833269, Location: 42.296902, -71.409146

Provided by: Precision Data Industries, LLC (PDI)

46 Morton Street, Framingham, MA, MA, 01702, US

13.3%

																						,	17171, 171	11, 01,	,
Leg	Concord	Street (R	t 126))			Concord	Stree	t Ramp				Conco	or Street	(Rt 12	26)			Worcester	Road	I EB Off	ramp			
Direction	Southbou	ınd					Westbou	nd					North	bound					Eastbound	1					
Time	R	Т	L	U	Арр	Ped*	R	T	L	U	Арр	Ped*	R	T	L	U	App	Ped*	R	T	L	U	Арр	Ped*	Ínt
2021-05-04 6:00AM	43	433	0	0	476	0	199	0	1	0	200	0	0	674	0	0	674	0	58	0	0	0	58	3	1408
7:00AM	70	786	0	0	856	1	345	0	0	0	345	0	0	931	0	0	931	0	83	0	0	0	83	1	2215
8:00AM	85	810	0	0	895	0	409	0	0	0	409	0	0	795	0	0	795	0	116	0	0	0	116	3	2215
3:00PM	108	1036	0	0	1144	0	356	0	0	0	356	1	0	769	0	0	769	1	141	0	4	0	145	17	2414
4:00PM	109	1154	0	0	1263	0	333	0	0	0	333	0	0	781	0	0	781	0	155	0	0	0	155	10	2532
5:00PM	114	1153	0	0	1267	0	307	0	0	0	307	0	0	790	0	0	790	1	128	0	0	0	128	11	2492
Total	529	5372	0	0	5901	1	1949	0	1	0	1950	1	0	4740	0	0	4740	2	681	0	4	0	685	45	13276
% Approach	9.0%	91.0%	0%	0%	_	-	99.9%	0%	0.1%	0%	-	-	0%	100%	0%	0%	-	-	99.4%	0%	0.6%	0%	-	-	
% Total	4.0%	40.5%	0%	0%	44.4%	-	14.7%	0%	0%	0%	14.7%	-	0%	35.7%	0%	0%	35.7%	-	5.1%	0%	0%	0%	5.2%	-	
Motorcycles	0	1	0	0	1	_	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	1
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	521	5150	0	0	5671	-	1894	0	1	0	1895	-	0	4555	0	0	4555	-	657	0	4	0	661	-	12782
% Lights	98.5%	95.9%	0%	0%	96.1%	-	97.2%	0%	100%	0%	97.2%	-	0%	96.1%	0%	0%	96.1%	-	96.5%	0%	100%	0%	96.5%	-	96.3%
Single-Unit Trucks	5	110	0	0	115	-	33	0	0	0	33	-	0	118	0	0	118	-	17	0	0	0	17	-	283
% Single-Unit Trucks	0.9%	2.0%	0%	0%	1.9%	-	1.7%	0%	0%	0%	1.7%	-	0%	2.5%	0%	0%	2.5%	-	2.5%	0%	0%	0%	2.5%	-	2.1%
Articulated Trucks	3	32	0	0	35	-	8	0	0	0	8	-	0	20	0	0	20	-	2	0	0	0	2	-	65
% Articulated Trucks	0.6%	0.6%	0%	0%	0.6%	-	0.4%	0%	0%	0%	0.4%	-	0%	0.4%	0%	0%	0.4%	-	0.3%	0%	0%	0%	0.3%	-	0.5%
Buses	0	79	0	0	79	-	14	0	0	0	14	-	0	47	0	0	47	-	4	0	0	0	4	-	144
% Buses	0%	1.5%	0%	0%	1.3%	-	0.7%	0%	0%	0%	0.7%	-	0%	1.0%	0%	0%	1.0%	-	0.6%	0%	0%	0%	0.6%	-	1.1%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	1	0	0	0	1	-	1
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0.1%	0%	0%	0%	0.1%	-	0%
Pedestrians	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	39	
% Pedestrians	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	100%	-	-	-	-	-	86.7%	
Bicycles on Crosswalk	-	-	_	-	-	0	-	_	-	_	_	0	-	_	_	-	-	0	-	-	-	-	-	6	

0%

0%

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

AM Peak (7:15 AM - 8:15 AM)

% Bicycles on Crosswalk

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833269, Location: 42.296902, -71.409146

Provided by: Precision Data Industries, LLC (PDI)

46 Morton Street, Framingham, MA, MA, 01702, US

50.0%

																				FIdi	iiiiig	IIdili	, MA, N	IA, 01	/02, 03
Leg	Concord S	Street (Rt	126)				Concord	Street	Ran	ıp			Conce	or Street	(Rt 12	(6)			Worcester	Roa	d EB (Offran	np		
Direction	Southbou	nd					Westbour	nd					North	bound					Eastbound	i				l	
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 7:15AM	13	201	0	0	214	1	72	0	0	0	72	0	0	235	0	0	235	0	19	0	0	0	19	0	540
7:30AM	17	200	0	0	217	0	99	0	0	0	99	0	0	227	0	0	227	0	22	0	0	0	22	0	565
7:45AM	21	238	0	0	259	0	82	0	0	0	82	0	0	237	0	0	237	0	25	0	0	0	25	1	603
8:00AM	20	208	0	0	228	0	87	0	0	0	87	0	0	236	0	0	236	0	32	0	0	0	32	1	583
Total	71	847	0	0	918	1	340	0	0	0	340	0	0	935	0	0	935	0	98	0	0	0	98	2	2291
% Approach	7.7%	92.3%	0%	0%	-	-	100%	0%	0%	0%	-	-	0%	100%	0%	0%	-	-	100%	0%	0%	0%	-	-	-
% Total	3.1%	37.0%	0%	0%	40.1%	-	14.8%	0%	0%	0%	14.8%	-	0%	40.8%	0%	0%	40.8%	-	4.3%	0%	0%	0%	4.3%	-	-
PHF	0.845	0.890	-	-	0.886	-	0.859	-	-	-	0.859	-	-	0.986	-	-	0.986	-	0.766	-	-	-	0.766	-	0.950
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0		0
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%		0%
Lights	70	795	0	0	865	-	328	0	0	0	328	-	0	881	0	0	881	-	92	0	0	0	92		2166
% Lights	98.6%	93.9%	0%	0%	94.2%	-	96.5%	0%	0%	0%	96.5%	-	0%	94.2%	0%	0%	94.2%	-	93.9%	0%	0%	0%	93.9%		94.5%
Single-Unit Trucks	1	24	0	0	25	-	8	0	0	0	8	-	0	38	0	0	38	-	5	0	0	0	5		7€
% Single-Unit Trucks	1.4%	2.8%	0%	0%	2.7%	-	2.4%	0%	0%	0%	2.4%	-	0%	4.1%	0%	0%	4.1%	-	5.1%	0%	0%	0%	5.1%		3.3%
Articulated Trucks	0	3	0	0	3	-	1	0	0	0	1	-	0	4	0	0	4	-	0	0	0	0	0		8
% Articulated Trucks	0%	0.4%	0%	0%	0.3%	-	0.3%	0%	0%	0%	0.3%	-	0%	0.4%	0%	0%	0.4%	-	0%	0%	0%	0%	0%		0.3%
Buses	0	25	0	0	25	-	3	0	0	0	3	-	0	12	0	0	12	-	1	0	0	0	1		41
% Buses	0%	3.0%	0%	0%	2.7%	-	0.9%	0%	0%	0%	0.9%	-	0%	1.3%	0%	0%	1.3%	-	1.0%	0%	0%	0%	1.0%	-	1.8%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	1	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	
% Pedestrians	-	-	-	_	-	100%	-	-	-	-	-		-	-	_	-	-		-	-	-	_	-	50.0%	
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

PM Peak (4:15 PM - 5:15 PM) - Overall Peak Hour

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833269, Location: 42.296902, -71.409146

Provided by: Precision Data Industries, LLC (PDI)

	I								_				_										1, 141/1, 14		
Leg	Concord	,	t 126)				Concord :		Ram	p				or Street (Rt 12	6)			Worcester		l EB	Offran	ıp		
Direction	Southbou						Westbour						North	bound					Eastbound						
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 4:15PM	20	285	0	0	305	0	83	0	0	0	83	0	0	208	0	0	208	0	37	0	0	0	37	1	633
4:30PM	30	304	0	0	334	0	76	0	0	0	76	0	0	177	0	0	177	0	36	0	0	0	36	8	623
4:45PM	34	307	0	0	341	0	98	0	0	0	98	0	0	184	0	0	184	0	45	0	0	0	45	1	668
5:00PM	26	300	0	0	326	0	85	0	0	0	85	0	0	225	0	0	225	0	35	0	0	0	35	1	671
Total	110	1196	0	0	1306	0	342	0	0	0	342	0	0	794	0	0	794	0	153	0	0	0	153	11	2595
% Approach	8.4%	91.6%	0%	0%	-	-	100%	0%	0%	0%	-	-	0%	100%	0%	0%	-	-	100%	0%	0%	0%	-	-	
% Total	4.2%	46.1%	0%	0%	50.3%	-	13.2%	0%	0%	0%	13.2%	-	0%	30.6%	0%	0%	30.6%	-	5.9%	0%	0%	0%	5.9%	-	
PHF	0.809	0.974	-	-	0.957	-	0.872	-	-	-	0.872	-	-	0.882	-	-	0.882	-	0.850	-	-	-	0.850	-	0.967
Motorcycles	0	1	0	0	1	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	1
% Motorcycles	0%	0.1%	0%	0%	0.1%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	110	1155	0	0	1265	-	337	0	0	0	337	-	0	778	0	0	778	-	151	0	0	0	151	-	2531
% Lights	100%	96.6%	0%	0%	96.9%	-	98.5%	0%	0%	0%	98.5%	-	0%	98.0%	0%	0%	98.0%	-	98.7%	0%	0%	0%	98.7%	-	97.5%
Single-Unit Trucks	0	24	0	0	24	-	3	0	0	0	3	-	0	9	0	0	9	-	2	0	0	0	2	-	38
% Single-Unit Trucks	0%	2.0%	0%	0%	1.8%	-	0.9%	0%	0%	0%	0.9%	-	0%	1.1%	0%	0%	1.1%	-	1.3%	0%	0%	0%	1.3%	-	1.5%
Articulated Trucks	0	6	0	0	6	-	0	0	0	0	0	-	0	2	0	0	2	-	0	0	0	0	0	-	8
% Articulated Trucks	0%	0.5%	0%	0%	0.5%	-	0%	0%	0%	0%	0%	-	0%	0.3%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	-	0.3%
Buses	0	10	0	0	10	-	2	0	0	0	2	-	0	5	0	0	5	-	0	0	0	0	0	-	17
% Buses	0%	0.8%	0%	0%	0.8%	-	0.6%	0%	0%	0%	0.6%	-	0%	0.6%	0%	0%	0.6%	-	0%	0%	0%	0%	0%	-	0.7%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	C
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	9	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.8%	
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	2	
0/ Dil C	1																							10.20/	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

Full Length (6 AM-9 AM, 3 PM-6 PM)

Bicycles on Crosswalk % Bicycles on Crosswalk

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833273, Location: 42.298674, -71.399752

Provided by: Precision Data Industries, LLC (PDI)

8.8%

46 Morton Street, Framingham, MA, MA, 01702, US

18.8%

Leg	Caldor Ro	ad						Worcester	Road (Ro	ute 9)					Parking L	ot					
Direction	Southbour	ıd						Westboun	1						Northwes	tbound	i				
Time	R	T	BL	L	U	Арр	Ped*	R	T	L	HL	U	Арр	Ped*	HR	BR	BL	HL	U	Арр	Ped*
2021-05-04 6:00AM	32	3	0	36	0	71	0	23	355	6	0	2	386	2	1	0	1	0	0	2	0
7:00AM	60	3	0	81	1	145	0	62	746	13	0	4	825	2	0	0	0	0	0	0	2
8:00AM	73	1	0	94	0	168	0	93	795	20	0	11	919	3	0	0	0	0	0	0	2
3:00PM	158	8	3	149	0	318	1	185	1413	64	1	66	1729	9	1	0	0	0	0	1	6
4:00PM	177	3	0	148	0	328	3	174	1411	59	2	53	1699	5	4	0	0	0	0	4	1
5:00PM	170	5	0	156	0	331	1	168	1363	79	2	53	1665	13	1	0	0	0	0	1	5
Total	670	23	3	664	1	1361	5	705	6083	241	5	189	7223	34	7	0	1	0	0	8	16
% Approach	49.2%	1.7%	0.2%	48.8%	0.1%	-	-	9.8%	84.2%	3.3%	0.1%	2.6%	-	-	87.5%	0%	12.5%	0%	0%	-	
% Total	3.6%	0.1%	0%	3.6%	0%	7.3%	-	3.8%	32.7%	1.3%	0%	1.0%	38.9%	-	0%	0%	0%	0%	0%	0%	
Motorcycles	1	0	0	0	0	1	-	0	0	0	0	0	0	-	0	0	0	0	0	0	
% Motorcycles	0.1%	0%	0%	0%	0%	0.1%	-	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	
Lights	645	23	3	639	1	1311	-	692	5964	238	5	188	7087	-	7	0	1	0	0	8	_
% Lights	96.3%	100%	100%	96.2%	100%	96.3%	-	98.2%	98.0%	98.8%	100%	99.5%	98.1%	-	100%	0%	100%	0%	0%	100%	_
Single-Unit Trucks	10	0	0	7	0	17	-	12	82	3	0	1	98	-	0	0	0	0	0	0	-
% Single-Unit Trucks	1.5%	0%	0%	1.1%	0%	1.2%	-	1.7%	1.3%	1.2%	0%	0.5%	1.4%	-	0%	0%	0%	0%	0%	0%	-
Articulated Trucks	0	0	0	0	0	0	-	1	18	0	0	0	19	-	0	0	0	0	0	0	-
% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0.1%	0.3%	0%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	0%	-
Buses	14	0	0	18	0	32	-	0	19	0	0	0	19	-	0	0	0	0	0	0	-
% Buses	2.1%	0%	0%	2.7%	0%	2.4%	-	0%	0.3%	0%	0%	0%	0.3%	-	0%	0%	0%	0%	0%	0%	-
Bicycles on Road	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0	0	0	0	0	0	-
% Bicycles on Road	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-
Pedestrians	-	-	-	-	-	-	4	-	-	-	-	-	-	31	-	-	-	-	-	-	13

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

80.0%

20.0%

Tue May 4, 2021 Full Length (6 AM-9 AM, 3 PM-6 PM)

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833273, Location: 42.298674, -71.399752

Provided by: Precision Data Industries, LLC (PDI)

Leg	Underprice Wa	ay						Worcester Roa	d (Route 9)						
Direction	Northbound							Eastbound							
Time	HR	R	T	L	U	App	Ped*	R	BR	T	L	U	Арр	Ped*	Int
2021-05-04 6:00AM	0	20	2	20	0	42	0	7	0	1142	122	9	1280	0	1781
7:00AM	0	32	1	35	0	68	1	5	0	1368	216	20	1609	0	2647
8:00AM	0	23	1	27	0	51	2	9	1	1425	286	45	1766	0	2904
3:00PM	0	47	1	65	0	113	6	13	2	1282	271	48	1616	0	3777
4:00PM	1	34	3	64	0	102	1	12	4	1293	257	52	1618	0	3751
5:00PM	0	50	5	66	0	121	3	11	6	1293	227	60	1597	0	3715
Tota	1	206	13	277	0	497	13	57	13	7803	1379	234	9486	0	18575
% Approach	0.2%	41.4%	2.6%	55.7%	0%	-	-	0.6%	0.1%	82.3%	14.5%	2.5%	-	-	
% Tota	0%	1.1%	0.1%	1.5%	0%	2.7%	-	0.3%	0.1%	42.0%	7.4%	1.3%	51.1%	-	
Motorcycles	0	0	1	0	0	1	-	0	0	5	0	0	5	-	7
% Motorcycles	0%	0%	7.7%	0%	0%	0.2%	-	0%	0%	0.1%	0%	0%	0.1%	-	0%
Lights	1	203	12	253	0	469	-	55	12	7644	1356	234	9301	-	18176
% Lights	100%	98.5%	92.3%	91.3%	0%	94.4%	-	96.5%	92.3%	98.0%	98.3%	100%	98.0%	-	97.9%
Single-Unit Trucks	0	3	0	4	0	7	-	2	1	106	17	0	126	-	248
% Single-Unit Trucks	0%	1.5%	0%	1.4%	0%	1.4%	-	3.5%	7.7%	1.4%	1.2%	0%	1.3%	-	1.3%
Articulated Trucks	0	0	0	0	0	0	-	0	0	24	2	0	26	-	45
% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0%	0.3%	0.1%	0%	0.3%	-	0.2%
Buses	0	0	0	20	0	20	-	0	0	23	4	0	27	-	98
% Buses	0%	0%	0%	7.2%	0%	4.0%	-	0%	0%	0.3%	0.3%	0%	0.3%	-	0.5%
Bicycles on Road	0	0	0	0	0	0	-	0	0	1	0	0	1	-	1
% Bicycles on Road	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	-	9	-	-	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	-	69.2%	-	-	-	-	-	-	-	
Bicycles on Crosswall	-	-	-	-	-	-	4	-	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	30.8%	-	-	-	-	-	-	-	

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

AM Peak (7:45 AM - 8:45 AM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833273, Location: 42.298674, -71.399752

Provided by: Precision Data Industries, LLC (PDI)

																				1, 017	
1.0	Caldor Road							Worcester R	Road (Route	9)					Parkin	g Lot					
Direction	Southbound							Westbound							Northv	vestbo	und				
Time	R	T	BL	L	U	App	Ped*	R	T	L	HL	U	App	Ped*	HR	BR	BL	HL	U	App	Ped*
2021-05-04 7:45AM	14	1	0	23	1	39	0	21	241	6	0	0	268	0	0	0	0	0	0	0	0
8:00AM	24	0	0	19	0	43	0	17	174	3	0	2	196	1	0	0	0	0	0	0	1
8:15AM	22	0	0	20	0	42	0	34	189	3	0	2	228	1	0	0	0	0	0	0	1
8:30AM	19	0	0	30	0	49	0	26	216	5	0	5	252	1	0	0	0	0	0	0	0
Total	79	1	0	92	1	173	0	98	820	17	0	9	944	3	0	0	0	0	0	0	2
% Approach	45.7%	0.6%	0%	53.2%	0.6%	-	-	10.4%	86.9%	1.8%	0%	1.0%	-	-	0%	0%	0%	0%	0%		
% Total	2.7%	0%	0%	3.1%	0%	5.9%	-	3.3%	27.9%	0.6%	0%	0.3%	32.1%	-	0%	0%	0%	0%	0%	0%	
PHF	0.823	0.250	-	0.767	0.250	0.883	-	0.721	0.851	0.708	-	0.450	0.881	-	-	-	-	-	-		
Motorcycles	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0	0	0	0	0	0	
% Motorcycles	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	
Lights	75	1	0	84	1	161	-	96	795	16	0	9	916	-	0	0	0	0	0	0	
% Lights	94.9%	100%	0%	91.3%	100%	93.1%	-	98.0%	97.0%	94.1%	0%	100%	97.0%	-	0%	0%	0%	0%	0%	-	
Single-Unit Trucks	3	0	0	3	0	6	-	2	20	1	0	0	23	-	0	0	0	0	0	0	
% Single-Unit Trucks	3.8%	0%	0%	3.3%	0%	3.5%	-	2.0%	2.4%	5.9%	0%	0%	2.4%	-	0%	0%	0%	0%	0%	-	
Articulated Trucks	0	0	0	0	0	0	-	0	1	0	0	0	1	-	0	0	0	0	0	0	
% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0.1%	0%	0%	0%	0.1%	-	0%	0%	0%	0%	0%	-	
Buses	1	0	0	5	0	6	-	0	4	0	0	0	4	-	0	0	0	0	0	0	
% Buses	1.3%	0%	0%	5.4%	0%	3.5%	-	0%	0.5%	0%	0%	0%	0.4%	-	0%	0%	0%	0%	0%	-	
Bicycles on Road	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0	0	0	0	0	0	
% Bicycles on Road	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	-
Pedestrians	-	-	-	-	-	-	0	-	-	-	-	-	-	3	-	-	-	-	-	-	2
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	100%
Bicycles on Crosswalk	-	-	-	-	-	-	0	-	-	-	-	-	-	0	-	-	-	-	-	-	(
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	-	-	0%	-	-	-	-	-	-	0%

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

AM Peak (7:45 AM - 8:45 AM)

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833273, Location: 42.298674, -71.399752

Provided by: Precision Data Industries, LLC (PDI)

												1 10111111	B.14111, 1111	., 1,1111,	71702, 03
Leg	Underprice	Way						Worcester Roa	ad (Route 9))					
Direction	Northboun	d						Eastbound							
Time	HR	R	T	L	U	Арр	Ped*	R	BR	T	L	U	Арр	Ped*	nt
2021-05-04 7:45AM	0	7	0	12	0	19	0	1	0	371	59	11	442	0	768
8:00AM	0	5	0	6	0	11	1	2	0	382	80	13	477	0	727
8:15AM	0	1	0	6	0	7	1	3	0	369	53	10	435	0	712
8:30AM	0	8	0	7	0	15	0	1	1	327	78	13	420	0	736
Total	0	21	0	31	0	52	2	7	1	1449	270	47	1774	0	2943
% Approach	0%	40.4%	0%	59.6%	0%	-	-	0.4%	0.1%	81.7%	15.2%	2.6%	-	-	-
% Total	0%	0.7%	0%	1.1%	0%	1.8%	-	0.2%	0%	49.2%	9.2%	1.6%	60.3%	-	-
PHF	-	0.656	-	0.646	-	0.684	-	0.583	0.250	0.948	0.844	0.904	0.930	-	0.958
Motorcycles	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0%
Lights	0	21	0	24	0	45	-	7	0	1405	267	47	1726	-	2848
% Lights	0%	100%	0%	77.4%	0%	86.5%	-	100%	0%	97.0%	98.9%	100%	97.3%	-	96.8%
Single-Unit Trucks	0	0	0	1	0	1	-	0	1	37	2	0	40	-	70
% Single-Unit Trucks	0%	0%	0%	3.2%	0%	1.9%	-	0%	100%	2.6%	0.7%	0%	2.3%	-	2.4%
Articulated Trucks	0	0	0	0	0	0	-	0	0	4	0	0	4	-	5
% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0%	0.3%	0%	0%	0.2%	-	0.2%
Buses	0	0	0	6	0	6	-	0	0	3	1	0	4	-	20
% Buses	0%	0%	0%	19.4%	0%	11.5%	-	0%	0%	0.2%	0.4%	0%	0.2%	-	0.7%
Bicycles on Road	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	-	2	-	-	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	-	-	0	-	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	0%	-	-	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

PM Peak (3:30 PM - 4:30 PM) - Overall Peak Hour

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833273, Location: 42.298674, -71.399752

Provided by: Precision Data Industries, LLC (PDI)

																	,			11, 0170	
Leg	Caldor Roa							Worcester l	Road (Rou	te 9)					Parking L						
Direction	Southboun	d						Westbound							Northwes	tboun	1				
Time	R	T	BL	L	U	App	Ped*	R	T	L	HL	U	App	Ped*	HR	BR	BL	HL	U	App	Ped*
2021-05-04 3:30PM	1 45	2	1	36	0	84	0	47	368	17	0	18	450	1	0	0	0	0	0	0	1
3:45PM	1 36	3	0	47	0	86	0	44	345	14	0	12	415	5	1	0	0	0	0	1	3
4:00PM	1 42	1	0	29	0	72	2	58	388	12	0	13	471	1	1	0	0	0	0	1	0
4:15PM	1 50	1	0	43	0	94	0	37	332	10	2	13	394	0	1	0	0	0	0	1	0
Total	173	7	1	155	0	336	2	186	1433	53	2	56	1730	7	3	0	0	0	0	3	4
% Approach	1 51.5%	2.1%	0.3%	46.1%	0%	-	-	10.8%	82.8%	3.1%	0.1%	3.2%	-	-	100%	0%	0%	0%	0%	-	-
% Total	4.5%	0.2%	0%	4.1%	0%	8.8%	-	4.9%	37.5%	1.4%	0.1%	1.5%	45.3%	-	0.1%	0%	0%	0%	0%	0.1%	-
PHF	0.865	0.583	0.250	0.824	-	0.894	-	0.802	0.923	0.779	0.250	0.778	0.918	-	0.750	-	-	-	-	0.750	-
Motorcycles	s 0	0	0	0	0	0	-	0	0	0	0	0	0	-	0	0	0	0	0	0	-
% Motorcycles	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-
Lights	166	7	1	146	0	320	-	182	1407	53	2	56	1700	-	3	0	0	0	0	3	-
% Lights	96.0%	100%	100%	94.2%	0%	95.2%	-	97.8%	98.2%	100%	100%	100%	98.3%	-	100%	0%	0%	0%	0%	100%	-
Single-Unit Trucks	2	0	0	2	0	4	-	4	19	0	0	0	23	-	0	0	0	0	0	0	-
% Single-Unit Trucks	1.2%	0%	0%	1.3%	0%	1.2%	-	2.2%	1.3%	0%	0%	0%	1.3%	-	0%	0%	0%	0%	0%	0%	-
Articulated Trucks	0	0	0	0	0	0	-	0	3	0	0	0	3	-	0	0	0	0	0	0	-
% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0.2%	0%	0%	0%	0.2%	-	0%	0%	0%	0%	0%	0%	-
Buses	5	0	0	7	0	12	-	0	4	0	0	0	4	-	0	0	0	0	0	0	-
% Buses	2.9%	0%	0%	4.5%	0%	3.6%	-	0%	0.3%	0%	0%	0%	0.2%	-	0%	0%	0%	0%	0%	0%	-
Bicycles on Road	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0	0	0	0	0	0	-
% Bicycles on Road	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-
Pedestrians	-	-	-	-	-	-	2	-	-	-	-	-	-	6	-	-	-	-	-	-	4
% Pedestrians	-	-	-	-	-	-	100%	-	-	-	-	-	-	85.7%	-	-	-	-	-	-	100%
Bicycles on Crosswalk	-	-	-	-	-	-	0	-	-	-	-	-	-	1	-	-	-	-	-	-	0
% Bicycles on Crosswalk	-	-	-	-	-	-	0%	-	-	-	-	-	-	14.3%	-	-	-	-	-	-	0%

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

Tue May 4, 2021

PM Peak (3:30 PM - 4:30 PM) - Overall Peak Hour

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833273, Location: 42.298674, -71.399752

Provided by: Precision Data Industries, LLC (PDI)

													,		
Leg	Underprice Way	у						Worcester Ro	oad (Roi	ıte 9)					
Direction	Northbound							Eastbound							
Time	HR	R	T	L	U	Арр	Ped*	R	BR	T	L	U	Арр	Ped*	Int
2021-05-04 3:30PM	0	12	0	13	0	25	1	1	0	333	70	13	417	0	976
3:45PM	0	19	0	19	0	38	2	5	0	323	59	11	398	0	938
4:00PM	1	5	0	20	0	26	0	2	0	331	75	13	421	0	991
4:15PM	0	9	0	15	0	24	0	4	0	314	73	12	403	0	916
Total	1	45	0	67	0	113	3	12	0	1301	277	49	1639	0	3821
% Approach	0.9%	39.8%	0%	59.3%	0%	-	-	0.7%	0%	79.4%	16.9%	3.0%	-	-	-
% Total	0%	1.2%	0%	1.8%	0%	3.0%	-	0.3%	0%	34.0%	7.2%	1.3%	42.9%	-	-
PHF	0.250	0.592	-	0.838	-	0.743	-	0.600	-	0.977	0.923	0.942	0.973	-	0.964
Motorcycles	0	0	0	0	0	0	-	0	0	1	0	0	1	-	1
% Motorcycles	0%	0%	0%	0%	0%	0%	-	0%	0%	0.1%	0%	0%	0.1%	-	0%
Lights	1	45	0	59	0	105	-	12	0	1284	273	49	1618	-	3746
% Lights	100%	100%	0%	88.1%	0%	92.9%	-	100%	0%	98.7%	98.6%	100%	98.7%	-	98.0%
Single-Unit Trucks	0	0	0	2	0	2	-	0	0	10	2	0	12	-	41
% Single-Unit Trucks	0%	0%	0%	3.0%	0%	1.8%	-	0%	0%	0.8%	0.7%	0%	0.7%	-	1.1%
Articulated Trucks	0	0	0	0	0	0	-	0	0	2	0	0	2	-	5
% Articulated Trucks	0%	0%	0%	0%	0%	0%	-	0%	0%	0.2%	0%	0%	0.1%	-	0.1%
Buses	0	0	0	6	0	6	-	0	0	4	2	0	6	-	28
% Buses	0%	0%	0%	9.0%	0%	5.3%	-	0%	0%	0.3%	0.7%	0%	0.4%	-	0.7%
Bicycles on Road	0	0	0	0	0	0	-	0	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	-	3	-	-	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	-	100%	-	-	-	-	-	-	-	
Bicycles on Crosswalk	-	-	-	-	-	-	0	-	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	0%	-	-	-	-	-	-	-	-

^{*}Pedestrians and Bicycles on Crosswalk. BL: Bear left, BR: Bear right, HL: Hard left, HR: Hard right, L: Left, R: Right, T: Thru, U: U-Turn

217891 (9) Route 9 @ Oak Street TMC - TMC

Tue May 4, 2021
Full Length (6 AM-9 AM, 3 PM-6 PM)
All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements

ID: 833275, Location: 42.303551, -71.332012

Provided by: Precision Data Industries, LLC

Leg	Worcest	er Road	(Route	9)			Oak Stre	et					Worcest	er Road	(Route 9))			Oak Stre	et					
Direction	Southbo	und					Westbou	ınd					Northbo	und					Eastboui	nd					.
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 6:00AM	36	36	125	0	197	0	47	517	29	8	601	0	34	61	32	0	127	0	44	1171	56	1	1272	0	2197
7:00AM	85	94	210	0	389	0	119	821	77	5	1022	0	57	126	114	0	297	0	64	1342	93	2	1501	3	3209
8:00AM	112	167	221	0	500	0	187	1033	83	9	1312	0	68	176	135	0	379	1	54	1260	123	8	1445	0	3636
3:00PM	163	183	162	0	508	0	161	1551	135	15	1862	0	67	137	154	0	358	0	118	1208	109	17	1452	0	4180
4:00PM	134	183	166	0	483	1	151	1304	115	12	1582	1	73	137	163	0	373	0	115	1183	127	27	1452	0	3890
5:00PM	147	183	168	0	498	3	152	1133	121	11	1417	0	48	153	147	0	348	0	131	1195	101	24	1451	2	3714
Total	677	846	1052	0	2575	4	817	6359	560	60	7796	1	347	790	745	0	1882	1	526	7359	609	79	8573	5	20826
% Approach	26.3%	32.9%	40.9%	0%	_	-	10.5%	81.6%	7.2%	0.8%	-	-	18.4%	42.0%	39.6% (0%	-	-	6.1%	85.8%	7.1%	0.9%	-	-	
% Total	3.3%	4.1%	5.1%	0%	12.4%	-	3.9%	30.5%	2.7%	0.3%	37.4%	-	1.7%	3.8%	3.6% (0%	9.0%	-	2.5%	35.3%	2.9%	0.4%	41.2%	-	
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0% (0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	655	828	1025	0	2508	-	796	6211	539	59	7605	-	336	766	724	0	1826	-	512	7170	592	79	8353	-	20292
% Lights	96.8%	97.9%	97.4%	0%	97.4%	-	97.4%	97.7%	96.3%	98.3%	97.6%	-	96.8%	97.0%	97.2% (0% 9	97.0%	-	97.3%	97.4%	97.2%	100%	97.4%	-	97.4%
Single-Unit Trucks	16	12	20	0	48	-	14	115	16	1	146	-	9	19	16	0	44	-	10	147	11	0	168	-	406
% Single-Unit Trucks	2.4%	1.4%	1.9%	0%	1.9%	-	1.7%	1.8%	2.9%	1.7%	1.9%	-	2.6%	2.4%	2.1% (0%	2.3%	-	1.9%	2.0%	1.8%	0%	2.0%	-	1.9%
Articulated Trucks	1	1	4	0	6	-	6	25	1	0	32	-	2	1	0	0	3	-	2	32	2	0	36	-	77
% Articulated Trucks	0.1%	0.1%	0.4%	0%	0.2%	-	0.7%	0.4%	0.2%	0%	0.4%	-	0.6%	0.1%	0% (0%	0.2%	-	0.4%	0.4%	0.3%	0%	0.4%	-	0.4%
Buses	5	5	3	0	13	-	1	8	4	0	13	-	0	3	5	0	8	-	2	10	4	0	16	-	50
% Buses	0.7%	0.6%	0.3%	0%	0.5%	-	0.1%	0.1%	0.7%	0%	0.2%	-	0%	0.4%	0.7% (0%	0.4%	-	0.4%	0.1%	0.7%	0%	0.2%	-	0.2%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	1	0	0	1	-	0	0	0	0	0	-	1
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0.1%	0% (0%	0.1%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	0	-	-	-	-	-	3	
% Pedestrians	-	-	-	-	-	25.0%	-	-	-	-	-	100%	-	-	-	-	-	0%	-	-	-	-	-	60.0%	-
Bicycles on Crosswalk	-	-	-	-	-	3	-	-	-	-	-	0	-	-	-	-	-	1	-	-	-	-	-	2	
% Bicycles on Crosswalk	-	-	-	-	-	75.0%	-	-	-	-	-	0%	-	-	-	-	-	100%	-	-	-	-		40.0%	-

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (9) Route 9 @ Oak Street TMC - TMC

Tue May 4, 2021

AM Peak (8 AM - 9 AM)

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles

on Crosswalk)

All Movements

ID: 833275, Location: 42.303551, -71.332012

Provided by: Precision Data Industries, LLC (PDI)

Leg	Worcest	er Road	(Route 9	9)			Oak Stre	et					Worceste	er Road	(Route 9)			Oak Stre	et					
Direction	Southbo	und					Westbou	nd					Northbou	and					Eastbour	nd					
Time	R	T	L	U	Арр	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 8:00AM	23	26	52	0	101	0	47	225	23	2	297	0	10	39	27	0	76	1	22	332	34	2	390	0	864
8:15AM	25	58	53	0	136	0	50	233	20	2	305	0	17	49	42	0	108	0	10	312	29	5	356	0	905
8:30AM	32	42	64	0	138	0	49	304	16	3	372	0	23	42	26	0	91	0	12	314	31	1	358	0	959
8:45AM	32	41	52	0	125	0	41	271	24	2	338	0	18	46	40	0	104	0	10	302	29	0	341	0	908
Total	112	167	221	0	500	0	187	1033	83	9	1312	0	68	176	135	0	379	1	54	1260	123	8	1445	0	3636
% Approach	22.4%	33.4%	44.2%	0%	-	-	14.3%	78.7%	6.3%	0.7%	-	-	17.9%	46.4%	35.6%	0%	-	-	3.7%	87.2%	8.5%	0.6%	-	-	
% Total	3.1%	4.6%	6.1%	0%	13.8%	-	5.1%	28.4%	2.3%	0.2%	36.1%	-	1.9%	4.8%	3.7%	0%	10.4%	-	1.5%	34.7%	3.4%	0.2%	39.7%	-	
PHF	0.875	0.720	0.863	-	0.906	-	0.935	0.850	0.865	0.750	0.882	-	0.739	0.898	0.804	-	0.877	-	0.614	0.949	0.904	0.400	0.926	-	0.948
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	104	161	215	0	480	-	184	1005	75	8	1272	-	65	168	130	0	363	-	49	1192	116	8	1365	-	3480
% Lights	92.9%	96.4%	97.3%	0%	96.0%	-	98.4%	97.3%	90.4%	88.9%	97.0%	-	95.6%	95.5%	96.3%	0%	95.8%	-	90.7%	94.6%	94.3%	100%	94.5%	-	95.7%
Single-Unit Trucks	7	3	5	0	15	-	1	23	7	1	32	-	2	8	3	0	13	-	3	55	5	0	63	-	123
% Single-Unit Trucks	6.3%	1.8%	2.3%	0%	3.0%	-	0.5%	2.2%	8.4%	11.1%	2.4%	-	2.9%	4.5%	2.2%	0%	3.4%	-	5.6%	4.4%	4.1%	0%	4.4%	-	3.4%
Articulated Trucks	0	1	0	0	1	-	2	4	0	0	6	-	1	0	0	0	1	-	2	12	1	0	15	-	23
% Articulated Trucks	0%	0.6%	0%	0%	0.2%	-	1.1%	0.4%	0%	0%	0.5%	-	1.5%	0%	0%	0%	0.3%	-	3.7%	1.0%	0.8%	0%	1.0%	-	0.6%
Buses	1	2	1	0	4	-	0	1	1	0	2	-	0	0	2	0	2	-	0	1	1	0	2	-	10
% Buses	0.9%	1.2%	0.5%	0%	0.8%	-	0%	0.1%	1.2%	0%	0.2%	-	0%	0%	1.5%	0%	0.5%	-	0%	0.1%	0.8%	0%	0.1%	-	0.3%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0%	-	-	-	-	-	-	
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	1	-	-	-	-	-	0	
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100%	-	-	-	-	-	-	

^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

217891 (9) Route 9 @ Oak Street TMC - TMC

Tue May 4, 2021

PM Peak (3 PM - 4 PM) - Overall Peak Hour

All Classes (Motorcycles, Lights, Single-Unit Trucks, Articulated Trucks, Buses, Pedestrians, Bicycles on Road, Bicycles on Crosswalk)

All Movements


ID: 833275, Location: 42.303551, -71.332012


Provided by: Precision Data Industries, LLC (PDI)


																		_				111, 1712			
Leg	Worces		(Route	9)			Oak Stre								Route 9)				Oak Stre						i
Direction	Southbo	ound					Westbou	nd					Northbo	und					Eastbour	ıd					
Time	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	R	T	L	U	App	Ped*	Int
2021-05-04 3:00PM	30	41	44	0	115	0	44	390	27	3	464	0	16	43	38	0	97	0	25	341	31	5	402	0	1078
3:15PM	50	44	42	0	136	0	30	409	33	1	473	0	15	23	23	0	61	0	29	272	29	2	332	0	1002
3:30PM	48	57	44	0	149	0	34	371	36	6	447	0	22	29	52	0	103	0	34	295	21	6	356	0	1055
3:45PM	35	41	32	0	108	0	53	381	39	5	478	0	14	42	41	0	97	0	30	300	28	4	362	0	1045
Total	163	183	162	0	508	0	161	1551	135	15	1862	0	67	137	154	0	358	0	118	1208	109	17	1452	0	4180
% Approach	32.1%	36.0%	31.9%	0%	-	-	8.6%	83.3%	7.3%	0.8%	-	-	18.7%	38.3%	43.0% 0	%	-	-	8.1%	83.2%	7.5%	1.2%	-	-	-
% Total	3.9%	4.4%	3.9%	0%	12.2%	-	3.9%	37.1%	3.2%	0.4%	44.5%	-	1.6%	3.3%	3.7% 0	% 8	8.6%	-	2.8%	28.9%	2.6%	0.4%	34.7%	-	
PHF	0.815	0.803	0.920	-	0.852	-	0.759	0.948	0.865	0.625	0.974	-	0.761	0.797	0.740	- 0	0.869	-	0.868	0.886	0.879	0.708	0.903	-	0.969
Motorcycles	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Motorcycles	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0% 0	%	0%	-	0%	0%	0%	0%	0%	-	0%
Lights	161	178	159	0	498	-	158	1515	131	15	1819	-	64	134	152	0	350	-	116	1182	107	17	1422	-	4089
% Lights	98.8%	97.3%	98.1%	0%	98.0%	-	98.1%	97.7%	97.0%	100%	97.7%	-	95.5%	97.8%	98.7% 0	% 9 :	7.8%	-	98.3%	97.8%	98.2%	100%	97.9%	-	97.8%
Single-Unit Trucks	1	3	1	0	5	-	3	34	2	0	39	-	3	2	2	0	7	-	1	20	1	0	22	-	73
% Single-Unit Trucks	0.6%	1.6%	0.6%	0%	1.0%	-	1.9%	2.2%	1.5%	0%	2.1%	-	4.5%	1.5%	1.3% 0	% :	2.0%	-	0.8%	1.7%	0.9%	0%	1.5%	-	1.7%
Articulated Trucks	1	0	1	0	2	-	0	1	0	0	1	-	0	0	0	0	0	-	0	4	1	0	5	-	8
% Articulated Trucks	0.6%	0%	0.6%	0%	0.4%	-	0%	0.1%	0%	0%	0.1%	-	0%	0%	0% 0	%	0%	-	0%	0.3%	0.9%	0%	0.3%	-	0.2%
Buses	0	2	1	0	3	-	0	1	2	0	3	-	0	1	0	0	1	-	1	2	0	0	3	-	10
% Buses	0%	1.1%	0.6%	0%	0.6%	-	0%	0.1%	1.5%	0%	0.2%	-	0%	0.7%	0% 0	% (0.3%	-	0.8%	0.2%	0%	0%	0.2%	-	0.2%
Bicycles on Road	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0
% Bicycles on Road	0%	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	-	0%	0%	0% 0	%	0%	-	0%	0%	0%	0%	0%	-	0%
Pedestrians	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bicycles on Crosswalk	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	
% Bicycles on Crosswalk	_					_		_	_				_					_	_			_		_	


^{*}Pedestrians and Bicycles on Crosswalk. L: Left, R: Right, T: Thru, U: U-Turn

Part 3: HNTB 2019 Traffic Counts












DRAFT - 2019 Existing Year Counts - Weekend SAT Peak Hour Worcester Road / Worcester Street (Route 9) from California Avenue to Oak Street, Framingham/Natick, MA



Part 3: Traffic Signal Data





SPAT CHALLENGE **ROUTE 9** FED. AID PROJ. NO.

TRAFFIC SIGNAL PLANS

١.	IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC MOVEMENT IS TO
	REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL
	INDICATIONS FOR THAT TRAFFIC MOVEMENT WILL NOT CHANGE DURING
	THE CLEARANCE INTERVAL.

2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY COMBINATION OF NON-CONFLICTING PHASES.

SEQUENCE & TIMING NOTES:

- 3. IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE SEQUENCE.
- 4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR THAT MOVEMENT WILL DISPLAY THE APPROPRIATE CLEARANCE INTERVALS.

NOOTE 570	T CALIFORNIA	AVENUE
PAY ITEM	QUANTITY	DESCRIPTION
	1	TS 2 TYPE 1 ATC CONTROLLER IN A 32/48 ATC CABINET
	l	INSTALLED ON EXIST FOUNDATION
	1	OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET
	1	ETHERNET SWITCH
	1	VEHICLE DETECTION SYSTEM (DIGITAL IP CAMERAS, VDP & CABLES
	1	CABINET MONITOR UNIT
816.15	1	VIDEO INTERFACE/ EXTENSION VIDEO UNIT
010.10	1	15' EXTENSION BRACKET
	6	LOOP DETECTOR AMPLIFIER
	1	PROP PRE-EMPTION PHASE SELECTOR
	1	CONNECTED VEHICLE SYSTEM W/RSU

EQUIPMENT TO COMPLETE THE INSTALLATION AND PROVIDE AN OPERATING TRAFFIC CONTROL SIGNAL.

øЗ ø 5 ø 7 ø 8 ø 2 ø 4 -_


STREET	DIRECTION	HOUSINGS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	FLASH OPER.
WORCESTER ROAD (ROUTE 9)	EB	A,B	GL	YL	RL	RL	RL	RL				RL	RL	RL				RL	RL	RL				RL	RL	RL	FR
WORCESTER ROAD (ROUTE 9)	EB	С	R	R	R	R	R	R				R	R	R				GVA	Υ	R				R	R	R	FY
WORCESTER ROAD (ROUTE 9)	EB	D,E	R	R	R	R	R	R				R	R	R				G	Υ	R				R	R	R	FY
WORCESTER ROAD (ROUTE 9)	WB	F	R	R	R	GVA	Υ	R				R	R	R				R	R	R				R	R	R	FY
WORCESTER ROAD (ROUTE 9)	WB	G,H,J	R	R	R	G	Υ	R				R	R	R				R	R	R				R	R	R	FY
BUS PARKING LOT	NB	N,0,P	R	R	R	R	R	R				G	Υ	R				R	R	R				R	R	R	FR
CALIFORNIA AVENUE	SB	K,L,M	R	R	R	R	R	R				R	R	R				R	R	R				G	Y	R	FR
PEDESTRIAN		ALL	DW	DW	DW	W/FDW	DW	DW				DW	DW	DW				DW	DW	DW				DW	DW	DW	OFF
						TINAIN		050																			
AND THE SECOND S			П			TIMIN	G IN	SEC	UNDS) 									1								
MINIMUM GREEN (INITIAL)			5			5						5						5					-	5	ļ		
PASSAGE TIME (VEHICLE)			2			2						2						2					-	2	<u> </u>		
MAXIMUM 1			30			60						25						60					-	25	<u> </u>		
MAXIMUM 2			30			60						25	-					60						25	<u> </u>		EMERGENCY ONLY
YELLOW CLEARANCE				3	_		4						3						4	_			-		3		Ž ≻
RED CLEARANCE					2	<u> </u>		2						2						2			-	-	<u> </u>	2	RGI NL
WALK (W)						7																	-		<u> </u>		₩ O
PEDESTRIAN CLEARANCE						20																					Ш
RECALL				OFF			MIN						OFF						MIN						OFF		
MEMORY			NO	N-L(OCK	NO	N-LC)CK				NO	N-LC	CK				NO	N-LC)CK				NO	N-LC	CK	

1. AUTOMATIC FLASHING OPERATION PER 2009 M.U.T.C.D., AS AMENDED.

APPROX. NORTH

- 2. * UPON PEDESTRIAN PUSH BUTTON ACTUATION
- 3. Ø4 & Ø8 DUAL ENTRY 4. MAXIMUM 1 = NORMAL OPERATION
- 5. MAXIMUM 2 = MON-FRI 0700-0900
- 6. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING
- OPERATION FOR EMERGENCY ONLY. 7. DURING PEDESTRIAN INTERVAL, FDW THROUGH YELLOW OPERATION SHALL <u>NOT</u> BE IN EFFECT.

EXISTING PREFERENTIAL PHASING SEQUENCE



EX	(ISTING PE	RE-EMP	TION
P	HASING 8	& PRIOR	ITY
DETECTOR & PRIORITY	PRE-EMPT PHASE ASSIGNMENT	MOVEMENT	VEHICLE PHASE ASSIGNMENT
D1	1		ø2
D2	2	→ →	ø1&ø6
D3	3		Ø4

	E>	KISTING SIGNA	AL HEAD DAT	A	
M,N,R	A,B	C,F	D,E,G,H,J	K,L,M,N,O,P	P1-P2
R			R	R	(L.E.D.)
		ALL 12" LENS			

1.	EMERGENCY VEHICLE PRE-EMPTION SIGNALS SHALL BE OPTICALLY TRANSMITTED	
	BY OPTICAL EMITTERS MOUNTED IN EMERGENCY VEHICLES AND RECEIVED BY	
	OPTICAL DETECTORS LOCATED AT EACH INTERSECTION.	

- 2. PRE-EMPTION SIGNALS SHALL BE SERVICED ON A PRIORITY BASIS WITH DETECTORS D1, D2 OR D3 ASSIGNED DESCENDING PRIORITIES AS FOLLOWS: (D1 HIGHEST AND D3 LOWEST)
- 3. IN RESPONSE TO A PRE-EMPTION SIGNAL RECEIVED AT AN INTERSECTION BY OPTICAL DETECTOR D1 (OR D2, D3) THE CONTROLLER SHALL HOLD OR ADVANCE TO AND HOLD IN EMERGENCY VEHICLE PRE-EMPTION PHASE #1 (OR #2, #3) GREEN FOR A MINIMUM OF TEN (10) SECONDS OR UNTIL PRE-EMPTION SIGNAL CEASES. THE CONTROLLER SHALL THEN TIME PRE-EMPTION PHASE CLEARANCE (4 SECONDS: YELLOW AND 1 SECOND: ALL RED) AND SERVICE SUNSEQUENT EMERGENCY VEHICLE PRE-EMPTION PHASES AS NECESSARY.
- 4. MINIMUM GREEN AND NORMAL VEHICLE CLEARANCE SHALL BE PROVIDED ON PHASES THAT ARE TO BE TERMINATED BY PRE-EMPTION DEMAND.
- 5. OPTICOM STROBE SHALL BE ILLUMINATED WHENEVER ANY EMERGENCY VEHICLE PRE-EMPTION GREEN IS ON.

		EXISTIN	NG DETECTOR I	DATA		
DETECTOR NO.	NO. SECTION/ SIZE	NO. OF TURNS	OPERATIONS	DELAY /EXT	CALL PHASE	LOOP CONNECTION
1	4-6'X6'	3	PRESENCE	0	Ø1	SERIES/ PARALLEL
2	4-6'X6'	3	PRESENCE	0	ø1	SERIES / PARALLEL
3	3-6'X6'	3	PRESENCE	0	Ø6	SERIES
4	3-6'X6'	3	PRESENCE	0	Ø6	SERIES
5	3-6'X6'	3	PRESENCE	EXT 1 SEC	Ø6	SERIES
6	3-6'X6'	3	PRESENCE	0	ø2	SERIES
7	3-6'X6'	3	PRESENCE	0	ø2	SERIES
8	3-6'X6'	3	PRESENCE	EXT 1 SEC	ø2	SERIES
9	4-6'X6'	3	PRESENCE	0	Ø4	SERIES/ PARALLEL
10	4-6'X6'	3	PRESENCE	0	Ø4	SERIES/ PARALLEL
11	4-6'X6'	3	PRESENCE	DELAY 10 SEC	ø4	SERIES/ PARALLEL
12	2-6'X6'	3	PRESENCE	0	Ø8	SERIES_
13	2-6'X6'	3	PRESENCE	DELAY 10 SEC	Ø8	SERIES_

PROPC	SED VIDEO DET	ECTION	DATA	
DETECTION ZONE	APPROACH/LANE	CAMERA	DELAY /EXT	CALL PHASE
1	ROUTE 9 EB LEFT-TURN LANE	C1	0	Ø1
2	ROUTE 9 EB LEFT-TURN LANE	C1	0	Ø1
3	ROUTE 9 EB THRU LANE	C2	0	Ø6
4	ROUTE 9 EB THRU LANE	C2	0	Ø6
5	ROUTE 9 EB THRU-RIGHT LANE	C2	0	Ø6
6	ROUTE 9 WB THRU LANE	C1	0	Ø2
7	ROUTE 9 WB THRU LANE	C1	0	Ø2
8	ROUTE 9 WB THRU LANE	C1	0	Ø2
9	ROUTE 9 WB RIGHT-TURN LANE	C1	0	Ø2
10	CALIFORNIA AVENUE NB LEFT-TURN LANE	C1	0	Ø4
11	CALIFORNIA AVENUE NB RIGHT-TURN LANE	C1	0	Ø4
12	CALIFORNIA AVENUE SB LEFT-TURN LANE	C2	0	Ø8
13	CALIFORNIA AVENUE SB LEFT-THRU LANE	C2	0	Ø8
14	CALIFORNIA AVENUE SB RIGHT-TURN LANE	C2	0	Ø8

NOTE: DELAY AND EXTENSION TIMINGS SHALL BE PROGRAMMED IN THE CONTROLLER ONLY

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	CMQ-003S(330)X	38	93
ſ	PROJECT FILE NO. 609	9003	

TRAFFIC SIGNAL PLANS **LOCATION 16**

SEQUENCE & TIMING NOTES:

- 1. IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC MOVEMENT IS TO REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATIONS FOR THAT TRAFFIC MOVEMENT WILL NOT CHANGE DURING THE CLEARANCE INTERVAL.
- 2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY COMBINATION OF NON-CONFLICTING PHASES.
- 3. IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE SEQUENCE.
- 4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR THAT MOVEMENT WILL DISPLAY THE APPROPRIATE CLEARANCE INTERVALS.

STREET	DIRECTION	HOUSINGS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23 24	FLAS OPE
WORCESTER ROAD (ROUTE 9)	EB	F	GL	YL	RL	RL	RL	RL				RL	RL	RL	RL	RL	RL	RL	RL	RL						FR
WORCESTER ROAD (ROUTE 9)	EB	C,D,L	R	R	R	R	R	R				R	R	R	R	R	R	G	Υ	R						FR
WORCESTER ROAD (ROUTE 9)	WB	E	RL	RL	RL	RL	RL	RL				RL	RL	RL	GL	YL	RL	RL	RL	RL						FR
WORCESTER ROAD (ROUTE 9)	WB	A	R	R	R	GV	Υ	R				R	R	R	R	R	R	R	R	R						FR
WORCESTER ROAD (ROUTE 9)	WB	В	R	R	R	G	Υ	R				R	R	R	R	R	R	R	R	R						FR
COUNTRY CLUB LANE	NB	G,H	R	R	R	R	R	R				G	Υ	R	R	R	R	R	R	R						FR
"RED SIGNAL AHEAD" SIGN	WB	J	ON	ON	ON	OFF	ON	ON				ON	ON	ON	ON	ON	ON	ON	ON	ON						OL
					T	IMIN	G IN	 SEC	L CONL] IS																
MINIMUM GREEN (INITIAL)			5			5						5			5			5								
PASSAGE TIME (VEHICLE)			2			2						2			2			2								
MAXIMUM 1			15			55						20			15			55								
MAXIMUM 2			20			60						30			20			60								 →
YELLOW CLEARANCE				4			4						4			4			4							
RED CLEARANCE					1			2						2			1			2						B C
WALK (W)																										
PEDESTRIAN CLEARANCE																										EMERGENCY
RECALL				OFF			MIN						OFF			OFF			MIN							
MEMORY			NO	N-L()CK	NO	N-LC)CK					V-LC		NO	N-LC		NO	N-LC							

øЗ

ø 4

ø 5

ø 6

ø 7

ø 8

NOTES:
1. AUTOMATIC FLASHING OPERATION PER 2009 M.U.T.C.D., AS


APPROX. NORTH

ø 1

Ø 2

- AMENDED. 2. MAXIMUM 1 = NORMAL OPERATION
- 3. MAXIMUM 2 = NOT USED
- 4. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING
- OPERATION FOR EMERGENCY ONLY.

EXISTING PREFERENTIAL PHASING SEQUENCE



EXISTING SIGNAL IDENTIFICATION




LIST C	F MAJO	R ITEMS REQUIRED
ROUTE 9 A	T COUNTRY CI	LUB LANE
PAY ITEM	QUANTITY	DESCRIPTION
	1	TS 2 TYPE 1 ATC CONTROLLER INSTALLED IN EXIST CABINET
	1	OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET
	1	ETHERNET SWITCH
	1	VEHICLE DETECTION SYSTEM (DIGITAL IP CAMERA, VDP & CABLES)
	1	VIDEO INTERFACE/ EXTENSION VIDEO UNIT
	1	CONNECTED VEHICLE SYSTEM W/RSU
816.16		
0.00		

PLUS NECESSARY DUCT, CABLE, LABOR, MISCELLANEOUS MATERIAL AND EQUIPMENT TO COMPLETE THE INSTALLATION AND PROVIDE AN OPERATING TRAFFIC CONTROL SIGNAL.

PROPC	SED VIDEO DET	ECTION	DATA	
DETECTION ZONE	APPROACH/LANE	CAMERA	DELAY /EXT	CALL PHASE
1	ROUTE 9 EB U-TURN LANE	C1	0	Ø1
2	ROUTE 9 EB THRU LANE	C1	0	Ø6
3	ROUTE 9 EB THRU LANE	C2	0	Ø6
4	ROUTE 9 EB RIGHT-TURN LANE	C2	0	Ø6
5	ROUTE 9 WB LEFT-TURN LANE	C2	0	Ø5
6	ROUTE 9 WB THRU LANE	C1	0	Ø2
7	ROUTE 9 WB THRU LANE	C1	0	Ø2
8	COUNTRY CLUB LANE NB LEFT-TURN LANE	C1	0	Ø4
9	COUNTRY CLUB LANE NB LEFT-RIGHT LANE	C1	0	Ø4

NOTE: DELAY AND EXTENSION TIMINGS SHALL BE PROGRAMMED IN THE CONTROLLER ONLY



SPAT CHALLENGE **ROUTE 9**

TATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS	
MA	CMQ-003S(330)X	40	93	
	PROJECT FILE NO. 60	9003		

TRAFFIC SIGNAL PLANS **LOCATION 17**

ROUTE 9 A	T TEMPLE STF	REE I
PAY ITEM	QUANTITY	DESCRIPTION
	1	TS 2 TYPE 1 ATC CONTROLLER INSTALLED IN EXIST CABINET
	1	OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET
	1	ETHERNET SWITCH
	1	VEHICLE DETECTION SYSTEM (DIGITAL IP CAMERAS, VDP & CABLES)
	1	R&S EXIST VEHICLE DETECTION CAMERA
	1	VIDEO INTERFACE/ EXTENSION VIDEO UNIT
816.17	1	15' EXTENSION BRACKET
010.17	1	CONNECTED VEHICLE SYSTEM W/RSU

PLUS NECESSARY DUCT, CABLE, LABOR, MISCELLANEOUS MATERIAL AND EQUIPMENT TO COMPLETE THE INSTALLATION AND PROVIDE AN OPERATING TRAFFIC CONTROL SIGNAL

DETECTOR DATA DELAY LOOP **IOPERATIONS** /EXT PHASE CONNECTION TURNS NO. PRESENCE SERIES 2-1.8m X1.8m | PRESENCE SERIES 2-1.8mX1.8m Ø3 2-1.8m X1.8m PRESENCE ø3 SERIES PRESENCE SERIES -1.8m $\times 1.8$ m ø3 3-1.8m X1.8m PRESENCE Ø3 SERIES PRESENCE Ø3 SERIES 3-1.8m X1.8m PRESENCE 2-1.8mX1.8m ø3 SERIES PRESENCE SERIES 2-1.8m X1.8m Ø3 FXT Ø4 PRESENCE 2-1.8m X 6.0m \sim | 2-1.8m X 6.0m | 1-1 8m X6 Or PRESENCE

DETECTION ZONE	APPROACH/LANE	CAMERA	DELAY /EXT	CAL PHAS
1	ROUTE 9 EB LEFT-TURN LANE	C2	0	Ø1
2	ROUTE 9 EB THRU LANE	C2	0	Ø3
3	ROUTE 9 EB THRU LANE	C1	0	Ø3
4	ROUTE 9 EB RIGHT-TURN LANE	C1	0	Ø3
5	ROUTE 9 WB THRU LANE	C2	0	Ø3
6	ROUTE 9 WB THRU LANE	C2	0	Ø3
7	ROUTE 9 WB THRU LANE	C2	0	Ø3
8	ROUTE 9 JUG HANDLE WB LEFT-TURN LANE	C1	0	Ø1
9	ROUTE 9 JUG HANDLE WB THRU LANE	C1	0	Ø1
10	OLD WORCESTER ROAD WB THRU LANE	C3	0	Ø3
11	TEMPLE STREET NB LEFT-TURN LANE	C2	0	Ø7
12	TEMPLE STREET NB THRU-RIGHT LANE	C2	0	Ø7
13	TEMPLE STREET NB THRU LANE	C1	0	Ø7
14	TEMPLE STREET SB	C1	0	Ø6
15	TEMPLE STREET SB	C3	0	Ø6
16	OLD WORCESTER ROAD EB LEFT-RIGHT LANE	C3	0	Ø3

SEQUENCE & TIMING NOTES: DIRECTION HOUSING 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 8 PLASHING OPERATION 1. IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC MOVEMENT IS TO REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATIONS FOR THAT TRAFFIC MOVEMENT WILL NOT CHANGE DURING THE CLEARANCE INTERVAL. 2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY COMBINATION OF NON-CONFLICTING PHASES. IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE SEQUENCE. 4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR ←FR-THAT MOVEMENT WILL DISPLAY THE APPROPRIATE CLEARANCE FY INTERVALS. FΥ $-FY\rightarrow$ FΥ FΥ FR FR FR FR FR FR FR FR

OUT

OUT

PRE-EMPTION & PRIORITY

<u>E></u>	MOVEMENT	RECEIVER PRIORITY
1		D1
2		D2
		D3
		D4
4	→	D5

PRIORITY	MOVEMENT	EX
D1		1
D2		2
D3		3
D4		
D5		4.

	EXISTING PHASIN	
	RECEIVER PRIORITY	
	D1	
	D2	
	D3	
	D4	

ALL

- |

5

3

ø8

4

ALL 300mm LENS NOTES: 1. SIGNAL HEAD AA SHALL BE RIGID MOUNTED AND EQUIPPED WITH 125mm ± LOUVERED BACKPLATES. 2. SIGNAL DISPLAYS ON HEAD AA SHALL BE OPTICALLY PROGRAMMABLE.

C,E,G,J,K,L,0

R,S,T,U,V,Y,Z

PROPOSED SEQUENCE AND TIMING

70

_

15

NON-LOCK

OFF

ø5

R | G | Y | R | G | Y | R |

EXISTING PREFERENTIAL PHASE SEQUENCE

LOCK

MIN

øЗ

→ ← <u>-</u> →

EXISTING SIGNAL HEAD DATA

D,H

ø2

** | DW | DW | DW | DW |

15

25

NON-LOCK

OFF

ø7

NON-LOCK

OFF

ø6

M,N,P,Q,W,X

_

5

4

25

C,E

K,L

M,N,O

U,V

W,X

Y,Z

* UPON PUSH BUTTON ACTUATION

A,B

EB-WB | P5-P6 | DW | DW | DW | DW | DW

NON-LOCK

OFF

APPROACH

MINIMUM INTERVAL

MAXIMUM 1

MAXIMUM 2

VEHICLE EXTENSION

YELLOW CLEARANCE

PEDESTRIAN INTERVAL

WORCESTER RD (RT9)

OLD WORCESTER ROAD

OLD WORCESTER ROAD EB

1. AUTOMATIC FLASHING OPERATION PER

2. * UPON PEDESTRIAN PUSH BUTTON ACTUATION

9. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING OPERATION FOR EMERGENCY ONLY.

AA

TEMPLE STREET

TEMPLE STREET

TEMPLE STREET

TEMPLE STREET

TEMPLE STREET

PEDESTRIAN X-ING

PEDESTRIAN X-ING

M.U.T.C.D. SECTION 4D.12.

7. MAXIMUM 1 = NORMAL OPERATION

8. MAXIMUM 2 = NOT USED

DETECTOR

3. P = PERMISSIVE 4. Ø1 CALLS Ø2

5. Ø6 CALLS Ø7 6. Ø7 CALLS Ø8

RECALL

NOTES:

JUG HANDLE

EΒ

EB

EB

EΒ

WB

WB

NB

SB

SB

NB

SB

SB-J

RED CLEARANCE


XISTING EMERGENCY VEHICLE PRE-EMPTION OPERATION. EMERGENCY VEHICLE PRE-EMPTION SIGNALS SHALL BE OPTICALLY TRANSMITTED BY OPTICAL EMITTERS MOUNTED IN EMERGENCY VEHICLES AND RECEIVED BY


OPTICAL DETECTORS LOCATED AT EACH INTERSECTION. PRE-EMPTION SIGNALS SHALL BE SERVICED ON A PRIORITY BASIS WITH DETECTORS D1, D2, D3 OR D4 ASSIGNED DESCENDING PRIORITIES AS FOLLOWS: (D1 HIGHEST AND D4 LOWEST)

3. IN RESPONSE TO A PRE-EMPTION SIGNAL RECEIVED AT AN INTERSECTION BY OPTICAL DETECTOR D1 (OR D2, D3, D4) THE CONTROLLER SHALL HOLD OR ADVANCE TO AND HOLD IN EMERGENCY VEHICLE PRE-EMPTION PHASE #1 (OR #2, #3, #4) GREEN FOR A MINIMUM OF TEN (10) SECONDS OR UNTIL PRE-EMPTION SIGNAL CEASES. THE CONTROLLER SHALL THEN TIME PRE-EMPTION PHASE CLEARANCE (4 SECONDS: YELLOW AND 1 SECOND: ALL RED) AND SERVICE SUBSEQUENT EMERGENCY VEHICLE

MINIMUM GREEN AND NORMAL VEHICLE CLEARANCE SHALL BE PROVIDED ON PHASES THAT ARE TO BE TERMINATED BY PRE-EMPTION DEMAND.

PRE-EMPTION PHASES AS NECESSARY.





SPAT CHALLEN ROUTE 9	IGE
	•

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS								
MA	CMQ-003S(330)X	43	93								
PROJECT FILE NO. 609003											

TRAFFIC SIGNAL PLANS **LOCATION 18**

SEQUENCE & TIMING NOTES:

- 1. IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC MOVEMENT IS TO REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATIONS FOR THAT TRAFFIC MOVEMENT WILL NOT CHANGE DURING THE CLEARANCE INTERVAL.
- 2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY COMBINATION OF NON-CONFLICTING PHASES.
- 3. IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE SEQUENCE.
- 4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR THAT MOVEMENT WILL DISPLAY THE APPROPRIATE CLEARANCE INTERVALS.

LIST C	F MAJO	R ITEMS REQUIRED
ROUTE 9 A	T PROSPECT S	STREET
PAY ITEM	QUANTITY	DESCRI
	1	TS 2 TYPE 1 ATC CONTROLLER INS
	1	OVERHEAD DSRC UNIT W/ 4G LTE
	1	ADDITIONAL OVERHEAD DSRC
	1	ETHERNET SWITCH
	1	VEHICLE DETECTION SYSTEM (DIG
	1	CABINET MONITOR UNIT
816.18	1	VIDEO INTERFACE/ EXTENSION VID
310.10	1	15' EXTENSION BRACKET
	1	CONNECTED VEHICLE SYSTEM W/F

- PLUS NECESSARY DUCT, CABLE, LABOR, MISCELLANEOUS MATERIAL AND
- EQUIPMENT TO COMPLETE THE INSTALLATION AND PROVIDE AN OPERATING
- TRAFFIC CONTROL SIGNAL.

VIDEO INTERFACE/ EXTENSION VIDEO UNIT

CONNECTED VEHICLE SYSTEM W/RSU

DESCRIPTION

VEHICLE DETECTION SYSTEM (DIGITAL IP CAMERAS, VDP & CABLES)

TS 2 TYPE 1 ATC CONTROLLER INSTALLED IN EXIST CABINET

OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET

ø 9* Ø 2 øЗ ø 8 ø 1 ø 4 PED PROPOSED SEQUENCE AND TIMING FOR FULLY-ACTUATED CONTROL (ISOLATED) 10 | 11 | 12 13 | 14 | 15 7 8 9 || DIRECTION | HOUSINGS || | 1 | 2 | 3 | | 4 | 5 | 6 STREET RL RL RL FRL GL GL GL RL RL RL RL | RL | RL WORCESTER ROAD (ROUTE 9) EΒ RL RL RL GL YL RL B,C EΒ GV GV GV GV GV GV GV Y R RRRR $R \mid R \mid R$ $R \mid R \mid R$ FΥ WORCESTER ROAD (ROUTE 9) RRRR FΥ EΒ GGGG | G | G | G GYR $R \mid R \mid R$ RRRR WORCESTER ROAD (ROUTE 9) WORCESTER ROAD (ROUTE 9) EΒ N,O $R \mid R \mid R$ GV GV GV GV Y R | R | R | R $R \mid R \mid R$ $R \mid R \mid R$ FΥ RRR RRRR RRRR EΒ GGGG GYR $R \mid R \mid R$ FΥ WORCESTER ROAD (ROUTE 9) $R \mid R \mid R$ WB $R \mid R \mid R$ | R | R | R GV Y R $R \mid R \mid R$ WORCESTER ROAD (ROUTE 9) FΥ WB G $R \mid R \mid R$ | R | R | R GYR RRRR $R \mid R \mid R$ RRRR FΥ WORCESTER ROAD (ROUTE 9) RR RR RR RR RR RR RR RR RR FRR Q,R GR YR RR RR RR RR RR RR RR MAIN STREET NB PROSPECT STREET SB RL RL RL GL YL RL FRL Н RL | RL | RL RL RL RL RL RL RL RL | RL | RL | R | R | R FR PROSPECT STREET SB J,K $R \mid R \mid R$ RRR GYR RRR RRRR DRIVEWAY NB L,M $R \mid R \mid R$ | R | R | R | R | R | R G | Y | R $R \mid R \mid R$ FR PEDESTRIAN P1-P2 DW DW DW DW DW DW DW DW DW W FDW DW OFF DW DW DW DW DW DW P3-P4 OFF PEDESTRIAN DW P5-P8 DW DW DW OFF PEDESTRIAN DW DW DW DW DW DW W FDW DW DW DW DW DW DW DW TIMING IN SECONDS MINIMUM GREEN (INITIAL) PASSAGE TIME (VEHICLE) MAXIMUM 1 20 15 70 | 15 | 20 MAXIMUM 2 15 20 110 15 15 YELLOW CLEARANCE RED CLEARANCE WALK (W) PEDESTRIÁN CLEARANCE 22 RECALL OFF OFF OFF OFF MIN

1. AUTOMATIC FLASHING OPERATION PER 2009 M.U.T.C.D., AS

APPROX. NORTH


- AMENDED.
- 2. * UPON PEDESTRIAN PUSH BUTTON ACTUATION 3. MAXIMUM 1 = NORMAL OPERATION
- 4. MAXIMUM 2 = NOT USED

MEMORY

- 5. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING
- OPERATION FOR EMERGENCY ONLY.

EXISTING PREFERENTIAL PHASING SEQUENCE

NON-LOCKING



EXISTING EMERGENCY PRE-EMPTION DATA

LOCKING

NON-LOCKING


NON-LOCKING

APPROACH	PHASE	TIME (SEC)
ROUTE 9 EB	Ø2	25

EMERGENCY PRE-EMPTION DATA NOTES:


ACTIVATION OF FIRE PRE-EMPTION RESULTS IN IMMEDIATE CLEARANCE OF ANY CONFLICTING MOVEMENTS IN PROGRESS, FOLLOWED BY FIRE PRE-EMPTION PHASE, FOLLOWED BY RETURN TO THE BEGINNING OF THE CYCLE.

EXISTING	SIGNAL	IDENTIFICATION	










NON-LOCKING

DETECTOR DATA													
DETECTOR NO.	NO. SECTION/ /EXIZE	NO. OF /FWRNS	OPERATIONS	DELAY /EXT	CALL PHASE	LOOP CONNECTION							
1	EXISTING	EXISTING	EXISTING	EXISTING	ø1	SERIES							
	FXISTING	FXISTING	FXISTING	FXISTING	Ø1	SERIES_							
(3)	EXISTING	EXISTING	EXISTING	EXISTING	ø3	SERIES							
4	EXISTING	EXISTING	EXISTING	EXISTING	ø3	SERIES							
(5)	EXISTING	EXISTING	EXISTING	EXISTING	ø3	SERIES							
6	EXISTING	EXISTING	EXISTING	EXISTING	ø3	SERIES							
(7)	EXISTING	EXISTING	EXISTING	EXISTING	ø3	SERIES							
(8)	EXISTING	EXISTING	EXISTING	EXISTING	ø3	SERIES							
9	EXISTING	EXISTING	EXISTING	EXISTING	ø2	SERIES							
(10)	EXISTING	EXISTING	EXISTING	EXISTING	ø3	SINGLE							
(11)	EXISTING	EXISTING	EXISTING	EXISTING	ø3	SERIES							
(12)	EXISTING	EXISTING	EXISTING	EXISTING	ø3	SERIES							
(13)	EXISTING	EXISTING	EXISTING	EXISTING	Ø4	SERIES							
(14)	EXISTING	EXISTING	EXISTING	EXISTING	Ø4	SINGLE							
(15)	EXISTING	EXISTING	EXISTING	EXISTING	Ø4	SERIES							
(16)	EXISTING	EXISTING	EXISTING	EXISTING	#8	SERIES							

DETECTION ZONE	APPROACH/LANE	CAMERA	DELAY /EXT	CALL PHASE
1	ROUTE 9 EB THRU LANE	C1	0	Ø3
2	ROUTE 9 EB THRU LANE	C1	0	Ø3
3	ROUTE 9 EB THRU-RIGHT LANE	C1	0	Ø3
4	ROUTE 9 EB LEFT-TURN LANE	C2	0	Ø2
5	ROUTE 9 EB THRU LANE	C2	0	Ø3
6	ROUTE 9 EB THRU LANE	C2	0	Ø3
7	ROUTE 9 EB THRU LANE	C2	0	Ø3
8	ROUTE 9 WB THRU LANE	C2	0	Ø3
9	ROUTE 9 WB THRU LANE	C2	0	Ø3
10	ROUTE 9 WB THRU LANE	C2	0	Ø3
11	MAIN STREET NB RIGHT-TURN LANE	C1	0	Ø1
12	MAIN STREET NB RIGHT-TURN LANE	C1	0	Ø1
13	PROSPECT STREET SB LEFT-TURN LANE	C2	0	Ø4
14	PROSPECT STREET SB LEFT-TURN LANE	C2	0	Ø4
15	PROSPECT STREET SB RIGHT-TURN LANE	C2	0	Ø4
16	DRIVEWAY NB	C2	0	Ø8

PROPOSED VIDEO DETECTION DATA

NOTE: DELAY AND EXTENSION TIMINGS SHALL BE PROGRAMMED IN THE CONTROLLER ONLY



Ø1	Ø2	Ø3(PED)*	Ø4	Ø5	Ø6	Ø8	N
		OL) \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		OLJ \\ Y			

22

COORD Ø

EXISTING SEQUENCE AND TIMING FOR FULLY ACTUATED CONTROL (COORDINATED)

APPROACH	DIRECTION	HOUSING	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	FLASH
WORCESTER RD (RTE 9)	EB	A,B	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨-G-	(Y-	⟨R−	⟨R−	⟨R−	⟨R−	←G—	(Y-	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	←FR—
WORCESTER RD (RTE 9)	EB	C,D	R	R	R	Ğ	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	FY
WORCESTER RD (RTE 9)	EB	Е	R	R	R	G	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	FY
WORCESTER RD (RTE 9)	WB	F,G	←G—	<u> </u>	⟨R−	←R−	←R—	⟨R−	←R−	←R—	⟨R−	←R—	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	←R—	⟨R−	←R—	⟨R−	⟨R−	⟨R−	←FR—
WORCESTER RD (RTE 9)	WB	H,J,K	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	Ĝ	Y	R	R	R	R	FY
JORDAN'S FURNITURE	NB	Q	⟨R−	⟨R−	⟨R−	←R—	←R—	⟨R−	←R−	←R—	⟨R−	←R—	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	←R—	⟨R−	←R—	⟨-G-	(Y-	⟨R−	←FR—
JORDAN'S FURNITURE	NB	Р	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	⟨GG⟩	Y	R	FR
CALDOR ROAD	SB	L,M	⟨R−	⟨R−	⟨R−	←R—	←R—	⟨R−	←R−	←R—	⟨R−	←G—	⟨Y−	⟨R−	⟨R−	⟨R−	⟨R−	←R—	⟨R−	←R—	⟨R−	⟨R−	⟨R−	←FR—
CALDOR ROAD	SB	N	$-R\rightarrow$	$-R \rightarrow$	$-R \rightarrow$	$-R \rightarrow$	$-R\rightarrow$	$-R\rightarrow$	$-G\rightarrow$	$-Y\rightarrow$	$-R\rightarrow$	$-G\rightarrow$	$-Y\rightarrow$	$-R\rightarrow$	$-G\rightarrow$	$-Y \rightarrow$	$-R\rightarrow$	$-R \rightarrow$	$-R\rightarrow$	$-R\rightarrow$	$-R\rightarrow$	$-R \rightarrow$	$-R\rightarrow$	$-FR\rightarrow$
PEDESTRIAN	N-S	P1-P2	DW	DW	DW	DW	DW	DW	W/FDW	FDW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	OFF
												TIN (IN IC	IN OF	00110										

								TIMING	IN SE	COND	S									
MINIMUM GREEN (INITIAL)	6		10					6			6			10			6			
PASSAGE TIME (VEHICLE)	2		2					2			2			2			2			>
MAXIMUM 1	10		30					20			10			30			20			ASH
MAXIMUM 2																				P N O N
YELLOW CLEARANCE		3.5		4		4			4			4			4			4		10
RED CLEARANCE		4			2		4.5			2			4.5			2			2	FE
PEDESTRIAN WALK					7/22															CONF
PEDESTRIAN CLEARANCE																				0 0
DETECTOR MEMORY	N	ON-LOCK	N	ON-LO	CK N	ON-LO	CK	NO	N-LO	CK	N	ON-LOC	K	NO	ON-LO	CK	NO	N-LOC	CK	

RECALL			OFF	MIN	OFF	OFF	OFF	MIN	OFF
COORDINA	TION DATA					PHASE SPLIT TIMES			
TIMING PLAN	CYCLE	OFFSET	Ø1	Ø2	Ø3	Ø4	Ø5	Ø6	Ø8
					TIME BASED C	OORDINATION BACK	K-UP PROGRAM		
1/1/1 M-F 6AM-9AM	85	16	14(14)	53(20)	0(37)	18(14)	25(14)	42(20)	18(14)
2/1/1 M-F 11AM-2PM	90	14	15(15)	52(23)	0(37)	23(15)	23(15)	44(23)	23(15)
3/1/1 M-F 3PM-7PM	90	17	16(14)	52(25)	0(37)	22(14)	18(15)	50(24)	22(14)
4/1/1 SAT&SUN 9AM-7PM	100	31	20(14)	54(35)	0(37)	26(14)	22(15)	52(34)	26(14)
5/1/1 M-F 11AM-2PM	110	11	20(15)	60(43)	0(37)	30(15)	30(15)	50(43)	30(15)
6/1/1 M-F 3PM-7PM	120	52	20(15)	70(43)	0(37)	30(25)	22(15)	68(43)	30(25)
7/1/1 SAT&SUN 9AM-7PM	130	92	22(20)	73(48)	0(37)	35(25)	27(20)	68(48)	35(25)
		'			ADAPTIVE	TRAFFIC CONTROL	PROGRAM		
21/1/1 M-F 5AM-10AM	60	26	14	34	37	12	18	30	12

44

COORDØ

SEQUENCE & TIMING NOTES:

1. IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC MOVEMENT IS TO REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATIONS FOR THAT TRAFFIC MOVEMENT WILL NOT CHANGE DURING THE CLEARANCE INTERVAL.

2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY COMBINATION OF NON-CONFLICTING PHASES.

3. IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE SEQUENCE.

4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR THAT MOVEMENT WILL DISPLAY THE APPROPRIATE CLEARANCE INTERVALS.

LIST OF MAJOR ITEMS REQUIRED ROUTE 9 AT CALDOR ROAD DESCRIPTION PAY ITEM QUANTITY OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET

CONNECTED VEHICLE SYSTEM W/RSU

PLUS NECESSARY DUCT, CABLE, LABOR, MISCELLANEOUS MATERIAL AND EQUIPMENT TO COMPLETE THE INSTALLATION AND PROVIDE AN OPERATING TRAFFIC CONTROL SIGNAL.

EXIS	STING AD	APTIVE TRAFFIC CON	TROL SETTINGS									
INTERSECTION SETTINGS (ALL ENTRIES IN SECONDS)												
MIN CYCLE	MAX CYCLE	MAX CYCLE RATE OF CHANGE	MAX SPLIT RATE OF CHANGE									
60	140	10	5									

816.19

1. AUTOMATIC FLASHING OPERATION PER 2009 M.U.T.C.D., AS AMENDED.

- 2. * UPON PEDESTRIAN PUSH BUTTON ACTUATION
- 3. Y = YIELD CONTROL

SAT&SUN 8AM-10AM

22/1/1 M-F 10AM-10PM

SAT&SUN 10AM-10PM

MODE

NOTES:

- 4. OL = OVERLAP
- 5. Ø4 & Ø8 DUAL ENTRY 6. MAXIMUM 1 = NORMAL OPERATION
- 7. MAXIMUM 2 = NOT USED
- 8. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING OPERATION FOR EMERGENCY ONLY.
- 9. DURING PEDESTRIAN INTERVAL, FDW THROUGH YELLOW OPERATION SHALL BE IN EFFECT.
- 10. INHIBIT MAX TERMINATION SHALL BE IN EFFECT DURING COORDINATION. 11. Ø2&Ø6 "CALL NOT ACTUATED" DURING COORDINATION.
- 12. OFFSET: BEGINNING OF Ø2&Ø6 GREEN.
- 13. PLAN FORCE OFF SHALL BE IN EFFECT.
- 14. SPLIT TIMES EQUAL GREEN PLUS CLEARANCES.
- 15. (X) SPLIT TIME WITH PEDESTRIAN PHASE ACTUATED. 16. YIELD MODE COORDINATION SHALL BE IN EFFECT.
- 13. PLANS 5 THRU 7 SHALL BE PROGRAMMED FOR USE NOVEMBER 15 THRU JANUARY 1.

EXISTING PRE-EMPTION PHASING & PRIORITY


DETECTOR & PRIORITY	PRE-EMPT PHASE ASSIGNMENT	MOVEMENT	VEHICLE PHASE ASSIGNMENT
D1	1		Ø2&Ø5
D2	2		Ø1&Ø6

EXISTING EMERGENCY VEHICLE PRE-EMPTION OPERATION

- EMERGENCY VEHICLE PRE-EMPTION SIGNALS SHALL BE OPTICALLY TRANSMITTED BY OPTICAL EMITTERS MOUNTED IN EMERGENCY VEHICLES AND RECEIVED BY OPTICAL DETECTORS LOCATED AT EACH INTERSECTION.
- 2. PRE-EMPTION SIGNALS SHALL BE SERVICED ON A PRIORITY BASIS WITH DETECTORS D1 OR D2 ASSIGNED DESCENDING PRIORITIES AS FOLLOWS: (D1 HIGHEST AND D2 LOWEST)
- 3. IN RESPONSE TO A PRE-EMPTION SIGNAL RECEIVED AT AN INTERSECTION BY OPTICAL DETECTOR D1 (OR D2) THE CONTROLLER SHALL HOLD OR ADVANCE TO AND HOLD IN EMERGENCY VEHICLE PRE-EMPTION PHASE #1 (OR #2) GREEN FOR A MINIMUM OF TEN (10) SECONDS OR UNTIL PRE-EMPTION SIGNAL CEASES. THE CONTROLLER SHALL THEN TIME PRE-EMPTION PHASE CLEARANCES FOR THE ASSOCIATED PHASE(S) AS SHOWN IN THE SEQUENCE AND TIMING CHART AND SERVICE SUBSEQUENT EMERGENCY VEHICLE PRE-EMPTION PHASES AS NECESSARY.
- 4. MINIMUM GREEN AND NORMAL VEHICLE CLEARANCE SHALL BE PROVIDED ON PHASES THAT ARE TO BE TERMINATED BY PRE-EMPTION DEMAND.
- 5. PRE-EMPTION STROBE SHALL BE ILLUMINATED WHENEVER ANY EMERGENCY VEHICLE PRE-EMPTION GREEN IS ON.
- 6. EMERGENCY VEHICLE PRE-EMPTION SHALL OVERRIDE COORDINATION.
- 7. EMERGENCY VEHICLE PRE-EMPTION SHALL OVERRIDE ADAPTIVE PROGRAMMING.

EXISTING PREFERENTIAL PHASE SEQUENCE **→**Ø3(PED)* **Ø**2&Ø5 **Ø**2&Ø6 **Ø**4&Ø8 **Ø**1&Ø6 * UPON PEDESTRIAN PUSH BUTTON ACTUATION EXISTING SIGNAL HEAD DATA P1-P2 A,B,F,G,L,M,QC,D,H,J,K

21



1. SIGNAL HEAD E IS EQUIPPED WITH A 2" WIDE YELLOW REFLECTIVE BORDER.


SPAT CHALLENGE **ROUTE 9**

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	CMQ-003S(330)X	45	93
ı	PROJECT FILE NO. 60	9003	

TRAFFIC SIGNAL PLANS **LOCATION 19**

DETECTOR NO.	ZONE SIZE	VEHICLE SENSOR	TOR DATA DELAY /EXT	CALL PHASE	UTLIZATION PHASE
1	TO BE FIELD ADJUSTED	T1	0	Ø5	-
2	TO BE FIELD ADJUSTED	T1	0	Ø5	_
3	TO BE FIELD ADJUSTED	T2	0	Ø2	-
4	TO BE FIELD ADJUSTED	T2	0	Ø2	-
5	TO BE FIELD ADJUSTED	T2	0	Ø2	_
6	TO BE FIELD ADJUSTED	ТЗ	0	Ø1	-
7	TO BE FIELD ADJUSTED	Т3	0	Ø1	-
8	TO BE FIELD ADJUSTED	T4	0	Ø6	-
9	TO BE FIELD ADJUSTED	T4	0	Ø6	_
10	TO BE FIELD ADJUSTED	T4	0	Ø6	_
11	TO BE FIELD ADJUSTED	T5	0	Ø4	-
12	TO BE FIELD ADJUSTED	T5	0	Ø4	-
13	TO BE FIELD ADJUSTED	T5	5 SEC DELAY	Ø4	-
14	TO BE FIELD ADJUSTED	Т6	0	Ø8	-
15	TO BE FIELD ADJUSTED	Т6	0	Ø8	-
16	TO BE FIELD ADJUSTED	T1	0	_	Ø5
17	TO BE FIELD ADJUSTED	T1	0	-	Ø5
18	TO BE FIELD ADJUSTED	T2	0	_	Ø2
19	TO BE FIELD ADJUSTED	T2	0	_	Ø2
20	TO BE FIELD ADJUSTED	T2	0	-	Ø2
21	TO BE FIELD ADJUSTED	Т3	0	-	Ø1
22	TO BE FIELD ADJUSTED	Т3	0	_	Ø1
23	TO BE FIELD ADJUSTED	T4	0	_	Ø6
24	TO BE FIELD ADJUSTED	T4	0	_	Ø6
25	TO BE FIELD ADJUSTED	T4	0	_	Ø6
26	TO BE FIELD ADJUSTED	T5	0	-	Ø4
2	TO BE FIELD ADJUSTED	T5	0	-	Ø4
28	TO BE FIELD ADJUSTED	T5	0	_	Ø4
29	TO BE FIELD ADJUSTED	Т6	0	-	Ø8
30	TO BE FIELD ADJUSTED	Т6	0	_	Ø8

- 1. DELAY AND EXTENSION TIMINGS SHALL BE PROGRAMMED IN THE CONTROLLER ONLY.
- 2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SETTING PROPOSED DETECTION ZONES AS SHOWN ON THE PLANS, AND ADJUSTING/READJUSTING DETECTION ZONES IN THE PRESENCE OF THE ENGINEER.



EIC SIGNAI	DI ANG	2
CT FILE NO. 609	9003	
IQ-003S(330)X	47	93
D. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS

TRAFFIC SIGNAL PLANS **LOCATION 20**

	EXISTI	NG DETEC	TOR DATA	4	
DETECTOR NO.	ZONE SIZE	VEHICLE SENSOR	DELAY /EXT	CALL PHASE	UTLIZATION PHASE
1	TO BE FIELD ADJUSTED	T1	0	Ø5	-
2	TO BE FIELD ADJUSTED	T1	0	Ø5	-
3	TO BE FIELD ADJUSTED	T2	0	Ø2	-
4	TO BE FIELD ADJUSTED	T2	0	Ø2	-
5	TO BE FIELD ADJUSTED	T2	0	Ø2	-
6	TO BE FIELD ADJUSTED	ТЗ	0	Ø1	-
7	TO BE FIELD ADJUSTED	ТЗ	0	Ø1	-
8	TO BE FIELD ADJUSTED	Т4	0	Ø6	-
9	TO BE FIELD ADJUSTED	Т4	0	Ø6	-
10	TO BE FIELD ADJUSTED	Т4	0	Ø6	_
11	TO BE FIELD ADJUSTED	Т4	0	Ø6	-
12	TO BE FIELD ADJUSTED	T5	5 SEC DELAY	Ø4	-
13	TO BE FIELD ADJUSTED	Т6	0	Ø8	-
14	TO BE FIELD ADJUSTED	Т6	0	Ø8	_
15	TO BE FIELD ADJUSTED	T1	0	_	Ø5
16	TO BE FIELD ADJUSTED	T1	0	_	Ø5
17	TO BE FIELD ADJUSTED	T2	0	_	Ø2
18	TO BE FIELD ADJUSTED	T2	0	_	Ø2
19	TO BE FIELD ADJUSTED	T2	0	_	Ø2
20	TO BE FIELD ADJUSTED	ТЗ	0	_	Ø1
21	TO BE FIELD ADJUSTED	Т3	0	_	Ø1
22	TO BE FIELD ADJUSTED	Т4	0	_	Ø6
23	TO BE FIELD ADJUSTED	Т4	0	_	Ø6
24	TO BE FIELD ADJUSTED	Т4	0	-	Ø6
Α					T

EXISTING DETECTOR DATA

ADJUSTED

TO BE FIELD

TO BE FIELD

ADJUSTED

TO BE FIELD

ADJUSTED

TO BE FIELD

ADJUSTED

- 1. DELAY AND EXTENSION TIMINGS SHALL BE PROGRAMMED IN THE CONTROLLER ONLY.
- 2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SETTING PROPOSED DETECTION ZONES AS SHOWN ON THE PLANS, AND ADJUSTING/READJUSTING DETECTION ZONES IN THE PRESENCE OF THE ENGINEER.

Ø6

Ø4

Ø8

				Ø1			Ø2			Ø4			Ø5			Ø6			Ø8		N	
			×			×)				_	OL		_	×)	_	~	J	~		
												7			\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \							
				T /			T /			T /			T /			T /		PERM				
EXISTING SEQUE	ENCE ANI	O TIMINO	G FO	R FL	JLLY	ACT	UAT	ED (CONT	ΓROL	(C(OOR	DINA	TED)							
APPROACH	DIRECTION	HOUSING	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	FLASH	
WORCESTER RD (RTE 9)	WB	А	R	R	R	R	R	R	R	R	R	R	R	R	G	Y	R	R	R	R	FY	
WORCESTER RD (RTE 9)	WB	B,C	R	R	R	R	R	R	R	R	R	R	R	R	Ĝ	Y	R	R	R	R	FY	
WORCESTER RD (RTE 9)	WB	D,E	(−G−	⟨Y−	←R—	←R—	←R—	⟨R−	⟨R−	⟨R−	←R−	←R—	←R—	←R−	←R−	←R—	←R—	⟨R−	←R−	←R—	←FR—	
WORCESTER RD (RTE 9)	EB	F	R	R	R	G	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	FY	
WORCESTER RD (RTE 9)	EB	G,H	R	R	R	Ĝ	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	FY	

APPROACH	DIRECTION	HOUSING	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	FLASH	
WORCESTER RD (RTE 9)	WB	А	R	R	R	R	R	R	R	R	R	R	R	R	G	Y	R	R	R	R	FY	
WORCESTER RD (RTE 9)	WB	B,C	R	R	R	R	R	R	R	R	R	R	R	R	Ĝ	Y	R	R	R	R	FY	
WORCESTER RD (RTE 9)	WB	D,E	←G—	(Y-	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	←FR—							
WORCESTER RD (RTE 9)	EB	F	R	R	R	G	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	FY	
WORCESTER RD (RTE 9)	EB	G,H	R	R	R	Ğ	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	FY	
WORCESTER RD (RTE 9)	EB	J,Q	⟨R−	⟨R−	←R−	←R—	←R—	⟨R−	←R—	⟨R−	⟨R−	←G—	\(\tau \)	⟨R−	⟨R−	←R—	←R—	⟨R−	⟨R−	←R—	←FR—	
DRIVEWAY	NB	M,N,P	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	G	Y	R	FR	
RING ROAD	SB	K,L	R	R	R	R	R	R	G	Y	R	G	Y	R	R	R	R	R	R	R	FR	
										TIM	ING IN	SECO	NDS									
														1								

								TIM	ING IN	SECO	NDS								
MINIMUM GREEN (INITIAL)	6			10			6			6			10			6			
PASSAGE TIME (VEHICLE)	2			2			2			2			2			2			_ >
MAXIMUM 1	10			30			20			10			30			20			4SF NL
MAXIMUM 2	X			X			Х			X			X			Х			F F O
YELLOW CLEARANCE		3.5			4			4			3.5			4			4		CT []
RED CLEARANCE			3.5			1			1.5			3.5			1			1.5	FE
PEDESTRIAN WALK																			ON
PEDESTRIAN CLEARANCE																			CO

DETECTOR MEMORY			NON-LOCK	NON-LOCK	NON-LOCK	NON-LOCK	NON-LOCK	NON-LOCK
RECALL			OFF	MIN	OFF	OFF	MIN	OFF
COORDINAT	TION DATA				PHASE SF	PLIT TIMES		
TIMING PLAN	CYCLE	OFFSET	Ø1	Ø2	Ø4	Ø5	Ø6	Ø8
				TIME	BASED COORDINA	TION BACK-UP PRO	GRAM	
1/1/1 M-F 6AM-9AM	85	5	14	57	14	14	57	14
2/1/1 M-F 11AM-2PM	90	17	17	49	24	19	47	24
3/1/1 M-F 3PM-7PM	90	17	16	51	23	16	51	23
4/1/1 SAT&SUN 9AM-7PM	100	40	17	54	29	25	46	29
5/1/1 M-F 11AM-2PM	110	106	18	65	27	24	59	27
6/1/1 M-F 3PM-7PM	120	52	18	74	28	18	74	28
7/1/1 SAT&SUN 9AM-7PM	130	102	20	74	36	30	64	36
		·		<i>F</i>	DAPTIVE TRAFFIC	CONTROL PROGRA	M	
21/1/1 M-F 5AM-10AM	60	24	14	32	14	14	32	14

		I IIVIL	DASED COORDINA!	ION BACK-OF FROC	JINAIVI	
5	14	57	14	14	57	14
17	17	49	24	19	47	24
17	16	51	23	16	51	23
40	17	54	29	25	46	29
106	18	65	27	24	59	27
52	18	74	28	18	74	28
102	20	74	36	30	64	36
		A	DAPTIVE TRAFFIC (CONTROL PROGRAM	VI	
24	14	32	14	14	32	14
12	15	45	20	18	42	20
		COORD Ø			COORD Ø	

Ø1&Ø6

SEQUENCE & TIMING NOTES:

1. IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC MOVEMENT IS TO REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATIONS FOR THAT TRAFFIC MOVEMENT WILL NOT CHANGE DURING THE CLEARANCE INTERVAL.

2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY COMBINATION OF NON-CONFLICTING PHASES.

3. IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE SEQUENCE.

4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR THAT MOVEMENT WILL DISPLAY THE APPROPRIATE CLEARANCE INTERVALS.

LIST OF MAJOR ITEMS REQUIRED ROUTE 9 AT RING ROAD DESCRIPTION PAY ITEM QUANTITY OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET 816.20 1 CONNECTED VEHICLE SYSTEM W/RSU

PLUS NECESSARY DUCT, CABLE, LABOR, MISCELLANEOUS MATERIAL AND EQUIPMENT TO COMPLETE THE INSTALLATION AND PROVIDE AN OPERATING TRAFFIC CONTROL SIGNAL.

EXIS	STING AD	APTIVE TRAFFIC CON	TROL SETTINGS			
INTERSECTION SETTINGS (ALL ENTRIES IN SECONDS)						
MIN CYCLE	MAX CYCLE	MAX CYCLE RATE OF CHANGE	MAX SPLIT RATE OF CHANGE			
60	140	10	5			

— Ø4&Ø8 —

MODE

- 1. AUTOMATIC FLASHING OPERATION PER 2009 M.U.T.C.D., AS AMENDED.
- 2. OL = OVERLAP
- 3. PERM = PERMISSIVE

SAT&SUN 8AM-10AM

22/1/1 M-F 10AM-10PM SAT&SUN 10AM-10PM


- 4. Ø4 & Ø8 DUAL ENTRY 5. MAXIMUM 1 = NORMAL OPERATION
- 6. MAXIMUM 2 = NOT USED
- 7. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING
- OPERATION FOR EMERGENCY ONLY. 8. INHIBIT MAX TERMINATION SHALL BE IN EFFECT DURING
- COORDINATION.
- 9. Ø2&Ø6 "CALL NOT ACTUATED" DURING COORDINATION.
- 10. OFFSET: BEGINNING OF Ø2&Ø6 GREEN.
- 11. PLAN FORCE OFF SHALL BE IN EFFECT.
- 12. SPLIT TIMES EQUAL GREEN PLUS CLEARANCES. 13. YIELD MODE COORDINATION SHALL BE IN EFFECT.
- 13. PLANS 5 THRU 7 SHALL BE PROGRAMMED FOR USE NOVEMBER 15 THRU JANUARY 1.

	EXIS	STING EMERG
	1.	EMERGENCY
EXISTING PRE-EMPTION PHASING & PRIORITY		BY OPTICAL

DETECTOR & PRIORITY	PRE-EMPT PHASE ASSIGNMENT	MOVEMENT	VEHICLE PHASE ASSIGNMENT
D1	1		Ø2&Ø5
D2	2		Ø1&Ø6

RGENCY VEHICLE PRE-EMPTION OPERATION

- CY VEHICLE PRE-EMPTION SIGNALS SHALL BE OPTICALLY TRANSMITTED BY OPTICAL EMITTERS MOUNTED IN EMERGENCY VEHICLES AND RECEIVED BY OPTICAL DETECTORS LOCATED AT EACH INTERSECTION.
- 2. PRE-EMPTION SIGNALS SHALL BE SERVICED ON A PRIORITY BASIS WITH DETECTORS D1 OR D2 ASSIGNED DESCENDING PRIORITIES AS FOLLOWS: (D1 HIGHEST AND D2 LOWEST)
- 3. IN RESPONSE TO A PRE-EMPTION SIGNAL RECEIVED AT AN INTERSECTION BY OPTICAL DETECTOR D1 (OR D2) THE CONTROLLER SHALL HOLD OR ADVANCE TO AND HOLD IN EMERGENCY VEHICLE PRE-EMPTION PHASE #1 (OR #2) GREEN FOR A MINIMUM OF TEN (10) SECONDS OR UNTIL PRE-EMPTION SIGNAL CEASES. THE CONTROLLER SHALL THEN TIME PRE-EMPTION PHASE CLEARANCES FOR THE ASSOCIATED PHASE(S) AS SHOWN IN THE SEQUENCE AND TIMING CHART AND SERVICE SUBSEQUENT EMERGENCY VEHICLE PRE-EMPTION PHASES AS NECESSARY.
- 4. MINIMUM GREEN AND NORMAL VEHICLE CLEARANCE SHALL BE PROVIDED ON PHASES THAT ARE TO BE TERMINATED BY PRE-EMPTION DEMAND.
- 5. PRE-EMPTION STROBE SHALL BE ILLUMINATED WHENEVER ANY EMERGENCY VEHICLE PRE-EMPTION GREEN IS ON.
- 6. EMERGENCY VEHICLE PRE-EMPTION SHALL OVERRIDE COORDINATION.
- 7. EMERGENCY VEHICLE PRE-EMPTION SHALL OVERRIDE ADAPTIVE PROGRAMMING.




EXISTING PREFERENTIAL PHASE SEQUENCE

Ø2&Ø6

→ Ø2&Ø5

NOTES: 1. SIGNAL HEADS K,M & P DO NOT HAVE BACKPLATES. 2. SIGNAL HEADS A & F ARE EQUIPPED WITH A 2" WIDE YELLOW REFLECTIVE BORDER.



SPAT CHALLENGE

Ø1*	Ø2	Ø5	Ø6	N
		*		

			/
EXISTING SEQUENCE	AND TIMING FOR FULLY	Y ACTUATED CONTROL	(COORDINATED)

 DIRECTION
 HOUSING
 1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 FLASH

WORCESTER RD (RTE 9)	WB	A,B,C	R	R	R	R	R	R	R	R	R	Ĝ	Y	R	FY
WORCESTER RD (RTE 9)	EB	D,E,F	R	R	R	Ğ	Y	R	R	R	R	R	R	R	FY
WORCESTER RD (RTE 9)	EB	G,H	←R—	←R—	←R—	←R—	←R—	←R—	←G-	⟨Y−	←R—	←R−	←R—	←R—	←FR—
WEST COUPLET	SB	J,K	$-R \rightarrow$	$-G\rightarrow$	$-Y \rightarrow$	$-R \rightarrow$	$-R \rightarrow$	$-R\rightarrow$	$-R\rightarrow$	-FR					
PEDESTRIAN	N-S	P1-P2	DW	DW	DW	DW	DW	DW	W/FDW	FDW	DW	DW	DW	DW	OFF
PEDESTRIAN	N-S	P3-P4	W	FDW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	OFF
							TII	MING I	N SEC	ONDS					
MINIMUM GREEN (INITIAL	.)					10			6			10			
MINIMUM GREEN (INITIAL PASSAGE TIME (VEHICLE	<u> </u>					10			6			10			- ≻
,	<u> </u>														4SH NNLY
PASSAGE TIME (VEHICLE	<u> </u>					-			2			2			FLASH N ONLY
PASSAGE TIME (VEHICLE MAXIMUM 1	<u> </u>					- 10	4		2 30	4		2 40	4		T FL
PASSAGE TIME (VEHICLE MAXIMUM 1 MAXIMUM 2	<u> </u>				3	- 10	4	1	2 30	4	3	2 40	4	1	T FL

DETECTOR MEMORY			NON-LOCK	-	NON-LOCK	NON-LOCK		
RECALL	RECALL			MIN	OFF	MIN		
COORDINA	TION DATA			PHASE SPLIT TIMES				
TIMING PLAN	CYCLE	OFFSET	Ø1	Ø2	Ø5	Ø6		
			TIME	BASED COORDINAT	ION BACK-UP PROC	GRAM		
1/1/1 M-F 6AM-9AM	85	0	0(17)	85(68)	21(21)	64(64)		
2/1/1 M-F 11AM-2PM	90	0	0(17)	90(73)	23(23)	67(67)		
3/1/1 M-F 3PM-7PM	90	0	0(17)	90(73)	21(21)	69(69)		
4/1/1 SAT&SUN 9AM-7PM	100	0	0(17)	100(83)	30(30)	70(70)		
5/1/1 M-F 11AM-2PM	110	0	0(17)	110(93)	25(25)	85(85)		
6/1/1 M-F 3PM-7PM	120	0	0(17)	120(103)	25(25)	95(95)		
7/1/1 SAT&SUN 9AM-7PM	130	0	0(17)	130(113)	37(37)	93(93)		
			Α	ADAPTIVE TRAFFIC	CONTROL PROGRAI	V		

7/1/1 SAT&SUN 9AM-7PM	130	0	0(17)	130(113)	37(37)	93(93)		
ADAPTIVE TRAFFIC CONTROL PROGRAM								
21/1/1 M-F 5AM-10AM SAT&SUN 8AM-10AM	60	0	0(17)	60(47)	19(19)	41(41)		
22/1/1 M-F 10AM-10PM SAT&SUN 10AM-10PM	80	0	0(17)	80(63)	21(21)	59(59)		
				COORD Ø		COORD Ø		

- 1. AUTOMATIC FLASHING OPERATION PER 2009 M.U.T.C.D., AS AMENDED.
- 2. * UPON PEDESTRIAN PUSH BUTTON ACTUATION 3. MAXIMUM 1 = NORMAL OPERATION
- 4. MAXIMUM 2 = NOT USED

APPROACH

PEDESTRIAN CLEARANCE

- 5. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING OPERATION FOR EMERGENCY ONLY.
- 6. DURING PEDESTRIAN INTERVAL, FDW THROUGH YELLOW OPERATION SHALL BE IN EFFECT.
- 7. INHIBIT MAX TERMINATION SHALL BE IN EFFECT DURING COORDINATION. 8. Ø2&Ø6 "CALL NOT ACTUATED" DURING COORDINATION.
- 9. OFFSET: BEGINNING OF Ø2&Ø6 GREEN.
- 10. PLAN FORCE OFF SHALL BE IN EFFECT.
- 11. SPLIT TIMES EQUAL GREEN PLUS CLEARANCES.
- 12. (X) SPLIT TIME WITH PEDESTRIAN PHASE ACTUATED.
- 13. YIELD MODE COORDINATION SHALL BE IN EFFECT.
- 14. PLANS 5 THRU 7 SHALL BE PROGRAMMED FOR USE NOVEMBER 15 THRU JANUARY 1.

A,B,C,D,E,F	G,H	J,K	P1-P4

SEQUENCE & TIMING NOTES:


- 1. IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC MOVEMENT IS TO REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATIONS FOR THAT TRAFFIC MOVEMENT WILL NOT CHANGE DURING THE CLEARANCE INTERVAL.
- 2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY COMBINATION OF NON-CONFLICTING PHASES.
- 3. IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE SEQUENCE.
- 4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR THAT MOVEMENT WILL DISPLAY THE APPROPRIATE CLEARANCE INTERVALS.

EXISTING ADAPTIVE TRAFFIC CONTROL SETTINGS							
INTER	SECTION	SETTINGS (ALL ENTF	RIES IN SECONDS)				
MIN CYCLE	MAX CYCLE	MAX CYCLE RATE OF CHANGE	MAX SPLIT RATE OF CHANGE				
60	140	10	5				

LIST OF MAJOR ITEMS REQUIRED ROUTE 9 AT WEST COUPLET DESCRIPTION PAY ITEM QUANTITY OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET CONNECTED VEHICLE SYSTEM W/RSU

PLUS NECESSARY DUCT, CABLE, LABOR, MISCELLANEOUS MATERIAL AND EQUIPMENT TO COMPLETE THE INSTALLATION AND PROVIDE AN OPERATING TRAFFIC CONTROL SIGNAL.

EXISTING PREFERENTIAL PHASE SEQUENCE



EMI	ERGENCY	VEHICLE	PRE	-EMPTIC	N OPE	ERATION	
1	EMERGE	NCY VEH	ICLE	PRF_FM	PTION	SIGNAL	99


EMERGENCY VEHICLE PRE-EMPTION SIGNALS SHALL BE OPTICALLY TRANSMITTED BY OPTICAL EMITTERS MOUNTED IN EMERGENCY VEHICLES AND RECEIVED BY OPTICAL DETECTORS LOCATED AT EACH INTERSECTION.

- 2. PRE-EMPTION SIGNALS SHALL BE SERVICED ON A PRIORITY BASIS WITH DETECTORS D1 OR D2 ASSIGNED DESCENDING PRIORITIES AS FOLLOWS: (D1 HIGHEST AND D2 LOWEST)
- 3. IN RESPONSE TO A PRE-EMPTION SIGNAL RECEIVED AT AN INTERSECTION BY OPTICAL DETECTOR D1 (OR D2) THE CONTROLLER SHALL HOLD OR ADVANCE TO AND HOLD IN EMERGENCY VEHICLE PRE-EMPTION PHASE #1 (OR #2) GREEN FOR A MINIMUM OF TEN (10) SECONDS OR UNTIL PRE-EMPTION SIGNAL CEASES. THE CONTROLLER SHALL THEN TIME PRE-EMPTION PHASE CLEARANCES FOR THE ASSOCIATED PHASE(S) AS SHOWN IN THE SEQUENCE AND TIMING CHART AND SERVICE SUBSEQUENT EMERGENCY VEHICLE PRE-EMPTION PHASES AS NECESSARY.
- 4. MINIMUM GREEN AND NORMAL VEHICLE CLEARANCE SHALL BE PROVIDED ON PHASES THAT ARE TO BE TERMINATED BY PRE-EMPTION DEMAND.
- 5. PRE-EMPTION STROBE SHALL BE ILLUMINATED WHENEVER ANY EMERGENCY VEHICLE PRE-EMPTION GREEN IS ON.
- 6. EMERGENCY VEHICLE PRE-EMPTION SHALL OVERRIDE COORDINATION.
- 7. EMERGENCY VEHICLE PRE-EMPTION SHALL OVERRIDE ADAPTIVE PROGRAMMING.

(ISTING I	PRE-EMPTIO	N PHASING	& PRIORITY
ETECTOR & PRIORITY	PRE-EMPT PHASE ASSIGNMENT	MOVEMENT	VEHICLE PHASE ASSIGNMENT
D1	1	<i>→</i>	Ø2&Ø5
D2	2		Ø6

	EXISTI	NG DETEC	TOR DATA	4	
DETECTOR NO.	ZONE SIZE	VEHICLE SENSOR	DELAY /EXT	CALL PHASE	UTLIZATION PHASE
1	TO BE FIELD ADJUSTED	T1	0	Ø5	-
2	TO BE FIELD ADJUSTED	T1	0	Ø5	_
3	TO BE FIELD ADJUSTED	T2	0	Ø6	_
4	TO BE FIELD ADJUSTED	T2	0	Ø6	-
5	TO BE FIELD ADJUSTED	T2	0	Ø6	-
6	TO BE FIELD ADJUSTED	ТЗ	0	Ø5	_
7	TO BE FIELD ADJUSTED	Т3	0	Ø5	_
8	TO BE FIELD ADJUSTED	T1	0	_	Ø5
9	TO BE FIELD ADJUSTED	T1	0	_	Ø5
10	TO BE FIELD ADJUSTED	T2	0	_	Ø6
11	TO BE FIELD ADJUSTED	T2	0	_	Ø6
12	TO BE FIELD ADJUSTED	T2	0	_	Ø6
13	TO BE FIELD ADJUSTED	Т3	0	_	Ø5
14	TO BE FIELD ADJUSTED	ТЗ	0	_	Ø5

- 1. DELAY AND EXTENSION TIMINGS SHALL BE PROGRAMMED IN THE CONTROLLER ONLY.
- 2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SETTING PROPOSED DETECTION ZONES AS SHOWN ON THE PLANS, AND ADJUSTING/READJUSTING DETECTION ZONES IN THE PRESENCE OF THE ENGINEER.



Ø1	Ø2	Ø4	Ø6	Ø8	N
F F F F F F F F F F F F F F F F F F F	F F	F F F F F F F F F F F F F F F F F F F	F F F F F F F F F F F F F F F F F F F	F F F F F F F F F F F F F F F F F F F	

APPROACH	DIRECTION	HOUSING	1	2	3	4	5	6	7	8	9	4	5	6	7	8	9	FLASH
WORCESTER RD (RTE 9)	WB	A,B,C	R	R	R	R	R	R	R	R	R	Ğ	Y	R	R	R	R	FY
WORCESTER RD (RTE 9)	WB	D	←G-	—Y—	⟨R−	←R-	⟨R−	⟨R−	←R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	←FR—
WORCESTER RD (RTE 9)	EB	Е	R	R	R	G	Y	R	R	R	R	R	R	R	R	R	R	FY
WORCESTER RD (RTE 9)	EB	F,G	R	R	R	Ğ	Y	R	R	R	R	R	R	R	R	R	R	FY
MICHAELS DRIVEWAY	NB	H,J	R	R	R	R	R	R	R	R	R	R	R	R	G	Y	R	FR
SHOPPERS WORLD DR	SB	K,L	R	R	R	R	R	R	G	Y	R	R	R	R	R	R	R	FR
								Т	IMING	IN SEC	CONDS							

	·						-	ΓIMING	IN SE	CONDS							
MINIMUM GREEN (INITIAL	.)	6			10			6			10			6			
PASSAGE TIME (VEHICLE	.)	2			2			2			2			2			_ >
MAXIMUM 1		10			30			20			40			20			ASF NL
MAXIMUM 2		X			X			Χ			X			Х			A O N
YELLOW CLEARANCE			3.5			4			4			4			4		CT [O]
RED CLEARANCE				3			1			1.5			1			1.5	FE
PEDESTRIAN WALK																	DE ON
PEDESTRIAN CLEARANCE	E																000
DETECTOR MEMORY		N	ON-LO	C.K	No	ON-I O	CK	No)N-I ()(CK	No	ON-LOC	î.K	No	ON-LO	CK	

DETECTOR MEMORY			NON-LOCK	NON-LOCK	NON-LOCK	NON-LOCK	NON-LOCK
RECALL			OFF	MIN	OFF	MIN	OFF
COORDINA	TION DATA			COORD	INATION PHASE SPL	IT TIMES	
TIMING PLAN	CYCLE	OFFSET	Ø1	Ø2	Ø4	Ø6	Ø8
				TIME BASED C	OORDINATION BACK	K-UP PROGRAM	
1/1/1 M-F 6AM-9AM	85	44	16	49	20	65	20
2/1/1 M-F 11AM-2PM	90	52	20	43	27	63	27
3/1/1 M-F 3PM-7PM	90	56	22	41	27	63	27
4/1/1 SAT&SUN 9AM-7PM	100	85	19	45	36	64	36
5/1/1 M-F 11AM-2PM	110	40	23	52	35	75	35
6/1/1 M-F 3PM-7PM	120	18	25	58	37	83	37
7/1/1 SAT&SUN 9AM-7PM	130	22	20	60	50	80	50
'				ADAPTIVE	TRAFFIC CONTROL	PROGRAM	

5/1/1 IVI-F 1 IAIVI-ZPIVI	110	40	23	52	33	/5	35
6/1/1 M-F 3PM-7PM	120	18	25	58	37	83	37
7/1/1 SAT&SUN 9AM-7PM	130	22	20	60	50	80	50
				ADAPTIVE	TRAFFIC CONTROL	PROGRAM	
21/1/1 M-F 5AM-10AM SAT&SUN 8AM-10AM	60	57	13	33	14	46	14
22/1/1 M-F 10AM-10PM SAT&SUN 10AM-10PM	80	43	18	37	25	55	25
MODE				COORD Ø		COORD Ø	

SEQUENCE & TIMING NOTES:

1. IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC MOVEMENT IS TO REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATIONS FOR THAT TRAFFIC MOVEMENT WILL NOT CHANGE DURING THE CLEARANCE INTERVAL.

2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY COMBINATION OF NON-CONFLICTING PHASES.

3, IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE SEQUENCE.

4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR THAT MOVEMENT WILL DISPLAY THE APPROPRIATE CLEARANCE INTERVALS.

LIST OF MAJOR ITEMS REQUIRED ROUTE 9 AT SHOPPERS WORLD DRIVE DESCRIPTION PAY ITEM QUANTITY OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET ONBOARD UNIT CONNECTED VEHICLE SYSTEM W/RSU TS 2 TYPE 1 ATC CONTROLLER IN A 32/48 ATC CABINET (SPARE) OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET (SPARE) CONNECTED VEHICLE SYSTEM W/RSU (SPARE) ETHERNET SWITCH (SPARE) 816.22 VEHICLE DETECTION SYSTEM (DIGITAL IP CAMERAS, VDP & CABLES) (SPARE) VIDEO INTERFACE/ EXTENSION VIDEO UNIT (SPARE) WIRELESS COMMUNICATIONS SYSTEM (W/2 ANTENNAS, 1 ETHERNET RADIO UNIT INTERFACE & CABLES) (SPARE) 1 CABINET MONITOR UNIT (SPARE)

PLUS NECESSARY DUCT, CABLE, LABOR, MISCELLANEOUS MATERIAL AND EQUIPMENT TO COMPLETE THE INSTALLATION AND PROVIDE AN OPERATING TRAFFIC CONTROL SIGNAL.

NOTES:

- 1. AUTOMATIC FLASHING OPERATION PER 2009 M.U.T.C.D., AS AMENDED. 2. F = FREE
- 3. Ø4 & Ø8 DUAL ENTRY
- 4. MAXIMUM 1 = NORMAL OPERATION
- 5. MAXIMUM 2 = NOT USED
- 6. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING OPERATION FOR EMERGENCY ONLY.
- 7. INHIBIT MAX TERMINATION SHALL BE IN EFFECT DURING COORDINATION.
- 8. Ø2&Ø6 "CALL NOT ACTUATED" DURING COORDINATION.
- 9. OFFSET: BEGINNING OF Ø2&Ø6 GREEN.
- 10. PLAN FORCE OFF SHALL BE IN EFFECT.
- 11. SPLIT TIMES EQUAL GREEN PLUS CLEARANCES.
- 12. YIELD MODE COORDINATION SHALL BE IN EFFECT.
- 13. PLANS 5 THRU 7 SHALL BE PROGRAMMED FOR USE NOVEMBER 15 THRU JANUARY 1.

EXISTING PREFERENTIAL PHASE SEQUENCE



DETECTOR

PRIORITY

PRE-EMPT

PHASE

ASSIGNMENT

MOVEMENT

VEHICLE

PHASE

ASSIGNMENT

Ø2

Ø1&Ø6

EXISTING SIGNAL HEAD DATA A,B,C,F,GE,H,J,K,L ALL 12" LENS

1. SIGNAL HEAD E IS EQUIPPED WITH A 2" WIDE YELLOW REFLECTIVE BORDER.

EXISTING EMERGENCY VEHICLE PRE-EMPTION OPERATION

- EMERGENCY VEHICLE PRE-EMPTION SIGNALS SHALL BE OPTICALLY TRANSMITTED BY OPTICAL EMITTERS MOUNTED IN EMERGENCY VEHICLES AND RECEIVED BY OPTICAL DETECTORS LOCATED AT EACH INTERSECTION.
- 2. PRE-EMPTION SIGNALS SHALL BE SERVICED ON A PRIORITY BASIS WITH DETECTORS D1 OR D2 ASSIGNED DESCENDING PRIORITIES AS FOLLOWS: (D1 HIGHEST AND D2 LOWEST)
- 3. IN RESPONSE TO A PRE-EMPTION SIGNAL RECEIVED AT AN INTERSECTION BY OPTICAL DETECTOR D1 (OR D2) THE CONTROLLER SHALL HOLD OR ADVANCE TO AND HOLD IN EMERGENCY VEHICLE PRE-EMPTION PHASE #1 (OR #2) GREEN FOR A MINIMUM OF TEN (10) SECONDS OR UNTIL PRE-EMPTION SIGNAL CEASES. THE CONTROLLER SHALL THEN TIME PRE-EMPTION PHASE CLEARANCES FOR THE ASSOCIATED PHASE(S) AS SHOWN IN THE SEQUENCE AND TIMING CHART AND SERVICE SUBSEQUENT EMERGENCY VEHICLE PRE-EMPTION PHASES AS NECESSARY.
- 4. MINIMUM GREEN AND NORMAL VEHICLE CLEARANCE SHALL BE PROVIDED ON PHASES THAT ARE TO BE TERMINATED BY PRE-EMPTION DEMAND.
- 5. PRE-EMPTION STROBE SHALL BE ILLUMINATED WHENEVER ANY EMERGENCY VEHICLE PRE-EMPTION GREEN IS ON.
- 6. EMERGENCY VEHICLE PRE-EMPTION SHALL OVERRIDE COORDINATION.
- 7. EMERGENCY VEHICLE PRE-EMPTION SHALL OVERRIDE ADAPTIVE PROGRAMMING.

EXISTING AD EXISTING PRE-EMPTION PHASING & PRIORITY INITEDOCEOTION

INTER	SECTION	SETTINGS (ALL ENTE	KIES IN SECONDS)
MIN CYCLE	MAX CYCLE		MAX SPLIT RATE OF CHANGE
60	140	10	5

1. DELAY AND EXTENSION TIMINGS SHALL BE PROGRAMMED IN THE CONTROLLER ONLY.

ADJUSTED

TO BE FIELD

ADJUSTED

EXISTING DETECTOR DATA

DETECTOR ZONE VEHICLE DELAY CALL UTLIZATION

NO.

SIZE

TO BE FIELD

ADJUSTED

TO BE FIELD

ADJUSTED

TO BE FIELD

ADJUSTED

TO BE FIELD

ADJUSTED

TO BE FIELD

TO BE FIELD


| SENSOR | /EXT | PHASE | PHASE

Ø2

Ø2

Ø1

2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SETTING PROPOSED DETECTION ZONES AS SHOWN ON THE PLANS, AND ADJUSTING/READJUSTING DETECTION ZONES IN THE PRESENCE OF THE ENGINEER.



SPAT CHALLENGE **ROUTE 9**

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	CMQ-003S(330)X	53	93
	PROJECT FILE NO. 60	9003	

TRAFFIC SIGNAL PLANS **LOCATION 23**

AY ITEM	QUANTITY	DESCRIPTION
	1	OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET
316.23	1	CONNECTED VEHICLE SYSTEM W/RSU
NECESS	ARY DUCT, CA	BLE, LABOR, MISCELLANEOUS MATERIAL AND
		THE INSTALLATION AND PROVIDE AN OPERATING
IC CONT	ROL SIGNAL.	

NO.	SIZE	SENSOR	/EXT	PHASE	PHASE
1	TO BE FIELD ADJUSTED	T1	0	Ø2	-
2	TO BE FIELD ADJUSTED	T1	0	Ø2	-
3	TO BE FIELD ADJUSTED	T1	0	Ø2	-
4	TO BE FIELD ADJUSTED	T2	0	Ø1	-
5	TO BE FIELD ADJUSTED	ТЗ	0	Ø6	_
6	TO BE FIELD ADJUSTED	ТЗ	0	Ø6	_
7	TO BE FIELD ADJUSTED	ТЗ	0	Ø6	_
8	TO BE FIELD ADJUSTED	Т4	0	Ø4	-
9	TO BE FIELD ADJUSTED	Т4	0	Ø4	-
10	TO BE FIELD ADJUSTED	T5	0	Ø8	-
11	TO BE FIELD ADJUSTED	T5	0	Ø8	_
12	TO BE FIELD ADJUSTED	T1	0	_	Ø2
13	TO BE FIELD ADJUSTED	T1	0	-	Ø2
14	TO BE FIELD ADJUSTED	T1	0	-	Ø2
15	TO BE FIELD ADJUSTED	T2	0	_	Ø1
16	TO BE FIELD ADJUSTED	ТЗ	0	_	Ø6
17	TO BE FIELD ADJUSTED	Т3	0	_	Ø6
18	TO BE FIELD ADJUSTED	Т3	0	_	Ø6
19	TO BE FIELD ADJUSTED	Т4	0	_	Ø4
/20	TO BE FIELD ADJUSTED	Т4	0	-	Ø4
\wedge	TO BE FIELD				

EXISTING DETECTOR DATA | DETECTOR | VEHICLE | DELAY | CALL | UTLIZATION |

ADJUSTED

ADJUSTED

- 1. DELAY AND EXTENSION TIMINGS SHALL BE PROGRAMMED IN THE CONTROLLER ONLY.
- 2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SETTING PROPOSED DETECTION ZONES AS SHOWN ON THE PLANS, AND ADJUSTING/READJUSTING DETECTION ZONES IN THE PRESENCE OF THE ENGINEER.

	Ø1			Ø2			Ø4			Ø6			Ø8			Ø9*		N
Y	<i>/</i>		*	11 1		Y	111		Y	111	Y	Y ,		Y	Y			
G FO	R FL	JLLY	ACT	UAT	ED C	CONT	TROL	_ (C(OOR	DINA	TED)						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	FLASH
R	R	R	R	R	R	R	R	R	G	Y	R	R	R	R	R	R	R	FY

MIN

Ø1&Ø6

EXISTING SEQUENCE AND TIMING FOR FULLY ACTUATED CONTROL (COORDINATED)																					
APPROACH	DIRECTION	HOUSING	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	FLASH
WORCESTER RD (RTE 9)	WB	А	R	R	R	R	R	R	R	R	R	G	Y	R	R	R	R	R	R	R	FY
WORCESTER RD (RTE 9)	WB	B,C	R	R	R	R	R	R	R	R	R	Ĝ	Y	R	R	R	R	R	R	R	FY
WORCESTER RD (RTE 9)	WB	D	⟨-G-	(Y-	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	←R—	⟨R−	⟨R−	⟨R−	←R—	⟨R−	←FR—
WORCESTER RD (RTE 9)	EB	E,F,G	R	R	R	Ĝ	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	FY
DEAN ROAD	NB	K,L	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	←R—	←G—	(Y-	⟨R−	←R-	←R−	⟨R−	←FR—
NATICK MALL DRIVEWAY	SB	H,J	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨R−	⟨-G-	-Y-	⟨R−	⟨R−	⟨R−	←R—	←R—	⟨R−	⟨R−	(−G−	(Y-	⟨R−	←FR—
PEDESTRIAN		ALL	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	W/FDW	FDW	DW	OFF

								TIM	ING IN	SECO	NDS								
MINIMUM GREEN (INITIAL)	6			10			6			10			6						
PASSAGE TIME (VEHICLE)	2			2			2			2			2						>
MAXIMUM 1	10			30			20			40			20						NL'
MAXIMUM 2																			FL A
YELLOW CLEARANCE		3.5			4			4			4			4			4		
RED CLEARANCE			3			1			2			1			2			3	FLI
PEDESTRIAN WALK																7/24			
PEDESTRIAN CLEARANCE																			0 0
DETECTOR MEMORY	N	ON-LO	CK	N	ON-LO	CK	N	ON-LO	CK	NO	DN-LO	CK	NO	ON-LO	CK			1	

OFF

COORDINA	TION DATA				PHASE SF	PLIT TIMES		
TIMING PLAN	CYCLE	OFFSET	Ø1	Ø2	Ø4	Ø6	Ø8	Ø9*
				TIME	BASED COORDINAT	TION BACK-UP PRO	GRAM	
1/1/1 M-F 6AM-9AM	85	63	22(14)	51(21)	12(12)	73(35)	12(12)	0(38)
2/1/1 M-F 11AM-2PM	90	69	28(14)	46(22)	16(16)	74(36)	16(16)	0(38)
3/1/1 M-F 3PM-7PM	90	70	26(14)	51(25)	13(13)	77(39)	13(13)	0(38)
4/1/1 SAT&SUN 9AM-7PM	100	95	28(14)	57(35)	15(13)	85(49)	15(13)	0(38)
5/1/1 M-F 11AM-2PM	110	51	28(14)	59(42)	23(16)	87(56)	23(16)	0(38)
6/1/1 M-F 3PM-7PM	120	27	33(14)	71(55)	16(13)	104(69)	16(13)	0(38)
7/1/1 SAT&SUN 9AM-7PM	130	25	34(20)	75(57)	21(15)	109(77)	21(15)	0(38)
					ADAPTIVE TRAFFIC	CONTROL PROGRA	M	,

MIN

77 17 1 07 (1 0 0 0 1 0 7 (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100		01(20)	10(01)	21(10)	100(11)	21(10)	0(00)
				A	ADAPTIVE TRAFFIC	CONTROL PROGRAI	VI	
21/1/1 M-F 5AM-10AM SAT&SUN 8AM-10AM	60	20	14	34	12	48	12	38
22/1/1 M-F 10AM-10PM SAT&SUN 10AM-10PM	80	61	25	41	14	66	14	38
MODE				COORD Ø			COORD Ø	

RECALL


- 1. AUTOMATIC FLASHING OPERATION PER 2009 M.U.T.C.D., AS AMENDED.
- 2. * UPON PEDESTRIAN PUSH BUTTON ACTUATION
- 3. Y = YIELD CONTROL
- 4. OL = OVERLAP 5. Ø4 & Ø8 DUAL ENTRY
- 6. MAXIMUM 1 = NORMAL OPERATION
- 7. MAXIMUM 2 = NOT USED
- 8. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING OPERATION FOR EMERGENCY ONLY.

OFF

- 9. DURING PEDESTRIAN INTERVAL, FDW THROUGH YELLOW OPERATION SHALL BE IN EFFECT.
- 10. INHIBIT MAX TERMINATION SHALL BE IN EFFECT DURING COORDINATION.
- 11. Ø2&Ø6 "CALL NOT ACTUATED" DURING COORDINATION.
- 12. OFFSET: BEGINNING OF Ø2&Ø6 GREEN.
- 13. PLAN FORCE OFF SHALL BE IN EFFECT. 14. SPLIT TIMES EQUAL GREEN PLUS CLEARANCES.
- 15. (X) SPLIT TIME WITH PEDESTRIAN PHASE ACTUATED.
- 16. YIELD MODE COORDINATION SHALL BE IN EFFECT.
- 13. PLANS 5 THRU 7 SHALL BE PROGRAMMED FOR USE NOVEMBER 15 THRU JANUARY 1.
 - EXISTING EMERGENCY VEHICLE PRE-EMPTION OPERATION

EXISTING	PRE-EMPTIO	N PHASING	& PRIORITY
DETECTOR & PRIORITY	PRE-EMPT PHASE ASSIGNMENT	MOVEMENT	VEHICLE PHASE ASSIGNMENT
D1	1	\Rightarrow	Ø2
Π2	2		018.06

- EMERGENCY VEHICLE PRE-EMPTION SIGNALS SHALL BE OPTICALLY TRANSMITTED BY OPTICAL EMITTERS MOUNTED IN EMERGENCY VEHICLES AND RECEIVED BY OPTICAL DETECTORS LOCATED AT EACH INTERSECTION.
- 2. PRE-EMPTION SIGNALS SHALL BE SERVICED ON A PRIORITY BASIS WITH DETECTORS D1 OR D2 ASSIGNED DESCENDING PRIORITIES AS FOLLOWS: (D1 HIGHEST AND D2 LOWEST)
- 3. IN RESPONSE TO A PRE-EMPTION SIGNAL RECEIVED AT AN INTERSECTION BY OPTICAL DETECTOR D1 (OR D2) THE CONTROLLER SHALL HOLD OR ADVANCE TO AND HOLD IN EMERGENCY VEHICLE PRE-EMPTION PHASE #1 (OR #2) GREEN FOR A MINIMUM OF TEN (10) SECONDS OR UNTIL PRE-EMPTION SIGNAL CEASES. THE CONTROLLER SHALL THEN TIME PRE-EMPTION PHASE CLEARANCES FOR THE ASSOCIATED PHASE(S) AS SHOWN IN THE SEQUENCE AND TIMING CHART AND SERVICE SUBSEQUENT EMERGENCY VEHICLE PRE-EMPTION PHASES AS NECESSARY.
- 4. MINIMUM GREEN AND NORMAL VEHICLE CLEARANCE SHALL BE PROVIDED ON PHASES THAT ARE TO BE TERMINATED BY PRE-EMPTION DEMAND.
- 5. PRE-EMPTION STROBE SHALL BE ILLUMINATED WHENEVER ANY EMERGENCY VEHICLE PRE-EMPTION GREEN IS ON.
- 6. EMERGENCY VEHICLE PRE-EMPTION SHALL OVERRIDE COORDINATION.



SEQUENCE & TIMING NOTES:

PHASE SEQUENCE.

1. IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC

WILL NOT CHANGE DURING THE CLEARANCE INTERVAL.

4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC

EXISTING ADAPTIVE TRAFFIC CONTROL SETTINGS

INTERSECTION SETTINGS (ALL ENTRIES IN SECONDS)

MIN MAX MAX CYCLE RATE MAX SPLIT RATE CYCLE CYCLE OF CHANGE OF CHANGE

60 140

EXISTING PREFERENTIAL PHASE SEQUENCE

→ Ø2&Ø6

* UPON PEDESTRIAN PUSH BUTTON ACTUATION

COMBINATION OF NON-CONFLICTING PHASES.

THE APPROPRIATE CLEARANCE INTERVALS.


MOVEMENT IS TO REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATIONS FOR THAT TRAFFIC MOVEMENT

2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY

3. IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL

MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR THAT MOVEMENT WILL DISPLAY

1. SIGNAL HEAD A IS EQUIPPED WITH A 2" WIDE YELLOW REFLECTIVE BORDER.



TRAFFIC SIGNAL PLANS **LOCATION 24**

SEQUENCE & TIMING NOTES:

ø 9

ø 8

- 1. IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC MOVEMENT IS TO REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATIONS FOR THAT TRAFFIC MOVEMENT WILL NOT CHANGE DURING THE CLEARANCE INTERVAL.
- 2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY COMBINATION OF NON-CONFLICTING PHASES.
- 3. IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE SEQUENCE.
- 4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR THAT MOVEMENT WILL DISPLAY THE APPROPRIATE CLEARANCE INTERVALS.

PROPOSED SEQUENCE AN	ID TIMING	FOR FULL	_Y-	ACTU	JATE[) CO	NTR	OL (I	SOLA	TED)																		
STREET	DIRECTION	HOUSINGS	1	2	3	4	5	6	7	8	9 1	0 11	12	. 13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	FL/OP
ORCESTER ROAD (ROUTE 9)	EB	А												GL	YL	RL	RL	RL	RL										F
VORCESTER ROAD (ROUTE 9)	EB	B,C												GV	Υ	R	GV	Υ	R										F
WORCESTER ROAD (ROUTE 9)	WB	D												R	R	R	GV	Υ	R										F
WORCESTER ROAD (ROUTE 9)	WB	E												R	R	R	G	Υ	R										F
					7	IMINO	G IN	SECO	ONDS	,																			
MINIMUM GREEN (INITIAL)														5			5												
PASSAGE TIME (VEHICLE)														2			2												
MAXIMUM 1														25			75												
MAXIMUM 2														25			75												>
YELLOW CLEARANCE															4			3											
RED CLEARANCE																2			2										GE
WALK (W)																													LER TER
PEDESTRIAN CLEARANCE																													EMERGENCY
RECALL															OFF			MAX						l					
MEMORY														NON	-LOC	KING		_											

1. AUTOMATIC FLASHING OPERATION PER 2009 M.U.T.C.D., AS

APPROX. NORTH

ø 1

Ø 2

øЗ

ø 4

Ø 5

Ø 6


ø 7

- AMENDED.
- 2. MAXIMUM 1 = NORMAL OPERATION MAXIMUM 2 = NOT USED
- 4. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING OPERATION FOR EMERGENCY ONLY.


EXISTING PRE-EMPTION PHASING & PRIORITY

DETECTOR & PRIORITY	PRE-EMPT PHASE ASSIGNMENT	MOVEMENT	VEHICLE PHASE ASSIGNMENT
D1	1		ø5
D2	2	*	Ø6

EXISTING PREFERENTIAL PHASING SEQUENCE



EXISTING SIGNAL IDENTIFICATION



SIGNAL IDENTIFICATION NOTES:

- 1. ALL SIGNAL HEADS HAVE 5" LOUVERED BACKPLATES.
- 2. ALL SIGNAL LENSES ARE 12" DIA.
- 3. ALL SIGNAL HEADS ARE FIXED-MOUNTED.

EXISTING EMERGENCY VEHICLE PRE-EMPTION OPERATION.

- 1. EMERGENCY VEHICLE PRE-EMPTION SIGNALS SHALL BE OPTICALLY TRANSMITTED BY OPTICAL EMITTERS MOUNTED IN EMERGENCY VEHICLES AND RECEIVED BY OPTICAL DETECTORS LOCATED AT EACH INTERSECTION.
- 2. PRE-EMPTION SIGNALS SHALL BE SERVICED ON A PRIORITY BASIS WITH DETECTORS D1 OR D2 ASSIGNED DESCENDING PRIORITIES AS FOLLOWS: (D1 HIGHEST AND D2 LOWEST)
- 3. IN RESPONSE TO A PRE-EMPTION SIGNAL RECEIVED AT AN INTERSECTION BY OPTICAL DETECTOR D1 (OR D2) THE CONTROLLER SHALL HOLD OR ADVANCE TO AND HOLD IN EMERGENCY VEHICLE PRE-EMPTION PHASE #1 (OR #2) GREEN FOR A MINIMUM OF TEN (10) SECONDS OR UNTIL PRE-EMPTION SIGNAL CEASES. THE CONTROLLER SHALL THEN TIME PRE-EMPTION PHASE CLEARANCES FOR THE ASSOCIATED PHASE(S) AS SHOWN IN THE SEQUENCE AND TIMING CHART AND SERVICE SUBSEQUENT EMERGENCY VEHICLE PRE-EMPTION PHASES AS NECESSARY.
- 4. MINIMUM GREEN AND NORMAL VEHICLE CLEARANCE SHALL BE PROVIDED ON PHASES THAT ARE TO BE TERMINATED BY PRE-EMPTION DEMAND.
- 5. PRE-EMPTION STROBE SHALL BE ILLUMINATED WHENEVER ANY EMERGENCY VEHICLE PRE-EMPTION GREEN IS ON.

LIST C	F MAJO	R ITEMS REQUIRED
ROUTE 9 A	T U-TURN	
PAY ITEM	QUANTITY	DESCRIPTION
	1	TS 2 TYPE 1 ATC CONTROLLER IN A 32/48 ATC CABINET INSTALLED ON EXIST FOUNDATION
	1	OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET
	1	ETHERNET SWITCH
	1	VEHICLE DETECTION SYSTEM (DIGITAL IP CAMERA, VDP & CABLES)
	1	R&S EXIST VEHICLE DETECTION RADAR
816.24	1	CABINET MONITOR UNIT
0.012.	1	VIDEO INTERFACE/ EXTENSION VIDEO UNIT
	1	PROP PRE-EMPTION PHASE SELECTOR
	1	CONNECTED VEHICLE SYSTEM W/RSU


PLUS NECESSARY DUCT, CABLE, LABOR, MISCELLANEOUS MATERIAL AND EQUIPMENT TO COMPLETE THE INSTALLATION AND PROVIDE AN OPERATING TRAFFIC CONTROL SIGNAL.

PROPO	SED VIDEO DE	TECTION	DATA	
DETECTION ZONE	APPROACH/LANE	CAMERA	DELAY /EXT	CALL PHASE
1	ROUTE 9 EB U-TURN LANE	C1	0	Ø5
2	ROUTE 9 EB THRU LANE	C1	0	Ø6
3	ROUTE 9 EB THRU LANE	C1	0	Ø6
4	ROUTE 9 WB THRU LANE	C1	0	Ø6
5	ROUTE 9 WB THRU LANE	C1	0	Ø6
6	ROUTE 9 WB THRU LANE	C1	0	Ø6

NOTE: DELAY AND EXTENSION TIMINGS SHALL BE PROGRAMMED IN THE CONTROLLER ONLY

EXISTING RADAR	DETECTOR	DATA
----------------	----------	------

DETECTO ZONE	DR BEGIN ZONE	END ZONE	RADAR	DELAY /EXT	CALL PHASE
2	100' FROM WB SL	400' FROM WB SL	RVDS #1	0	Ø6
3	100' FROM WB SL	400' FROM WB SL	RVDS #1	0	Ø6



SPAT CHALLENGE
ROUTE 9

1. IF THE ASSIGNED RIGHT OF WAY FOR ANY TRAFFIC MOVEMENT IS STATE FED. AID PROJ. NO. TO REMAIN IN EFFECT DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATIONS FOR THAT TRAFFIC MOVEMENT WILL NOT CMQ-003S(330)X

TRAFFIC SIGNAL PLANS

4. IF THE ASSIGNED RIGHT-OF-WAY FOR ANY TRAFFIC MOVEMENT IS TO CHANGE DURING THE NEXT CALLED PHASE, THE SIGNAL INDICATION FOR THAT MOVEMENT WILL DISPLAY THE

2. THE RIGHT OF WAY MAY BE ASSIGNED TO ANY PHASE OR ANY

3. IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE

CHANGE DURING THE CLEARANCE INTERVAL.

COMBINATION OF NON-CONFLICTING PHASES.

SEQUENCE & TIMING NOTES:

SEQUENCE.

⊕ G IF FOLLOWED BY Ø1 + Ø6.

② ←G IF FOLLOWED BY Ø2 + Ø5.

③ R≠G IF FOLLOWED BY Ø3 + Ø8.

⊕ R ←G IF FOLLOWED BY Ø4 + Ø7.

LOCATION 25

APPROPRIATE CLEARANCE INTERVALS.

			EXISTIN	G LOOP	DETEC	TORS		
NUMBER	NUMBER SECTION	SIZE	NUMBER TURNS	OPERATION	CALL Ø	CALL DELAY (SECONDS)	EXTEND Ø	LOOP CONNECTION
5	3	6'X6'	3	PRESENCE	6	_	6	SERIES
6	3	6'X6'	3	PRESENCE	6	_	6	SERIES
7	3	6'X6'	3	PRESENCE	6	_	6	SERIES
	3	6'X6'	3	PRESENCE	2	_	2	SERIES
12	3	6'X6'	3	PRESENCE	2	_	2	SERIES
13	3	6'X6'	3	PRESENCE	2	_	2	SERIES
14	3	6'X6'	3	PRESENCE	2	_	2	SERIES

LIST C	F MAJO	R ITEMS REQUIRED
ROUTE 9 A	T OAK STREET	-
PAY ITEM	QUANTITY	DESCRIPTION
	1	TS 2 TYPE 1 ATC CONTROLLER INSTALLED IN EXISTING TS CABINET
	1	OVERHEAD DSRC UNIT W/ 4G LTE ANTENNA MTD TO CABINET
	1	ETHERNET SWITCH
	1	VEHICLE DETECTION SYSTEM (DIGITAL IP CAMERAS, VDP & CABLES)
	1	CABINET MONITOR UNIT
	1	VIDEO INTERFACE/ EXTENSION VIDEO UNIT
816,25	1	15' EXTENSION BRACKET
0.0.20	1	CONNECTED VEHICLE SYSTEM W/RSU

PLUS NECESSARY DUCT, CABLE, LABOR, MISCELLANEOUS MATERIAL AND EQUIPMENT TO COMPLETE THE INSTALLATION AND PROVIDE AN OPERATING TRAFFIC CONTROL SIGNAL.

DETECTION ZONE	APPROACH/LANE	CAMERA	DELAY /EXT	CAL PHAS
1	ROUTE 9 EB LEFT-TURN LANE	C1	0	Ø5
2	ROUTE 9 EB THRU LANE	C1	0	Ø2
3	ROUTE 9 EB THRU LANE	C1	0	Ø2
4	ROUTE 9 EB THRU-RIGHT LANE	C2	0	Ø2
5	ROUTE 9 WB LEFT-TURN LANE	C2	0	Ø1
6	ROUTE 9 WB THRU LANE	C2	0	Ø6
7	ROUTE 9 WB THRU LANE	C3	0	Ø6
8	ROUTE 9 WB THRU-RIGHT LANE	C3	0	Ø6
9	OAK STREET NB LEFT-TURN LANE	C3	0	Ø3
10	OAK STREET NB THRU LANE	C2	0	Ø8
11	OAK STREET NB RIGHT-TURN LANE	C3	0	Ø8
12	OAK STREET SB LEFT-TURN LANE	C3	0	Ø7
13	OAK STREET SB THRU LANE	C3	0	Ø4
14	OAK STREET SB RIGHT-TURN LANE	C3	0	Ø4

NOTE: DELAY AND EXTENSION TIMINGS SHALL BE PROGRAMMED IN THE CONTROLLER ONLY

									1																					
				Ø1			Ø2			øЗ			ø4			ø5			Ø6			ø7			Ø8			ø9*		
PROPOSED SEQUE	NCE &	TIMING																												
FOR				111			111			111]]]			JII			111			111			111					NOIL
FULLY ACTUATE	D CON	TROL	,	$\langle \rangle$			$\langle \rangle$			$\langle \ \ \rangle$		4	4 ∕_ >			$\langle \rangle$			$\langle \rangle$			$\langle \rangle \rangle$			$\langle \rangle$					A
				_	7			7		_	7		•	7			7			*		<u> </u>	7		_	7	^	•	→) ER
ROUTE	9				\rightarrow						\vdash				4					←			\vdash							9
(WORCESTER	ROAD`)			*		•	ν,			ν,			<			=	\preceq		~			Υ			~				
, ,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	/) \ \'			\) >,			>,			\ \tag{\chi}			>'			>'			\ \rangle \rangle \'						<u>១</u>
&																									A				. ♦	
OAK STR	EET			$\langle T \rangle$	`			`		T/	`		$\Delta T \geq$	`			\		ΔT_{ℓ}	\nearrow			`		4	*		•	_	LAS
LOCATIO	NI 1																		[1]											<u>E</u>
LOCATION	N I																													
															11	NTERVALS	•													
APPROACH	DIRECT.	FACES	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	
ROUTE 9 (WORCESTER ROAD)	EB	A,C	∢R	◆ R	∢R	€	₽	€	€	€	€		₩	₽	◆ G	4 Y ²	4 R [®]	₩-	₩			€	₩	₩	₩	₩	₩		€	4 R−
		B,D,E,F	R	R	R	G	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	Y
ROUTE 9 (WORCESTER ROAD)	WB	G,J,K,L	R	R + ⊕	R	R	R	R	R	R	R	R	R	R	R	R	R	G	Y	R	R	R	R	R	R	R	R	R	R	Y
OAK STREET	NB	H,M	4€ R	R R	4 ₽ ①	€	4 ₹		R R ∕ €	₽			■R R	■R R			- R R	∢R R			₽ R			- R G	₹	₹	- R R	■R R		- ■ ■
OAK STREET	IND	N,Q P,R,S	R	R	R	R P	R R	R	R R	P P	R	R	R	R	R	R	R	R	R	R	R	R	R	G	Y	R R	R	R	R	R
OAK STREET	SB	U,X,Y	R	R	R	R	R	R	R	R	R	G	Y	R	R	R	R	R	R	R	R/4G-	R/H-®	R (4)	R	R	R	R	R	R	R
ONN SINCE!	35	T,W,V	R	R	R	R	R	R	R	R	R	G	Y	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
PEDESTRIAN	N-S	P1,P2,P5,P6	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	W	FDW	DW	OFF
		P3,P4,P7,P8	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	DW	W	FDW	DW	OFF
														TIM	IING II	V SEC	ONDS											•		
MINIMUM GREEN			5			5			5			5			5			5			5			5						
MAX GREEN 1 (FREE)			15			90			15			30			15			90			15			30] ≻
MAX GREEN 2			15			90			15			30			15			90			15			30						
VEHICLE EXTENSION			2			2			2			2			2			2			2			2						
PED INTERVALS										_												_					7	30		ENC
YELLOW CLEARANCE				4			4			3	_		3	-		4			4			3	-		4					- RG
RED CLEARANCE				NON LOS	2		NON 100	2		1011 100	3		1001 1001	3		1011 1001	2		NON LOS:	2		NON LOCK	3		NIONI I CO	2			4	E W E
DETECTION (MEMORY)				NON-LOCK	K		NON-LOCK	۲		NON-LOC	K		NON-LOCK	ζ		NON-LOCK			NON-LOCK	(NON-LOCK	<u> </u>		NON-LOC	K		_		- "
RECALL				OFF			MIN			OFF			OFF			OFF			MIN			OFF			OFF			_		

1. AUTOMATIC FLASHING OPERATION PER 2009 M.U.T.C.D., AS

- AMENDED. 2. * UPON PEDESTRIAN PUSH BUTTON ACTUATION
- 3. Ø4 & Ø8 DUAL ENTRY
- 4. MAXIMUM 1 = NORMAL OPERATION
- 5. MAXIMUM 2 = NOT USED
- 6. STOP AND GO OPERATION FOR 24 HOURS PER DAY. FLASHING OPERATION FOR EMERGENCY ONLY.
- 7. DURING PEDESTRIAN INTERVAL, FDW THROUGH YELLOW
- OPERATION SHALL <u>NOT</u> BE IN EFFECT.

	EXISTIN	G SIGNAL FACE	S
R			P1-P8
B,D,E,F,G,J,K L,P,R,S,T,V,W	A,C,H,M	N,Q,U,X,Y	16" DUAL PEDESTRIAN
12" LENSES	12" LENSES	12" LENSES	W/ COUNTDOWN

NOTES:

- 1. ALL VEHICLE AND PEDESTRIAN LENSES SHALL BE LED TYPE.
- 2. ALL HOUSINGS TO BE PROVIDED WITH TUNNEL VISORS AND 5" BACKPLATES.
- 3. ALL HOUSINGS TO BE FIXED MOUNTED.

EXISTING PRE-EMPTION PHASING & PRIORITY RECEIVER PRE-EMPT VEHICLE MOVEMENT PHASE PHASE PRIORITY ASSIGNMENT ASSIGNMENT NB | Ø3+Ø8 EB | Ø2+Ø5 ₩B Ø1+Ø6 SB Ø4+Ø7

- 1. EMERGENCY VEHICLE PRE-EMPTION SIGNALS SHALL BE OPTICALLY TRANSMITTED BY OPTICAL EMITTERS MOUNTED IN EMERGENCY VEHICLES AND RECEIVED BY OPTICAL RECEIVERS LOCATED AT THE INTERSECTION.
- 2. PRE-EMPTION SIGNALS SHALL BE SERVICED ON A PRIORITY BASIS WITH RECEIVERS
- 3. IN RESPONSE TO A PRE-EMPTION SIGNAL RECEIVED AT AN INTERSECTION BY OPTICAL RECEIVER R4 (OR OTHERS AS PROVIDED) THE CONTROLLER SHALL HOLD OR ADVANCE TO AND HOLD IN EMERGENCE PRE-EMPTION THE ASSOCIATED GREEN PHASE FOR A MINIMUM OF TEN (10) SECONDS OR UNTIL, PRE-EMPTION SIGNAL CEASES. THE CONTROLLER SHALL THEN PROVIDE PRE-EMPTION PHASE CLEARANCE SERVICE THEN RESUME NORMAL OPERATION.
- 4. MINIMUM GREEN, NORMAL VEHICLE AND PEDESTRIAN CLEARANCE SHALL BE PROVIDED ON PHASES THAT ARE TO BE TERMINATED BY PRE-EMPTION DEMAND.
- 5. EMERGENCY VEHICLE PRE-EMPTION SHALL OVERRIDE COORDINATION.
- 6. ONCE PRE-EMPTION TERMINATES THE SIGNAL WILL RETURN TO PHASES 2+6 TO
- RESUME NORMAL OPERATION.

(CALLS ON ALL PHASES) FOR ROUTE 9 (WORCESTER ROAD) & OAK STREET	
Ø1 + Ø5	Ø4 + Ø8

Appendix D: Intersection Level of Service Analysis

Part 1: AM Existing Conditions Part 2: PM Existing Conditions Part 3: 2030 AM Conditions Part 4: 2030 PM Conditions

Part 1: AM Existing Conditions

	•	→	\rightarrow	•	•	•	4	†	/	-	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	16	↑ ↑₽			ተተተ	7	Ĭ		7	ň	ર્ન	7
Traffic Volume (vph)	440	1690	20	0	2860	650	20	0	10	110	25	90
Future Volume (vph)	440	1690	20	0	2860	650	20	0	10	110	25	90
Satd. Flow (prot)	3255	4812	0	0	4821	1501	1678	0	1501	1594	1626	1501
Flt Permitted	0.950						0.708			0.950	0.969	
Satd. Flow (perm)	3255	4812	0	0	4821	1501	1250	0	1501	1594	1626	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	458	1781	0	0	2979	677	21	0	10	70	71	94
Turn Type	Prot	NA			NA	Prot	Perm		Perm	Perm	NA	Perm
Protected Phases	1	6			2	2					8	
Permitted Phases							4		4	8		8
Total Split (s)	35.0	101.0			66.0	66.0	30.0		30.0	30.0	30.0	30.0
Total Lost Time (s)	5.0	6.0			6.0	6.0	5.0		5.0	5.0	5.0	5.0
Act Effct Green (s)	20.5	85.8			60.3	60.3	11.0		11.0	12.2	12.2	12.2
Actuated g/C Ratio	0.19	0.79			0.55	0.55	0.10		0.10	0.11	0.11	0.11
v/c Ratio	0.75	0.47			1.12	0.82	0.17		0.07	0.39	0.39	0.56
Control Delay	50.5	4.7			84.2	31.6	47.9		45.1	52.4	52.2	59.8
Queue Delay	0.0	0.0			0.0	0.0	0.0		0.0	0.0	0.0	0.0
Total Delay	50.5	4.7			84.2	31.6	47.9		45.1	52.4	52.2	59.8
LOS	D	Α			F	С	D		D	D	D	Е
Approach Delay		14.0			74.5			47.0			55.3	
Approach LOS		В			E			D			E	
Queue Length 50th (ft)	156	123			~876	365	13		6	48	49	63
Queue Length 95th (ft)	225	192			#1156	#733	40		24	102	101	124
Internal Link Dist (ft)		1018			585			187			263	
Turn Bay Length (ft)	400											
Base Capacity (vph)	899	4212			2665	829	287		345	367	374	345
Starvation Cap Reductn	0	0			0	0	0		0	0	0	0
Spillback Cap Reductn	0	0			0	0	0		0	0	0	0
Storage Cap Reductn	0	0			0	0	0		0	0	0	0
Reduced v/c Ratio	0.51	0.42			1.12	0.82	0.07		0.03	0.19	0.19	0.27

Cycle Length: 131

Actuated Cycle Length: 109.1

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.12

Intersection Signal Delay: 51.6

Intersection Capacity Utilization 91.5%

Intersection LOS: D

ICU Level of Service F

Analysis Period (min) 15


Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.





		-	•	•	•	~	/
Lane Group	EBU	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	Ð	^	7	ň	^	ሻሻ	
Traffic Volume (vph)	30	1710	520	70	1640	420	70
Future Volume (vph)	30	1710	520	70	1640	420	70
Satd. Flow (prot)	1678	3355	1501	1678	3355	3217	0
Flt Permitted	0.950			0.950		0.959	
Satd. Flow (perm)	1678	3355	1501	1678	3355	3217	0
Satd. Flow (RTOR)			*200				
Lane Group Flow (vph)	31	1781	542	73	1708	511	0
Turn Type	Prot	NA	Prot	Prot	NA	Prot	
Protected Phases	1	6	6	5	2	4	
Permitted Phases							
Total Split (s)	20.0	60.0	60.0	20.0	60.0	25.0	
Total Lost Time (s)	5.0	6.0	6.0	5.0	6.0	5.0	
Act Effct Green (s)	7.3	54.5	54.5	9.6	58.8	18.5	
Actuated g/C Ratio	0.08	0.57	0.57	0.10	0.61	0.19	
v/c Ratio	0.24	0.94	0.58	0.44	0.83	0.82	
Control Delay	48.5	32.2	12.2	50.6	21.3	50.4	
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	
Total Delay	48.5	32.2	12.2	50.6	21.3	50.4	
LOS	D	С	В	D	С	D	
Approach Delay		27.8			22.5	50.4	
Approach LOS		С			С	D	
Queue Length 50th (ft)	19	551	134	45	473	160	
Queue Length 95th (ft)	49	#800	261	89	#655	#247	
Internal Link Dist (ft)		1378			1287	306	
Turn Bay Length (ft)	400		400	300			
Base Capacity (vph)	264	1902	937	264	2054	675	
Starvation Cap Reductn	0	0	0	0	0	0	
Spillback Cap Reductn	0	0	0	0	0	0	
Storage Cap Reductn	0	0	0	0	0	0	
Reduced v/c Ratio	0.12	0.94	0.58	0.28	0.83	0.76	

Cycle Length: 105

Actuated Cycle Length: 96.1

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.94

Intersection Signal Delay: 28.3 Intersection Capacity Utilization 78.9% Intersection LOS: C

ICU Level of Service D

Analysis Period (min) 15

User Entered Value

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

2: Country Club Ln & Worcester Rd Splits and Phases:



Seth

		>	۶	→	74	←	>	Ļ	\	\mathbf{x}	4	*
Lane Group	EBU	EBL2	EBL	EBT	EBR	WBT	SBL2	SBL	SEL	SET	SER	NWL
Lane Configurations			Ä	44	7	ተተተ	ň	Ţ		4		ሻ
Traffic Volume (vph)	30	50	0	1790	90	1470	65	145	270	130	25	140
Future Volume (vph)	30	50	0	1790	90	1470	65	145	270	130	25	140
Satd. Flow (prot)	0	0	1678	3355	1501	4821	1678	1678	0	1698	0	1678
Flt Permitted		*0.950	*0.950				0.950	0.950				
Satd. Flow (perm)	0	0	1678	3355	1501	4821	1678	1678	0	1752	0	1766
Satd. Flow (RTOR)												
Lane Group Flow (vph)	0	0	83	1865	94	1531	68	151	0	442	0	146
Turn Type	Prot	Prot	Perm	NA	Perm	NA	Prot	Prot	Perm	NA		Perm
Protected Phases	13	13		2		6	13	13		8		
Permitted Phases			2		2				8			4
Total Split (s)	32.0	32.0	75.0	75.0	75.0	75.0	32.0	32.0	40.0	40.0		40.0
Total Lost Time (s)			5.0	5.0	5.0	5.0	5.0	5.0		5.0		7.0
Act Effct Green (s)			70.5	70.5	70.5	70.5	18.0	18.0		35.3		33.3
Actuated g/C Ratio			0.49	0.49	0.49	0.49	0.13	0.13		0.25		0.23
v/c Ratio			0.10	1.12	0.13	0.64	0.32	0.72		1.02		0.35
Control Delay			22.3	98.2	22.7	29.7	61.7	79.3		58.3		51.1
Queue Delay			0.1	0.0	0.0	0.0	0.0	0.0		0.7		0.0
Total Delay			22.4	98.2	22.7	29.7	61.7	79.3		59.0		51.1
LOS			С	F	С	С	Е	Е		Е		D
Approach Delay				91.7		29.7		73.8		59.0		
Approach LOS				F		С		Е		Е		
Queue Length 50th (ft)			37	~988	43	352	56	131		58		109
Queue Length 95th (ft)			95	#1530	107	584	119	239		m#706		218
Internal Link Dist (ft)				646		691		163		96		
Turn Bay Length (ft)			400		400							300
Base Capacity (vph)			830	1660	743	2386	320	320		433		412
Starvation Cap Reductn			0	0	0	0	0	0		1		0
Spillback Cap Reductn			210	0	0	0	0	0		0		0
Storage Cap Reductn			0	0	0	0	0	0		0		0
Reduced v/c Ratio			0.13	1.12	0.13	0.64	0.21	0.47		1.02		0.35

Cycle Length: 170

Actuated Cycle Length: 142.5

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.12

Intersection Signal Delay: 64.3 Intersection Capacity Utilization 112.6% Intersection LOS: E

ICU Level of Service H

Analysis Period (min) 15

- User Entered Value
- Volume exceeds capacity, queue is theoretically infinite.


Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 3: Temple St & Worcester Rd & Jug Handle





0	N 11 A / T	NIMPO	~11
Lane Group	NWT	NWR2	Ø14
Lane Configurations	f)		
Traffic Volume (vph)	140	100	
Future Volume (vph)	140	100	
Satd. Flow (prot)	1657	0	
Flt Permitted			
Satd. Flow (perm)	1657	0	
Satd. Flow (RTOR)			
Lane Group Flow (vph)	250	0	
Turn Type	NA		
Protected Phases	4		14
Permitted Phases			
Total Split (s)	40.0		23.0
Total Lost Time (s)	7.0		
Act Effct Green (s)	33.3		
Actuated g/C Ratio	0.23		
v/c Ratio	0.65		
Control Delay	60.1		
Queue Delay	0.6		
Total Delay	60.6		
LOS	Е		
Approach Delay	57.1		
Approach LOS	Е		
Queue Length 50th (ft)	201		
Queue Length 95th (ft)	#388		
Internal Link Dist (ft)	704		
Turn Bay Length (ft)			
Base Capacity (vph)	386		
Starvation Cap Reductn	0		
Spillback Cap Reductn	20		
Storage Cap Reductn	0		
Reduced v/c Ratio	0.68		
Intersection Summary			

Seth Synchro 11 Report Page 4

	۶	→	\rightarrow	•	←	•	1	†	/	-	ţ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			ĵ∍			र्स			ĵ∍	
Traffic Volume (vph)	10	0	55	0	20	90	20	175	0	0	360	5
Future Volume (vph)	10	0	55	0	20	90	20	175	0	0	360	5
Satd. Flow (prot)	0	1552	0	0	1572	0	0	1757	0	0	1762	0
Flt Permitted		0.965						*0.800				
Satd. Flow (perm)	0	1508	0	0	1572	0	0	1413	0	0	1762	0
Satd. Flow (RTOR)		77			94							
Lane Group Flow (vph)	0	67	0	0	115	0	0	203	0	0	380	0
Turn Type	Perm	NA			NA		Perm	NA			NA	
Protected Phases		2						4			8	
Permitted Phases	2				6		4					
Total Split (s)	75.0	75.0			75.0		40.0	40.0			40.0	
Total Lost Time (s)		5.0			5.0			7.0			5.0	
Act Effct Green (s)		70.5			70.5			33.3			35.3	
Actuated g/C Ratio		0.49			0.49			0.23			0.25	
v/c Ratio		0.09			0.14			0.62			0.87	
Control Delay		4.3			7.1			29.4			73.0	
Queue Delay		0.1			0.0			5.0			2.3	
Total Delay		4.4			7.1			34.4			75.3	
LOS		А			Α			С			Е	
Approach Delay		4.4			7.1			34.4			75.3	
Approach LOS		А			Α			С			Е	
Queue Length 50th (ft)		0			9			58			325	
Queue Length 95th (ft)		26			56			#192			#664	
Internal Link Dist (ft)		1206			164			96			221	
Turn Bay Length (ft)												
Base Capacity (vph)		785			825			329			436	
Starvation Cap Reductn		0			0			74			0	
Spillback Cap Reductn		215			0			0			15	
Storage Cap Reductn		0			0			0			0	
Reduced v/c Ratio		0.12			0.14			0.80			0.90	

Cycle Length: 170

Actuated Cycle Length: 142.5

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.12

Intersection Signal Delay: 48.0
Intersection Capacity Utilization 46.5%


Intersection LOS: D
ICU Level of Service A

Analysis Period (min) 15

- * User Entered Value
- # 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 4: Temple St & Old Worcester Rd



	۶	→	•	•	←	•	1	†	/	-	ţ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻ	4	7					414			414	
Traffic Volume (vph)	329	23	284	0	0	0	28	842	3	201	525	187
Future Volume (vph)	329	23	284	0	0	0	28	842	3	201	525	187
Satd. Flow (prot)	1594	1607	1501	0	0	0	0	3349	0	0	3216	0
Flt Permitted	0.950	0.958						0.896			0.609	
Satd. Flow (perm)	1594	1607	1501	0	0	0	0	3006	0	0	1980	0
Satd. Flow (RTOR)												
Lane Group Flow (vph)	182	185	296	0	0	0	0	909	0	0	951	0
Turn Type	Split	NA	pt+ov				pm+pt	NA		Perm	NA	
Protected Phases	3	3	3 5				5	2			6 4	
Permitted Phases							2			6 4		
Total Split (s)	25.0	25.0					18.0	68.0				
Total Lost Time (s)	6.5	6.5						5.5				
Act Effct Green (s)	18.5	18.5	30.0					62.5			71.0	
Actuated g/C Ratio	0.15	0.15	0.24					0.50			0.57	
v/c Ratio	0.77	0.78	0.82					0.59			0.85	
Control Delay	73.6	74.0	43.8					23.6			12.9	
Queue Delay	1.0	1.1	0.0					0.1			0.0	
Total Delay	74.6	75.1	43.8					23.7			12.9	
LOS	Е	Е	D					С			В	
Approach Delay		61.0						23.7			12.9	
Approach LOS		Е						С			В	
Queue Length 50th (ft)	150	153	129					257			77	
Queue Length 95th (ft)	#270	#275	#253					319			78	
Internal Link Dist (ft)		457			497			605			150	
Turn Bay Length (ft)	300		250									
Base Capacity (vph)	235	237	360					1537			1124	
Starvation Cap Reductn	0	0	0					0			0	
Spillback Cap Reductn	6	6	0					45			0	
Storage Cap Reductn	0	0	0					0			0	
Reduced v/c Ratio	0.79	0.80	0.82					0.61			0.85	

Cycle Length: 150

Actuated Cycle Length: 125

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.92


Intersection Signal Delay: 29.4 Intersection LOS: C
Intersection Capacity Utilization 74.8% ICU Level of Service D

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 5: Main St/Edgell Rd & High St /High St



	٠	→	•	•	←	•	4	†	<i>></i>	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations				ሻሻ	f)		7	†			∱ β	
Traffic Volume (vph)	0	0	0	370	78	75	396	782	0	0	651	41
Future Volume (vph)	0	0	0	370	78	75	396	782	0	0	651	41
Satd. Flow (prot)	0	0	0	3255	1635	0	1678	1766	0	0	3325	0
Flt Permitted				0.950			0.268					
Satd. Flow (perm)	0	0	0	3255	1635	0	473	1766	0	0	3325	0
Satd. Flow (RTOR)												
Lane Group Flow (vph)	0	0	0	385	159	0	413	815	0	0	721	0
Turn Type				Split	NA		pm+pt	NA			NA	
Protected Phases				4	4		5	23			6	
Permitted Phases							23					
Total Split (s)				32.0	32.0		18.0				50.0	
Total Lost Time (s)				5.5	5.5		5.5				5.5	
Act Effct Green (s)				26.5	26.5		87.5	87.5			44.5	
Actuated g/C Ratio				0.21	0.21		0.70	0.70			0.36	
v/c Ratio				0.56	0.46		0.92	0.66			0.61	
Control Delay				47.6	48.0		38.8	5.5			35.8	
Queue Delay				0.0	0.0		5.8	0.3			0.1	
Total Delay				47.6	48.0		44.6	5.7			35.9	
LOS				D	D		D	Α			D	
Approach Delay					47.7			18.8			35.9	
Approach LOS					D			В			D	
Queue Length 50th (ft)				144	113		65	25			250	
Queue Length 95th (ft)				196	183		m#140	60			316	
Internal Link Dist (ft)		271			808			150			421	
Turn Bay Length (ft)				500								
Base Capacity (vph)				690	346		451	1236			1183	
Starvation Cap Reductn				0	0		21	82			0	
Spillback Cap Reductn				0	0		0	0			40	
Storage Cap Reductn				0	0		0	0			0	
Reduced v/c Ratio				0.56	0.46		0.96	0.71			0.63	

Cycle Length: 150

Actuated Cycle Length: 125

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.92

Intersection Signal Delay: 30.1 Intersection LOS: C
Intersection Capacity Utilization 65.5% ICU Level of Service C


Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 6: Edgell Rd & Pleasant St



	-	•	•	•	1	/					
Lane Group	EBT	EBR	WBL	WBT	NBL	NBR	Ø3	Ø4	Ø5	Ø11	
Lane Configurations	^			ተተተ		77					
Traffic Volume (vph)	1960	10	0	1522	0	550					
Future Volume (vph)	1960	10	0	1522	0	550					
Satd. Flow (prot)	4816	0	0	4821	0	2642					
Flt Permitted											
Satd. Flow (perm)	4816	0	0	4821	0	2642					
Satd. Flow (RTOR)	1					887					
Lane Group Flow (vph)	2052	0	0	1585	0	573					
Turn Type	NA			NA		Prot					
Protected Phases	2			6		9	3	4	5	11	
Permitted Phases											
Total Split (s)	70.0			55.0		24.0	26.0	15.0	15.0	25.0	
Total Lost Time (s)	6.0			6.0		6.0					
Act Effct Green (s)	64.7			53.3		18.2					
Actuated g/C Ratio	0.51			0.42		0.14					
v/c Ratio	0.84			0.78		0.50					
Control Delay	31.8			16.1		1.6					
Queue Delay	0.1			1.2		0.2					
Total Delay	31.9			17.3		1.8					
LOS	С			В		Α					
Approach Delay	31.9			17.3	1.8						
Approach LOS	С			В	Α						
Queue Length 50th (ft)	454			81		0					
Queue Length 95th (ft)	#916			#709		0					
Internal Link Dist (ft)	422			244	416						
Turn Bay Length (ft)											
Base Capacity (vph)	2450			2021		1138					
Starvation Cap Reductn	0			222		0					
Spillback Cap Reductn	24			0		111					
Storage Cap Reductn	0			0		0					
Reduced v/c Ratio	0.85			0.88		0.56					

Cycle Length: 160

Actuated Cycle Length: 127.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.86


Intersection Signal Delay: 22.3 Intersection LOS: C
Intersection Capacity Utilization 67.3% ICU Level of Service C

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 7: Main St & Worcester Rd



	•	→	\rightarrow	•	•	•	•	†	/	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	7	ተተተ			↑ ↑			4		77		7
Traffic Volume (vph)	200	2310	0	0	1560	90	0	1	0	375	0	200
Future Volume (vph)	200	2310	0	0	1560	90	0	1	0	375	0	200
Satd. Flow (prot)	1678	4821	0	0	4783	0	0	1766	0	3255	0	1678
Flt Permitted	0.950									0.950		
Satd. Flow (perm)	1678	4821	0	0	4783	0	0	1766	0	3255	0	1678
Satd. Flow (RTOR)												
Lane Group Flow (vph)	208	2406	0	0	1719	0	0	1	0	391	0	208
Turn Type	Prot	NA			NA			NA		Prot		Perm
Protected Phases	59	29			6			4		3		
Permitted Phases							4					3
Total Split (s)					55.0		15.0	15.0		26.0		26.0
Total Lost Time (s)					6.0			6.0		6.0		6.0
Act Effct Green (s)	30.4	88.0			53.3			5.7		20.2		20.2
Actuated g/C Ratio	0.24	0.69			0.42			0.04		0.16		0.16
v/c Ratio	0.52	0.72			0.86			0.01		0.76		0.78
Control Delay	68.9	7.3			39.5			65.0		62.1		72.7
Queue Delay	1.0	0.1			0.6			0.0		0.0		0.0
Total Delay	69.9	7.4			40.1			65.0		62.1		72.7
LOS	Е	Α			D			Е		Е		E
Approach Delay		12.4			40.1			65.0			65.8	
Approach LOS		В			D			Е			Е	
Queue Length 50th (ft)	167	79			413			1		149		155
Queue Length 95th (ft)	m250	246			#844			8		#308		#386
Internal Link Dist (ft)		244			273			196			695	
Turn Bay Length (ft)												200
Base Capacity (vph)	450	3334			2005			126		517		266
Starvation Cap Reductn	92	202			0			0		0		0
Spillback Cap Reductn	0	0			77			0		0		0
Storage Cap Reductn	0	0			0			0		0		0
Reduced v/c Ratio	0.58	0.77			0.89			0.01		0.76		0.78

Cycle Length: 160

Actuated Cycle Length: 127.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.86

Intersection Signal Delay: 28.6
Intersection Capacity Utilization 72.7%

Intersection LOS: C
ICU Level of Service C


Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 8: Worcester Rd & Prospect St



	•	→	\rightarrow	•	←	•	•	†	/	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	77	↑ ↑₽		77	↑ ↑		ň	4		77		7
Traffic Volume (vph)	400	2050	10	30	1310	110	60	0	70	110	0	100
Future Volume (vph)	400	2050	10	30	1310	110	60	0	70	110	0	100
Satd. Flow (prot)	3255	4816	0	3255	4763	0	1594	1439	0	3255	0	1501
Flt Permitted	0.950			0.950			0.950	0.996		0.833		
Satd. Flow (perm)	3255	4816	0	3255	4763	0	1594	1439	0	2854	0	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	417	2145	0	31	1480	0	57	79	0	115	0	104
Turn Type	Prot	NA		Prot	NA		Perm	NA		Perm		pm+ov
Protected Phases	5	2		1	6			8				5
Permitted Phases							8			4		4
Total Split (s)	18.0	34.0		14.0	30.0		12.0	12.0		12.0		18.0
Total Lost Time (s)	7.5	6.0		7.5	6.0		6.0	6.0		6.0		7.5
Act Effct Green (s)	11.4	40.0		6.2	25.5		6.0	6.0		6.0		21.0
Actuated g/C Ratio	0.19	0.67		0.10	0.42		0.10	0.10		0.10		0.35
v/c Ratio	0.68	0.67		0.09	0.73		0.36	0.55		0.40		0.20
Control Delay	30.1	12.1		25.0	17.5		32.0	42.8		29.9		13.9
Queue Delay	0.0	0.0		0.0	0.0		0.0	0.0		0.0		0.0
Total Delay	30.1	12.1		25.0	17.5		32.0	42.8		29.9		13.9
LOS	С	В		С	В		С	D		С		В
Approach Delay		15.0			17.7			38.3			22.3	
Approach LOS		В			В			D			С	
Queue Length 50th (ft)	74	118		5	164		21	29		20		24
Queue Length 95th (ft)	#129	#381		15	215		52	#83		42		54
Internal Link Dist (ft)		865			3810			474			672	
Turn Bay Length (ft)	500			300			250			300		
Base Capacity (vph)	616	3212		352	2027		159	143		285		524
Starvation Cap Reductn	0	0		0	0		0	0		0		0
Spillback Cap Reductn	0	0		0	0		0	0		0		0
Storage Cap Reductn	0	0		0	0		0	0		0		0
Reduced v/c Ratio	0.68	0.67		0.09	0.73		0.36	0.55		0.40		0.20

Cycle Length: 60

Actuated Cycle Length: 60

Offset: 12 (20%), Referenced to phase 2:EBT and 6:WBT, Start of Green

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.73

Intersection Signal Delay: 17.0

Intersection Capacity Utilization 71.6%


Intersection LOS: B ICU Level of Service C

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.





Seth

	٠	→	\rightarrow	•	←	•	•	†	/	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	7	ተተ _ጉ		, j	ተተኈ		ň	+	7	, Y	+	7
Traffic Volume (vph)	150	1920	130	115	1390	220	180	281	130	275	210	120
Future Volume (vph)	150	1920	130	115	1390	220	180	281	130	275	210	120
Satd. Flow (prot)	1678	4778	0	1678	4725	0	1678	1766	1501	1678	1766	1501
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1678	4778	0	1678	4725	0	1678	1766	1501	1678	1766	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	156	2135	0	120	1677	0	188	293	135	286	219	125
Turn Type	Prot	NA		Prot	NA		Prot	NA	Perm	Prot	NA	Perm
Protected Phases	5	2		1	6		3	8		7	4	
Permitted Phases									8			4
Total Split (s)	17.0	35.0		17.0	35.0		18.0	20.0	20.0	18.0	20.0	20.0
Total Lost Time (s)	6.0	6.0		6.0	6.0		6.0	6.0	6.0	6.0	6.0	6.0
Act Effct Green (s)	10.6	30.0		10.0	29.4		11.8	14.0	14.0	12.0	14.2	14.2
Actuated g/C Ratio	0.12	0.33		0.11	0.33		0.13	0.16	0.16	0.13	0.16	0.16
v/c Ratio	0.79	1.34		0.65	1.09		0.86	1.07	0.58	1.28	0.79	0.53
Control Delay	66.6	185.8		54.5	81.3		72.8	112.6	46.2	191.5	58.0	44.0
Queue Delay	0.0	0.0		0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	66.6	185.8		54.5	81.3		72.8	112.6	46.2	191.5	58.0	44.0
LOS	E	F		D	F		Е	F	D	F	Е	D
Approach Delay		177.7			79.5			85.9			115.8	
Approach LOS		F			Е			F			F	
Queue Length 50th (ft)	87	~597		65	~400		106	~186	72	~208	122	66
Queue Length 95th (ft)	#185	#693		#130	#495		#222	#343	132	#364	#237	123
Internal Link Dist (ft)		351			574			601			628	
Turn Bay Length (ft)	400			400			300		300	300		300
Base Capacity (vph)	205	1592		205	1542		223	274	233	223	278	236
Starvation Cap Reductn	0	0		0	0		0	0	0	0	0	0
Spillback Cap Reductn	0	0		0	0		0	0	0	0	0	0
Storage Cap Reductn	0	0		0	0		0	0	0	0	0	0
Reduced v/c Ratio	0.76	1.34		0.59	1.09		0.84	1.07	0.58	1.28	0.79	0.53

Cycle Length: 90

Actuated Cycle Length: 90

Offset: 0 (0%), Referenced to phase 2:EBT and 6:WBT, Start of Green

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.34

Intersection Signal Delay: 126.7

Intersection LOS: F
ICU Level of Service F

Intersection Capacity Utilization 96.4% Analysis Period (min) 15

Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 13: Oak Street & Worcester Rd



Part 2: PM Existing Conditions

	•	→	•	•	←	•	•	†	~	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	14.54	ተተ _ጉ			ተተተ	7	Ĭ		7	ř	ર્ન	7
Traffic Volume (vph)	105	3140	10	0	2190	150	20	0	10	700	10	390
Future Volume (vph)	105	3140	10	0	2190	150	20	0	10	700	10	390
Satd. Flow (prot)	3255	4821	0	0	4821	1501	1678	0	1501	1594	1601	1501
Flt Permitted	0.950						0.167			0.950	0.954	
Satd. Flow (perm)	3255	4821	0	0	4821	1501	295	0	1501	1594	1601	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	109	3281	0	0	2281	156	21	0	10	372	367	406
Turn Type	Prot	NA			NA	Perm	Perm		Perm	Perm	NA	Perm
Protected Phases	1	6			2						8	
Permitted Phases						2	4		2	8		8
Total Split (s)	35.0	101.0			66.0	66.0	30.0		66.0	30.0	30.0	30.0
Total Lost Time (s)	5.0	6.0			6.0	6.0	6.0		6.0	5.0	5.0	5.0
Act Effct Green (s)	9.8	95.0			80.2	80.2	24.0		80.2	25.0	25.0	25.0
Actuated g/C Ratio	0.07	0.73			0.61	0.61	0.18		0.61	0.19	0.19	0.19
v/c Ratio	0.45	0.94			0.77	0.17	0.39		0.01	1.22	1.20	1.42
Control Delay	63.6	22.4			21.3	11.9	70.1		10.7	170.7	163.4	246.9
Queue Delay	0.0	0.0			0.0	0.0	0.0		0.0	0.0	0.0	0.0
Total Delay	63.6	22.4			21.3	11.9	70.1		10.7	170.7	163.4	246.9
LOS	Е	С			С	В	Е		В	F	F	F
Approach Delay		23.7			20.7			50.9			195.4	
Approach LOS		С			С			D			F	
Queue Length 50th (ft)	46	784			493	54	16		3	~408	~397	~464
Queue Length 95th (ft)	76	880			589	93	#49		11	#616	#606	#668
Internal Link Dist (ft)		1018			585			187			263	
Turn Bay Length (ft)	400											
Base Capacity (vph)	745	3496			2953	919	54		919	304	305	286
Starvation Cap Reductn	0	0			0	0	0		0	0	0	0
Spillback Cap Reductn	0	0			0	0	0		0	0	0	0
Storage Cap Reductn	0	0			0	0	0		0	0	0	0
Reduced v/c Ratio	0.15	0.94			0.77	0.17	0.39		0.01	1.22	1.20	1.42

Cycle Length: 131

Actuated Cycle Length: 131

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.42

Intersection Signal Delay: 50.8 Intersection Capacity Utilization 98.9%

Intersection LOS: D
ICU Level of Service F


Analysis Period (min) 15


Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.





		→	\rightarrow	•	←	1	/
Lane Group	EBU	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	đ	^	7	ħ	^	ሻሻ	
Traffic Volume (vph)	50	1740	430	200	1750	380	100
Future Volume (vph)	50	1740	430	200	1750	380	100
Satd. Flow (prot)	1678	3355	1501	1678	3355	3194	0
Flt Permitted	0.950			0.950		0.962	
Satd. Flow (perm)	1678	3355	1501	1678	3355	3194	0
Satd. Flow (RTOR)			*200				
Lane Group Flow (vph)	52	1813	448	208	1823	500	0
Turn Type	Prot	NA	pt+ov	Prot	NA	Prot	
Protected Phases	5	2	27	1	6	7	
Permitted Phases							
Total Split (s)	20.0	60.0		20.0	60.0	25.0	
Total Lost Time (s)	5.0	6.0		5.0	6.0	5.0	
Act Effct Green (s)	8.6	54.0	78.2	14.6	62.2	19.2	
Actuated g/C Ratio	0.08	0.52	0.75	0.14	0.60	0.18	
v/c Ratio	0.37	1.04	0.38	0.89	0.91	0.85	
Control Delay	52.4	58.2	3.2	80.1	28.1	55.6	
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	
Total Delay	52.4	58.2	3.2	80.1	28.1	55.6	
LOS	D	Е	Α	F	С	Е	
Approach Delay		47.4			33.4	55.6	
Approach LOS		D			С	Е	
Queue Length 50th (ft)	34	~702	41	139	564	167	
Queue Length 95th (ft)	71	#841	75	#270	#811	#245	
Internal Link Dist (ft)		1378			1287	306	
Turn Bay Length (ft)	400		400	300			
Base Capacity (vph)	242	1746	1190	242	2010	615	
Starvation Cap Reductn	0	0	0	0	0	0	
Spillback Cap Reductn	0	0	0	0	0	0	
Storage Cap Reductn	0	0	0	0	0	0	
Reduced v/c Ratio	0.21	1.04	0.38	0.86	0.91	0.81	

Cycle Length: 105

Actuated Cycle Length: 103.8

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.04

Intersection Signal Delay: 42.4

Intersection Capacity Utilization 86.5%

Intersection LOS: D

ICU Level of Service E

Analysis Period (min) 15

- * User Entered Value
- ~ Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 2: Country Club Ln & Worcester Rd



	₾	>	۶	→	-	←	-	Ļ	\	×	4	*
Lane Group	EBU	EBL2	EBL	EBT	EBR	WBT	SBL2	SBL	SEL	SET	SER	NWL
Lane Configurations			Ä	44	7	ተተተ	ň	Ţ		4		ሻ
Traffic Volume (vph)	35	60	0	1570	110	2035	130	220	180	135	35	160
Future Volume (vph)	35	60	0	1570	110	2035	130	220	180	135	35	160
Satd. Flow (prot)	0	0	1678	3355	1501	4821	1678	1678	0	1699	0	1678
Flt Permitted		*0.950	*0.950				0.950	0.950				
Satd. Flow (perm)	0	0	1678	3355	1501	4821	1678	1678	0	1743	0	1766
Satd. Flow (RTOR)												
Lane Group Flow (vph)	0	0	99	1635	115	2120	135	229	0	365	0	167
Turn Type	Prot	Prot	Perm	NA	Perm	NA	Prot	Prot	Perm	NA		Perm
Protected Phases	13	13		2		6	13	13		8		
Permitted Phases			2		2				8			4
Total Split (s)	25.0	25.0	85.0	85.0	85.0	85.0	25.0	25.0	35.0	35.0		35.0
Total Lost Time (s)			5.0	5.0	5.0	5.0	5.0	5.0		7.0		7.0
Act Effct Green (s)			80.2	80.2	80.2	80.2	20.1	20.1		28.1		28.1
Actuated g/C Ratio			0.54	0.54	0.54	0.54	0.13	0.13		0.19		0.19
v/c Ratio			0.11	0.91	0.14	0.82	0.60	1.02		1.11		0.50
Control Delay			18.5	39.7	19.0	32.4	73.9	126.3		95.7		61.4
Queue Delay			0.0	0.0	0.0	0.0	0.0	0.0		0.2		0.0
Total Delay			18.5	39.7	19.0	32.4	73.9	126.3		95.9		61.4
LOS			В	D	В	С	Е	F		F		Е
Approach Delay				37.2		32.4		106.8		95.9		
Approach LOS				D		С		F		F		
Queue Length 50th (ft)			43	687	51	568	121	219		~351		142
Queue Length 95th (ft)			96	#1103	110	831	222	#468		m#528		252
Internal Link Dist (ft)				646		691		163		96		
Turn Bay Length (ft)			400		400							300
Base Capacity (vph)			903	1806	808	2595	225	225		328		333
Starvation Cap Reductn			0	0	0	0	0	0		6		0
Spillback Cap Reductn			136	0	0	0	0	0		0		0
Storage Cap Reductn			0	0	0	0	0	0		0		0
Reduced v/c Ratio			0.13	0.91	0.14	0.82	0.60	1.02		1.13		0.50

Cycle Length: 165

Actuated Cycle Length: 149

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.11

Intersection Signal Delay: 47.6
Intersection Capacity Utilization 113.9%

Intersection LOS: D
ICU Level of Service H

Analysis Period (min) 15

- * User Entered Value
- Volume exceeds capacity, queue is theoretically infinite.


Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 3: Temple St & Worcester Rd & Jug Handle





Lane Group	NWT	NWR2	Ø11
Lane onfigurations	f)		<u> </u>
Traffic Volume (vph)	180	70	
Future Volume (vph)	180	70	
Satd. Flow (prot)	1692	0	
Flt Permitted			
Satd. Flow (perm)	1692	0	
Satd. Flow (RTOR)			
Lane Group Flow (vph)	261	0	
Turn Type	NA		
Protected Phases	4		11
Permitted Phases			
Total Split (s)	35.0		20.0
Total Lost Time (s)	7.0		
Act Effct Green (s)	28.1		
Actuated g/C Ratio	0.19		
v/c Ratio	0.82		
Control Delay	79.1		
Queue Delay	6.2		
Total Delay	85.3		
LOS	F		
Approach Delay	75.9		
Approach LOS	Е		
Queue Length 50th (ft)	238		
Queue Length 95th (ft)	#455		
Internal Link Dist (ft)	704		
Turn Bay Length (ft)			
Base Capacity (vph)	318		
Starvation Cap Reductn	0		
Spillback Cap Reductn	29		
Storage Cap Reductn	0		
Reduced v/c Ratio	0.90		
Intersection Summary			

Seth Synchro 11 Report Page 4

	۶	→	\rightarrow	•	←	•	1	†	/	-	ţ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			ĵ∍			र्स			ĵ∍	
Traffic Volume (vph)	10	0	60	0	25	85	15	225	0	0	290	10
Future Volume (vph)	10	0	60	0	25	85	15	225	0	0	290	10
Satd. Flow (prot)	0	1548	0	0	1582	0	0	1761	0	0	1759	0
Flt Permitted		0.967						*0.800				
Satd. Flow (perm)	0	1508	0	0	1582	0	0	1413	0	0	1759	0
Satd. Flow (RTOR)		79			89						1	
Lane Group Flow (vph)	0	73	0	0	115	0	0	250	0	0	312	0
Turn Type	Perm	NA			NA		custom	NA			NA	
Protected Phases		2			6			4 13			8	
Permitted Phases	2						4					
Total Split (s)	85.0	85.0			85.0		35.0				35.0	
Total Lost Time (s)		8.0			5.0						7.0	
Act Effct Green (s)		77.2			80.2			53.1			28.1	
Actuated g/C Ratio		0.52			0.54			0.36			0.19	
v/c Ratio		0.09			0.13			0.50			0.94	
Control Delay		3.9			6.1			20.3			95.3	
Queue Delay		0.1			0.0			13.1			15.4	
Total Delay		4.0			6.1			33.3			110.6	
LOS		А			Α			С			F	
Approach Delay		4.0			6.1			33.3			110.6	
Approach LOS		Α			Α			С			F	
Queue Length 50th (ft)		0			11			64			291	
Queue Length 95th (ft)		27			51			m90			#569	
Internal Link Dist (ft)		1206			164			96			221	
Turn Bay Length (ft)												
Base Capacity (vph)		819			892			503			332	
Starvation Cap Reductn		0			0			227			0	
Spillback Cap Reductn		241			0			0			24	
Storage Cap Reductn		0			0			0			0	
Reduced v/c Ratio		0.13			0.13			0.91			1.01	

Cycle Length: 165

Actuated Cycle Length: 149

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.11

Intersection Signal Delay: 58.5 Intersection Capacity Utilization 47.6% ICU Level of Service A

Analysis Period (min) 15

- * User Entered Value
- # 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 4: Temple St & Old Worcester Rd



	•	-	•	•	•	•	•	†	/	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	*	ર્ન	7					414			र्सी के	
Traffic Volume (vph)	360	31	251	0	0	0	29	913	34	135	621	351
Future Volume (vph)	360	31	251	0	0	0	29	913	34	135	621	351
Satd. Flow (prot)	1594	1611	1501	0	0	0	0	3335	0	0	3175	0
Flt Permitted	0.950	0.960						0.750			0.600	
Satd. Flow (perm)	1594	1611	1501	0	0	0	0	2504	0	0	1917	0
Satd. Flow (RTOR)												
Lane Group Flow (vph)	202	205	261	0	0	0	0	1016	0	0	1154	0
Turn Type	Split	NA	pt+ov				pm+pt	NA		Perm	NA	
Protected Phases	3	3	3 5				5	2			6 4	
Permitted Phases							2			6 4		
Total Split (s)	27.0	27.0					12.0	63.0				
Total Lost Time (s)	7.0	7.0						6.5				
Act Effct Green (s)	20.2	20.2	25.3					57.1			70.7	
Actuated g/C Ratio	0.15	0.15	0.19					0.43			0.53	
v/c Ratio	0.84	0.84	0.92					0.92			1.13	
Control Delay	84.1	84.2	77.4					49.7			85.9	
Queue Delay	41.7	43.0	0.0					28.9			0.0	
Total Delay	125.7	127.2	77.4					78.6			85.9	
LOS	F	F	E					Е			F	
Approach Delay		107.3						78.6			85.9	
Approach LOS		F						Е			F	
Queue Length 50th (ft)	162	165	144					317			~397	
Queue Length 95th (ft)	#382	#385	#399					#703			m#647	
Internal Link Dist (ft)		457			497			605			150	
Turn Bay Length (ft)	300		250									
Base Capacity (vph)	241	244	284					1107			1017	
Starvation Cap Reductn	0	0	0					0			0	
Spillback Cap Reductn	50	51	0					146			0	
Storage Cap Reductn	0	0	0					0			0	
Reduced v/c Ratio	1.06	1.06	0.92					1.06			1.13	

Cycle Length: 150

Actuated Cycle Length: 133.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.13

Intersection Signal Delay: 88.3 Intersection Capacity Utilization 86.9% Intersection LOS: F

ICU Level of Service E

Analysis Period (min) 15

Volume exceeds capacity, queue is theoretically infinite.


Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 5: Main St/Edgell Rd & High St /High St



	•	→	\rightarrow	•	•	•	•	†	/	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations				ሻሻ	f)		7	^			ħβ	
Traffic Volume (vph)	0	0	0	600	153	101	505	797	0	0	660	55
Future Volume (vph)	0	0	0	600	153	101	505	797	0	0	660	55
Satd. Flow (prot)	0	0	0	3255	1660	0	1678	1766	0	0	3319	0
Flt Permitted				0.950			0.193					
Satd. Flow (perm)	0	0	0	3255	1660	0	341	1766	0	0	3319	0
Satd. Flow (RTOR)												
Lane Group Flow (vph)	0	0	0	625	264	0	526	830	0	0	745	0
Turn Type				Split	NA		custom	NA			NA	
Protected Phases				4	4		5 3	23			6	
Permitted Phases							2					
Total Split (s)				32.0	32.0						51.0	
Total Lost Time (s)				6.0	6.0						6.5	
Act Effct Green (s)				26.3	26.3		78.8	84.4			45.0	
Actuated g/C Ratio				0.20	0.20		0.59	0.63			0.34	
v/c Ratio				0.98	0.81		1.11	0.74			0.67	
Control Delay				82.9	71.9		88.6	7.2			43.0	
Queue Delay				19.3	0.0		0.7	4.2			16.8	
Total Delay				102.2	71.9		89.3	11.4			59.8	
LOS				F	Е		F	В			Е	
Approach Delay					93.2			41.6			59.8	
Approach LOS					F			D			Е	
Queue Length 50th (ft)				249	196		~323	14			251	
Queue Length 95th (ft)				#481	#430		m#559	m88			428	
Internal Link Dist (ft)		271			808			150			421	
Turn Bay Length (ft)				500								
Base Capacity (vph)				641	327		475	1118			1120	
Starvation Cap Reductn				0	0		34	211			0	
Spillback Cap Reductn				44	0		0	0			374	
Storage Cap Reductn				0	0		0	0			0	
Reduced v/c Ratio				1.05	0.81		1.19	0.92			1.00	

Cycle Length: 150

Actuated Cycle Length: 133.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.13

Intersection Signal Delay: 61.5
Intersection Capacity Utilization 80.5%

Intersection LOS: E ICU Level of Service D

Analysis Period (min) 15

Volume exceeds capacity, queue is theoretically infinite.


Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 6: Edgell Rd & Pleasant St



	-	•	•	•	•	~					
Lane Group	EBT	EBR	WBL	WBT	NBL	NBR	Ø3	Ø4	Ø5	Ø10	
Lane Configurations	ተ ተኈ			ተተተ		77					
Traffic Volume (vph)	1750	35	0	2385	0	380					
Future Volume (vph)	1750	35	0	2385	0	380					
Satd. Flow (prot)	4807	0	0	4821	0	2642					
Flt Permitted											
Satd. Flow (perm)	4807	0	0	4821	0	2642					
Satd. Flow (RTOR)	2					986					
Lane Group Flow (vph)	1859	0	0	2484	0	396					
Turn Type	NA			NA		Prot					
Protected Phases	2			6		9	3	4	5	10	
Permitted Phases											
Total Split (s)	70.0			55.0		24.0	26.0	15.0	15.0	35.0	
Total Lost Time (s)	7.0			7.0		6.0					
Act Effct Green (s)	64.1			48.8		18.3					
Actuated g/C Ratio	0.50			0.38		0.14					
v/c Ratio	0.78			1.36		0.32					
Control Delay	31.3			187.7		0.7					
Queue Delay	0.6			0.2		0.1					
Total Delay	32.0			187.8		8.0					
LOS	С			F		Α					
Approach Delay	32.0			187.8	8.0						
Approach LOS	С			F	Α						
Queue Length 50th (ft)	393			~875		0					
Queue Length 95th (ft)	#873			m#928		0					
Internal Link Dist (ft)	422			244	416						
Turn Bay Length (ft)											
Base Capacity (vph)	2384			1821		1220					
Starvation Cap Reductn	0			108		0					
Spillback Cap Reductn	206			0		185					
Storage Cap Reductn	0			0		0					
Reduced v/c Ratio	0.85			1.45		0.38					

Cycle Length: 170

Actuated Cycle Length: 129.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.38

Intersection Signal Delay: 111.1 Intersection Capacity Utilization 58.7%

Intersection LOS: F
ICU Level of Service B

Analysis Period (min) 15

Volume exceeds capacity, queue is theoretically infinite.


Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 7: Main St & Worcester Rd



	•	→	\rightarrow	•	•	•	•	†	/	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	7	ተተተ			↑ ↑			4		14.54		7
Traffic Volume (vph)	350	1815	0	0	2035	210	0	1	0	275	0	350
Future Volume (vph)	350	1815	0	0	2035	210	0	1	0	275	0	350
Satd. Flow (prot)	1678	4821	0	0	4754	0	0	1766	0	3255	0	1678
Flt Permitted	0.950									0.950		
Satd. Flow (perm)	1678	4821	0	0	4754	0	0	1766	0	3255	0	1678
Satd. Flow (RTOR)												
Lane Group Flow (vph)	365	1891	0	0	2339	0	0	1	0	286	0	365
Turn Type	Prot	NA			NA			NA		Prot		Prot
Protected Phases	5 9	29			6			4		3		3
Permitted Phases							4					
Total Split (s)					55.0		15.0	15.0		26.0		26.0
Total Lost Time (s)					7.0			6.0		6.0		6.0
Act Effct Green (s)	32.5	88.5			48.8			5.7		20.3		20.3
Actuated g/C Ratio	0.25	0.68			0.38			0.04		0.16		0.16
v/c Ratio	0.86	0.57			1.30			0.01		0.56		1.38
Control Delay	90.0	6.1			174.4			68.0		57.3		234.9
Queue Delay	53.3	0.2			0.8			0.0		0.0		1.7
Total Delay	143.3	6.2			175.1			68.0		57.3		236.6
LOS	F	Α			F			Е		Е		F
Approach Delay		28.4			175.1			68.0			157.8	
Approach LOS		С			F			Е			F	
Queue Length 50th (ft)	295	58			~819			1		105		~363
Queue Length 95th (ft)	#685	164			#1444			9		211		#808
Internal Link Dist (ft)		244			273			196			695	
Turn Bay Length (ft)												200
Base Capacity (vph)	422	3301			1795			125		512		264
Starvation Cap Reductn	139	461			0			0		0		0
Spillback Cap Reductn	0	0			388			0		0		31
Storage Cap Reductn	0	0			0			0		0		0
Reduced v/c Ratio	1.29	0.67			1.66			0.01		0.56		1.57

Cycle Length: 170

Actuated Cycle Length: 129.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.38

Intersection Signal Delay: 109.9
Intersection Capacity Utilization 92.9%


Intersection LOS: F
ICU Level of Service F


Analysis Period (min) 15

Volume exceeds capacity, queue is theoretically infinite.
 Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.





	•	→	\rightarrow	•	←	•	•	†	/	>	ţ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	44	ተተ _ጉ		77	ተተኈ		¥	4		ሻሻ		7
Traffic Volume (vph)	380	1670	15	140	1790	215	80	0	45	220	0	185
Future Volume (vph)	380	1670	15	140	1790	215	80	0	45	220	0	185
Satd. Flow (prot)	3255	4816	0	3255	4744	0	1594	1469	0	3255	0	1501
Flt Permitted	0.950			0.950			0.950	0.988		0.714		
Satd. Flow (perm)	3255	4816	0	3255	4744	0	1594	1469	0	2446	0	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	396	1756	0	146	2089	0	68	62	0	229	0	193
Turn Type	Prot	NA		Prot	NA		Perm	NA		Perm		Perm
Protected Phases	5	2		1	6			8				
Permitted Phases							8			4		4
Total Split (s)	22.0	44.0		15.0	37.0		21.0	21.0		21.0		21.0
Total Lost Time (s)	7.5	6.0		7.5	6.0		6.0	6.0		6.0		6.0
Act Effct Green (s)	18.9	64.0		9.5	54.6		15.0	15.0		15.0		15.0
Actuated g/C Ratio	0.16	0.56		0.08	0.47		0.13	0.13		0.13		0.13
v/c Ratio	0.74	0.65		0.55	0.93		0.33	0.32		0.72		0.99
Control Delay	55.3	21.7		58.9	37.4		50.3	50.6		61.6		112.6
Queue Delay	0.0	0.0		0.0	0.0		0.0	0.0		0.0		0.0
Total Delay	55.3	21.7		58.9	37.4		50.3	50.6		61.6		112.6
LOS	Е	С		Е	D		D	D		Е		F
Approach Delay		27.9			38.8			50.5			84.9	
Approach LOS		С			D			D			F	
Queue Length 50th (ft)	142	275		53	469		48	44		85		145
Queue Length 95th (ft)	#251	#639		#99	#915		96	90		#136		#295
Internal Link Dist (ft)		865			3810			474			672	
Turn Bay Length (ft)	500			300			250			300		
Base Capacity (vph)	534	2681		267	2252		207	191		319		195
Starvation Cap Reductn	0	0		0	0		0	0		0		0
Spillback Cap Reductn	0	0		0	0		0	0		0		0
Storage Cap Reductn	0	0		0	0		0	0		0		0
Reduced v/c Ratio	0.74	0.65		0.55	0.93		0.33	0.32		0.72		0.99

Cycle Length: 115

Actuated Cycle Length: 115

Offset: 12 (10%), Referenced to phase 2:EBT and 6:WBT, Start of Green

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.99

Intersection Signal Delay: 38.3 Intersection Capacity Utilization 77.7%


Intersection LOS: D
ICU Level of Service D

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 12: Worcester Rd



Seth Synchro 11 Report

	۶	→	•	•	←	•	•	†	/	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	۲	ተተኈ		Ţ	ተተኈ		¥	+	7	¥		7
Traffic Volume (vph)	185	1520	135	160	1800	190	270	190	80	190	230	245
Future Volume (vph)	185	1520	135	160	1800	190	270	190	80	190	230	245
Satd. Flow (prot)	1678	4763	0	1678	4754	0	1678	1766	1501	1678	1766	1501
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1678	4763	0	1678	4754	0	1678	1766	1501	1678	1766	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	193	1724	0	167	2073	0	281	198	83	198	240	255
Turn Type	Prot	NA		Prot	NA		Prot	NA	Perm	Prot	NA	Perm
Protected Phases	5	2		1	6		3	8		7	4	
Permitted Phases									8			4
Total Split (s)	15.0	39.0		15.0	39.0		18.0	18.0	18.0	18.0	18.0	18.0
Total Lost Time (s)	6.0	6.0		6.0	6.0		6.0	6.0	6.0	6.0	6.0	6.0
Act Effct Green (s)	9.0	33.0		9.0	33.0		12.0	12.0	12.0	12.0	12.0	12.0
Actuated g/C Ratio	0.10	0.37		0.10	0.37		0.13	0.13	0.13	0.13	0.13	0.13
v/c Ratio	1.16	0.99		1.00	1.19		1.26	0.84	0.41	0.89	1.02	1.27
Control Delay	156.6	48.0		113.2	119.5		183.1	69.1	42.8	77.5	105.3	191.6
Queue Delay	0.0	0.0		0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	156.6	48.0		113.2	119.5		183.1	69.1	42.8	77.5	105.3	191.6
LOS	F	D		F	F		F	E	D	E	F	F
Approach Delay		58.9			119.0			122.2			129.1	
Approach LOS		Е			F			F			F	
Queue Length 50th (ft)	~130	350		97	~526		~202	112	44	112	~142	~185
Queue Length 95th (ft)	#263	#467		#224	#621		#356	#230	90	#237	#291	#333
Internal Link Dist (ft)		351			574			601			628	
Turn Bay Length (ft)	400			400			300		300	300		300
Base Capacity (vph)	167	1746		167	1743		223	235	200	223	235	200
Starvation Cap Reductn	0	0		0	0		0	0	0	0	0	0
Spillback Cap Reductn	0	0		0	0		0	0	0	0	0	0
Storage Cap Reductn	0	0		0	0		0	0	0	0	0	0
Reduced v/c Ratio	1.16	0.99		1.00	1.19		1.26	0.84	0.41	0.89	1.02	1.27

Cycle Length: 90

Actuated Cycle Length: 90

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.27

Intersection Signal Delay: 99.4 Intersection Capacity Utilization 96.3% Intersection LOS: F
ICU Level of Service F

Analysis Period (min) 15

Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 13: Oak Street & Worcester Rd



Part 3: 2030 AM Conditions

	•	→	•	•	←	•	4	†	/	>	ţ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	14.14	↑ ↑₽			ተተተ	7	Ĭ		7	ň	ર્ન	7
Traffic Volume (vph)	440	1690	20	0	2860	650	20	0	10	110	25	90
Future Volume (vph)	440	1690	20	0	2860	650	20	0	10	110	25	90
Satd. Flow (prot)	3255	4812	0	0	4821	1501	1678	0	1501	1594	1626	1501
Flt Permitted	0.950						0.707			0.950	0.969	
Satd. Flow (perm)	3255	4812	0	0	4821	1501	1249	0	1501	1594	1626	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	472	1834	0	0	3069	697	21	0	11	72	73	97
Turn Type	Prot	NA			NA	Perm	Perm		Perm	Perm	NA	Perm
Protected Phases	1	6			2						8	
Permitted Phases						2	4		4	8		8
Total Split (s)	30.0	101.0			71.0	71.0	30.0		30.0	30.0	30.0	30.0
Total Lost Time (s)	5.0	6.0			6.0	6.0	5.0		5.0	5.0	5.0	5.0
Act Effct Green (s)	21.1	91.4			65.2	65.2	11.4		11.4	12.8	12.8	12.8
Actuated g/C Ratio	0.18	0.79			0.57	0.57	0.10		0.10	0.11	0.11	0.11
v/c Ratio	0.79	0.48			1.12	0.82	0.17		0.07	0.41	0.41	0.58
Control Delay	55.8	4.7			87.2	31.7	50.1		47.3	55.2	55.0	63.5
Queue Delay	0.0	0.0			0.0	0.0	0.0		0.0	0.0	0.0	0.0
Total Delay	55.8	4.7			87.2	31.7	50.1		47.3	55.2	55.0	63.5
LOS	Е	Α			F	С	D		D	E	E	Е
Approach Delay		15.2			76.9			49.2			58.5	
Approach LOS		В			Е			D			Е	
Queue Length 50th (ft)	173	135			~975	404	14		7	53	53	70
Queue Length 95th (ft)	245	205			#1195	#748	41		26	105	107	130
Internal Link Dist (ft)		1018			585			187			263	
Turn Bay Length (ft)	400											
Base Capacity (vph)	709	3983			2730	850	272		326	347	354	326
Starvation Cap Reductn	0	0			0	0	0		0	0	0	0
Spillback Cap Reductn	0	0			0	0	0		0	0	0	0
Storage Cap Reductn	0	0			0	0	0		0	0	0	0
Reduced v/c Ratio	0.67	0.46			1.12	0.82	0.08		0.03	0.21	0.21	0.30

Cycle Length: 131

Actuated Cycle Length: 115.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.12

Intersection Signal Delay: 53.7

Intersection Capacity Utilization 93.7%

Intersection LOS: D

ICU Level of Service F

Analysis Period (min) 15


Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 1: Driveway/California Ave & Worcester Rd



		-	•	•	•	~	/
Lane Group	EBU	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	Ð	† †	7	¥	^	ሻሻ	
Traffic Volume (vph)	30	1710	520	70	1640	420	70
Future Volume (vph)	30	1710	520	70	1640	420	70
Satd. Flow (prot)	1678	3355	1501	1678	3355	3217	0
Flt Permitted	0.950			0.950		0.959	
Satd. Flow (perm)	1678	3355	1501	1678	3355	3217	0
Satd. Flow (RTOR)			*200				
Lane Group Flow (vph)	32	1835	558	75	1760	526	0
Turn Type	Prot	NA	Prot	Prot	NA	Prot	
Protected Phases	1	6	6	5	2	4	
Permitted Phases							
Total Split (s)	10.0	70.0	70.0	11.0	71.0	24.0	
Total Lost Time (s)	5.0	6.0	6.0	5.0	6.0	5.0	
Act Effct Green (s)	5.0	64.0	64.0	6.0	69.0	18.8	
Actuated g/C Ratio	0.05	0.61	0.61	0.06	0.66	0.18	
v/c Ratio	0.41	0.90	0.56	0.79	0.80	0.91	
Control Delay	63.8	24.9	9.8	97.6	17.5	64.0	
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	
Total Delay	63.8	24.9	9.8	97.6	17.5	64.0	
LOS	Е	С	Α	F	В	Е	
Approach Delay		22.0			20.7	64.0	
Approach LOS		С			С	Е	
Queue Length 50th (ft)	21	518	125	51	460	179	
Queue Length 95th (ft)	53	651	217	#132	577	#275	
Internal Link Dist (ft)		1378			1287	306	
Turn Bay Length (ft)	400		400	300			
Base Capacity (vph)	79	2048	994	95	2209	583	
Starvation Cap Reductn	0	0	0	0	0	0	
Spillback Cap Reductn	0	0	0	0	0	0	
Storage Cap Reductn	0	0	0	0	0	0	
Reduced v/c Ratio	0.41	0.90	0.56	0.79	0.80	0.90	

Cycle Length: 105

Actuated Cycle Length: 104.8

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.91

Intersection Signal Delay: 26.1 Intersection Capacity Utilization 80.8% Intersection LOS: C

ICU Level of Service D

Analysis Period (min) 15

- User Entered Value
- # 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 2: Country Club Ln & Worcester Rd



Synchro 11 Report Page 2

	₾	>	۶	→	-	•	>	Ļ	\	\mathbf{x}	4	•
Lane Group	EBU	EBL2	EBL	EBT	EBR	WBT	SBL2	SBL	SEL	SET	SER	NWL
Lane Configurations			¥	^	7	ተተተ	¥	¥		4		7
Traffic Volume (vph)	30	50	0	1790	90	1470	65	145	270	130	25	140
Future Volume (vph)	30	50	0	1790	90	1470	65	145	270	130	25	140
Satd. Flow (prot)	0	0	1678	3355	1501	4821	1678	1678	0	1698	0	1678
Flt Permitted		*0.950	*0.950				0.950	0.950				
Satd. Flow (perm)	0	0	1678	3355	1501	4821	1678	1678	0	1752	0	1766
Satd. Flow (RTOR)												
Lane Group Flow (vph)	0	0	86	1921	97	1577	70	156	0	456	0	150
Turn Type	Prot	Prot	Perm	NA	Perm	NA	Prot	Prot	Perm	NA		Perm
Protected Phases	13	13		2		6	13	13		8		
Permitted Phases			2		2				8			4
Total Split (s)	32.0	32.0	75.0	75.0	75.0	75.0	32.0	32.0	40.0	40.0		40.0
Total Lost Time (s)			5.0	5.0	5.0	5.0	5.0	5.0		5.0		7.0
Act Effct Green (s)			70.5	70.5	70.5	70.5	18.3	18.3		35.3		33.3
Actuated g/C Ratio			0.49	0.49	0.49	0.49	0.13	0.13		0.25		0.23
v/c Ratio			0.10	1.16	0.13	0.66	0.33	0.73		1.06		0.36
Control Delay			22.4	112.6	22.8	30.4	61.7	80.1		68.2		51.4
Queue Delay			0.1	0.0	0.0	0.0	0.0	0.0		0.9		0.0
Total Delay			22.5	112.6	22.8	30.4	61.7	80.1		69.1		51.4
LOS			С	F	С	С	Е	F		Е		D
Approach Delay				104.8		30.4		74.4		69.1		
Approach LOS				F		С		Е		Е		
Queue Length 50th (ft)			39	~1048	45	369	58	136		~72		113
Queue Length 95th (ft)			98	#1596	110	609	122	245		m#709		224
Internal Link Dist (ft)				646		691		163		96		
Turn Bay Length (ft)			400		400							300
Base Capacity (vph)			828	1657	741	2381	319	319		432		411
Starvation Cap Reductn			0	0	0	0	0	0		1		0
Spillback Cap Reductn			211	0	0	0	0	0		0		0
Storage Cap Reductn			0	0	0	0	0	0		0		0
Reduced v/c Ratio			0.14	1.16	0.13	0.66	0.22	0.49		1.06		0.36

Cycle Length: 170

Actuated Cycle Length: 142.8

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.16

Intersection Signal Delay: 71.4

Intersection Capacity Utilization 115.5%

Intersection LOS: E
ICU Level of Service H

Analysis Period (min) 15

- User Entered Value
- Volume exceeds capacity, queue is theoretically infinite.


Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 3: Temple St & Worcester Rd & Jug Handle





Lane Group	NWT	NWR2	Ø14
Lane onfigurations	eî		
Traffic Volume (vph)	140	100	
Future Volume (vph)	140	100	
Satd. Flow (prot)	1657	0	
Flt Permitted			
Satd. Flow (perm)	1657	0	
Satd. Flow (RTOR)			
Lane Group Flow (vph)	257	0	
Turn Type	NA		
Protected Phases	4		14
Permitted Phases			
Total Split (s)	40.0		23.0
Total Lost Time (s)	7.0		
Act Effct Green (s)	33.3		
Actuated g/C Ratio	0.23		
v/c Ratio	0.67		
Control Delay	61.0		
Queue Delay	0.7		
Total Delay	61.7		
LOS	Е		
Approach Delay	57.9		
Approach LOS	Е		
Queue Length 50th (ft)	209		
Queue Length 95th (ft)	#406		
Internal Link Dist (ft)	704		
Turn Bay Length (ft)			
Base Capacity (vph)	385		
Starvation Cap Reductn	0		
Spillback Cap Reductn	22		
Storage Cap Reductn	0		
Reduced v/c Ratio	0.71		
Intersection Summary			
intersection outlinary			

Seth Synchro 11 Report
Page 4

	٠	→	\rightarrow	•	•	•	•	†	/	\	ţ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			f)			4			f)	
Traffic Volume (vph)	10	0	55	0	20	90	20	175	0	0	360	5
Future Volume (vph)	10	0	55	0	20	90	20	175	0	0	360	5
Satd. Flow (prot)	0	1552	0	0	1570	0	0	1757	0	0	1762	0
Flt Permitted		0.962						*0.800				
Satd. Flow (perm)	0	1505	0	0	1570	0	0	1413	0	0	1762	0
Satd. Flow (RTOR)		77			97							
Lane Group Flow (vph)	0	70	0	0	118	0	0	209	0	0	391	0
Turn Type	Perm	NA			NA		Perm	NA			NA	
Protected Phases		2						4			8	
Permitted Phases	2				6		4					
Total Split (s)	75.0	75.0			75.0		40.0	40.0			40.0	
Total Lost Time (s)		5.0			5.0			7.0			5.0	
Act Effct Green (s)		70.5			70.5			33.3			35.3	
Actuated g/C Ratio		0.49			0.49			0.23			0.25	
v/c Ratio		0.09			0.14			0.64			0.90	
Control Delay		4.7			7.0			30.1			76.7	
Queue Delay		0.1			0.0			6.1			3.8	
Total Delay		4.8			7.0			36.2			80.5	
LOS		Α			Α			D			F	
Approach Delay		4.8			7.0			36.2			80.5	
Approach LOS		Α			Α			D			F	
Queue Length 50th (ft)		0			9			60			338	
Queue Length 95th (ft)		29			57			#244			#694	
Internal Link Dist (ft)		1206			164			96			221	
Turn Bay Length (ft)												
Base Capacity (vph)		782			824			329			435	
Starvation Cap Reductn		0			0			75			0	
Spillback Cap Reductn		215			0			0			17	
Storage Cap Reductn		0			0			0			0	
Reduced v/c Ratio		0.12			0.14			0.82			0.94	

Cycle Length: 170

Actuated Cycle Length: 142.8

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.16

Intersection Signal Delay: 51.0 Intersection Capacity Utilization 47.4%

Intersection LOS: D

ICU Level of Service A

Analysis Period (min) 15

- * User Entered Value
- # 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 4: Temple St & Old Worcester Rd



	۶	→	•	•	←	•	1	†	/	-	↓	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻ	4	7					र्सी			€ 1₽	
Traffic Volume (vph)	329	23	284	0	0	0	28	842	3	201	525	187
Future Volume (vph)	329	23	284	0	0	0	28	842	3	201	525	187
Satd. Flow (prot)	1594	1607	1501	0	0	0	0	3349	0	0	3216	0
Flt Permitted	0.950	0.958						0.881			0.603	
Satd. Flow (perm)	1594	1607	1501	0	0	0	0	2956	0	0	1961	0
Satd. Flow (RTOR)												
Lane Group Flow (vph)	187	191	305	0	0	0	0	936	0	0	980	0
Turn Type	Split	NA	pt+ov				pm+pt	NA		Perm	NA	
Protected Phases	3	3	3 5				5	2			6 4	
Permitted Phases							2			6 4		
Total Split (s)	25.0	25.0					18.0	68.0				
Total Lost Time (s)	6.5	6.5						5.5				
Act Effct Green (s)	18.5	18.5	30.0					62.5			71.0	
Actuated g/C Ratio	0.15	0.15	0.24					0.50			0.57	
v/c Ratio	0.80	0.81	0.85					0.62			0.88	
Control Delay	75.8	76.7	46.8					24.2			15.4	
Queue Delay	2.2	2.3	0.0					0.1			0.0	
Total Delay	78.0	79.1	46.8					24.3			15.4	
LOS	Е	Е	D					С			В	
Approach Delay		64.3						24.3			15.4	
Approach LOS		Е						С			В	
Queue Length 50th (ft)	155	158	134					268			84	
Queue Length 95th (ft)	#281	#288	#270					331			#355	
Internal Link Dist (ft)		457			497			605			150	
Turn Bay Length (ft)	300		250									
Base Capacity (vph)	235	237	360					1517			1113	
Starvation Cap Reductn	0	0	0					0			0	
Spillback Cap Reductn	10	10	0					59			0	
Storage Cap Reductn	0	0	0					0			0	
Reduced v/c Ratio	0.83	0.84	0.85					0.64			0.88	

Cycle Length: 150

Actuated Cycle Length: 125

Control Type: Actuated-Uncoordinated


Maximum v/c Ratio: 0.96


Intersection Signal Delay: 31.5 Intersection LOS: C
Intersection Capacity Utilization 76.6% ICU Level of Service D

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.





	۶	→	\rightarrow	•	←	•	1	†	/	-	ţ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations				767	₽		ነ	•			∱ ∱	
Traffic Volume (vph)	0	0	0	370	78	75	396	782	0	0	651	41
Future Volume (vph)	0	0	0	370	78	75	396	782	0	0	651	41
Satd. Flow (prot)	0	0	0	3255	1637	0	1678	1766	0	0	3325	0
Flt Permitted				0.950			0.258					
Satd. Flow (perm)	0	0	0	3255	1637	0	456	1766	0	0	3325	0
Satd. Flow (RTOR)												
Lane Group Flow (vph)	0	0	0	397	164	0	425	839	0	0	742	0
Turn Type				Split	NA		pm+pt	NA			NA	
Protected Phases				4	4		5	23			6	
Permitted Phases							23					
Total Split (s)				32.0	32.0		18.0				50.0	
Total Lost Time (s)				5.5	5.5		5.5				5.5	
Act Effct Green (s)				26.5	26.5		87.5	87.5			44.5	
Actuated g/C Ratio				0.21	0.21		0.70	0.70			0.36	
v/c Ratio				0.58	0.47		0.96	0.68			0.63	
Control Delay				48.0	48.4		48.8	5.9			36.3	
Queue Delay				0.0	0.0		10.1	0.3			0.1	
Total Delay				48.0	48.4		58.9	6.2			36.4	
LOS				D	D		Е	Α			D	
Approach Delay					48.1			23.9			36.4	
Approach LOS					D			С			D	
Queue Length 50th (ft)				150	117		77	30			260	
Queue Length 95th (ft)				203	189		m#171	67			327	
Internal Link Dist (ft)		271			808			150			421	
Turn Bay Length (ft)				500								
Base Capacity (vph)				690	347		441	1236			1183	
Starvation Cap Reductn				0	0		20	81			0	
Spillback Cap Reductn				0	0		0	0			48	
Storage Cap Reductn				0	0		0	0			0	
Reduced v/c Ratio				0.58	0.47		1.01	0.73			0.65	

Cycle Length: 150

Actuated Cycle Length: 125

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.96

Intersection Signal Delay: 32.8 Intersection LOS: C
Intersection Capacity Utilization 67.1% ICU Level of Service C


Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 6: Edgell Rd & Pleasant St



	-	•	•	•	1	/					
Lane Group	EBT	EBR	WBL	WBT	NBL	NBR	Ø3	Ø4	Ø5	Ø11	
Lane Configurations	ተተኈ			ተተተ		77					
Traffic Volume (vph)	1960	10	0	1522	0	550					
Future Volume (vph)	1960	10	0	1522	0	550					
Satd. Flow (prot)	4816	0	0	4821	0	2642					
Flt Permitted											
Satd. Flow (perm)	4816	0	0	4821	0	2642					
Satd. Flow (RTOR)	1					887					
Lane Group Flow (vph)	2114	0	0	1633	0	590					
Turn Type	NA			NA		Prot					
Protected Phases	2			6		9	3	4	5	11	
Permitted Phases											
Total Split (s)	70.0			55.0		24.0	26.0	15.0	15.0	25.0	
Total Lost Time (s)	6.0			6.0		6.0					
Act Effct Green (s)	64.7			53.3		18.2					
Actuated g/C Ratio	0.51			0.42		0.14					
v/c Ratio	0.86			0.81		0.52					
Control Delay	32.9			16.4		1.7					
Queue Delay	0.1			1.7		0.2					
Total Delay	33.1			18.0		1.9					
LOS	С			В		Α					
Approach Delay	33.1			18.0	1.9						
Approach LOS	С			В	Α						
Queue Length 50th (ft)	479			84		0					
Queue Length 95th (ft)	#963			#745		0					
Internal Link Dist (ft)	422			244	416						
Turn Bay Length (ft)											
Base Capacity (vph)	2450			2021		1138					
Starvation Cap Reductn	0			222		0					
Spillback Cap Reductn	28			0		118					
Storage Cap Reductn	0			0		0					
Reduced v/c Ratio	0.87			0.91		0.58					

Cycle Length: 160

Actuated Cycle Length: 127.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.88


Intersection Signal Delay: 23.2 Intersection LOS: C
Intersection Capacity Utilization 69.1% ICU Level of Service C

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 7: Main St & Worcester Rd



	•	→	\rightarrow	•	←	•	4	†	/	/	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	7	ተተተ			↑ ↑			4		14.54		7
Traffic Volume (vph)	200	2310	0	0	1560	90	0	1	0	375	0	200
Future Volume (vph)	200	2310	0	0	1560	90	0	1	0	375	0	200
Satd. Flow (prot)	1678	4821	0	0	4783	0	0	1766	0	3255	0	1678
Flt Permitted	0.950									0.950		
Satd. Flow (perm)	1678	4821	0	0	4783	0	0	1766	0	3255	0	1678
Satd. Flow (RTOR)												
Lane Group Flow (vph)	215	2478	0	0	1771	0	0	1	0	402	0	215
Turn Type	Prot	NA			NA			NA		Prot		Perm
Protected Phases	59	29			6			4		3		
Permitted Phases							4					3
Total Split (s)					55.0		15.0	15.0		26.0		26.0
Total Lost Time (s)					6.0			6.0		6.0		6.0
Act Effct Green (s)	30.4	88.0			53.3			5.7		20.2		20.2
Actuated g/C Ratio	0.24	0.69			0.42			0.04		0.16		0.16
v/c Ratio	0.54	0.74			0.88			0.01		0.78		0.81
Control Delay	69.1	7.7			41.0			65.0		63.2		75.3
Queue Delay	1.1	0.2			1.1			0.0		0.0		0.0
Total Delay	70.2	7.8			42.0			65.0		63.2		75.3
LOS	Е	Α			D			Е		Е		Е
Approach Delay		12.8			42.0			65.0			67.4	
Approach LOS		В			D			Е			Е	
Queue Length 50th (ft)	172	81			433			1		154		161
Queue Length 95th (ft)	m251	#298			#884			8		#321		#403
Internal Link Dist (ft)		244			273			196			695	
Turn Bay Length (ft)												200
Base Capacity (vph)	450	3334			2005			126		517		266
Starvation Cap Reductn	92	202			0			0		0		0
Spillback Cap Reductn	0	0			83			0		0		0
Storage Cap Reductn	0	0			0			0		0		0
Reduced v/c Ratio	0.60	0.79			0.92			0.01		0.78		0.81

Cycle Length: 160

Actuated Cycle Length: 127.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.88

Intersection Signal Delay: 29.6
Intersection Capacity Utilization 74.3%

Intersection LOS: C
ICU Level of Service D


Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 8: Worcester Rd & Prospect St



	•	→	•	•	←	•	•	†	/	>	↓	✓
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	1,4	ተተ _ጉ		1,1	ተተኈ		¥	4		1,1		7
Traffic Volume (vph)	400	2050	10	30	1310	110	60	0	70	110	0	100
Future Volume (vph)	400	2050	10	30	1310	110	60	0	70	110	0	100
Satd. Flow (prot)	3255	4816	0	3255	4763	0	1594	1439	0	3255	0	1501
Flt Permitted	0.950			0.950			0.950	0.996		0.833		
Satd. Flow (perm)	3255	4816	0	3255	4763	0	1594	1439	0	2854	0	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	429	2210	0	32	1524	0	58	81	0	118	0	107
Turn Type	Prot	NA		Prot	NA		Perm	NA		Perm		pm+ov
Protected Phases	5	2		1	6			8				5
Permitted Phases							8			4		4
Total Split (s)	18.0	34.0		14.0	30.0		12.0	12.0		12.0		18.0
Total Lost Time (s)	7.5	6.0		7.5	6.0		6.0	6.0		6.0		7.5
Act Effct Green (s)	11.3	40.0		6.2	25.6		6.0	6.0		6.0		20.9
Actuated g/C Ratio	0.19	0.67		0.10	0.43		0.10	0.10		0.10		0.35
v/c Ratio	0.70	0.69		0.10	0.75		0.36	0.57		0.41		0.20
Control Delay	31.0	12.7		25.0	18.0		32.2	43.8		30.2		14.0
Queue Delay	0.0	0.0		0.0	0.0		0.0	0.0		0.0		0.0
Total Delay	31.0	12.7		25.0	18.0		32.2	43.8		30.2		14.0
LOS	С	В		С	В		С	D		С		В
Approach Delay		15.7			18.2			39.0			22.5	
Approach LOS		В			В			D			С	
Queue Length 50th (ft)	76	125		5	171		21	30		21		25
Queue Length 95th (ft)	#136	#400		16	225		53	#85		42		55
Internal Link Dist (ft)		865			3810			474			672	
Turn Bay Length (ft)	500			300			250			300		
Base Capacity (vph)	614	3212		352	2030		159	143		285		523
Starvation Cap Reductn	0	0		0	0		0	0		0		0
Spillback Cap Reductn	0	0		0	0		0	0		0		0
Storage Cap Reductn	0	0		0	0		0	0		0		0
Reduced v/c Ratio	0.70	0.69		0.09	0.75		0.36	0.57		0.41		0.20

Cycle Length: 60

Actuated Cycle Length: 60

Offset: 12 (20%), Referenced to phase 2:EBT and 6:WBT, Start of Green

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.75

Intersection Signal Delay: 17.6
Intersection Capacity Utilization 72.9%


Intersection LOS: B ICU Level of Service C

Analysis Period (min) 15

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.





Seth

	•	→	\rightarrow	•	←	•	•	†	/	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	*	ተተኈ		ሻ	ተተኈ		*	†	7	ሻ	†	7
Traffic Volume (vph)	150	1920	130	115	1390	220	180	281	130	275	210	120
Future Volume (vph)	150	1920	130	115	1390	220	180	281	130	275	210	120
Satd. Flow (prot)	1678	4778	0	1678	4725	0	1678	1766	1501	1678	1766	1501
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1678	4778	0	1678	4725	0	1678	1766	1501	1678	1766	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	161	2199	0	123	1727	0	193	301	139	295	225	129
Turn Type	Prot	NA		Prot	NA		Prot	NA	Perm	Prot	NA	Perm
Protected Phases	5	2		1	6		3	8		7	4	
Permitted Phases									8			4
Total Split (s)	20.0	67.0		16.0	63.0		26.0	28.0	28.0	29.0	31.0	31.0
Total Lost Time (s)	6.0	6.0		6.0	6.0		6.0	6.0	6.0	6.0	6.0	6.0
Act Effct Green (s)	14.0	61.0		10.0	57.0		18.8	22.0	22.0	23.0	26.2	26.2
Actuated g/C Ratio	0.10	0.44		0.07	0.41		0.13	0.16	0.16	0.16	0.19	0.19
v/c Ratio	0.96	1.06		1.03	0.90		0.86	1.09	0.59	1.07	0.68	0.46
Control Delay	122.7	75.0		153.4	46.2		91.2	133.0	66.2	129.0	65.1	57.3
Queue Delay	0.0	0.0		0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	122.7	75.0		153.4	46.2		91.2	133.0	66.2	129.0	65.1	57.3
LOS	F	Е		F	D		F	F	Е	F	Е	Е
Approach Delay		78.3			53.3			105.6			92.6	
Approach LOS		Е			D			F			F	
Queue Length 50th (ft)	148	~801		~119	533		173	~307	119	~297	195	107
Queue Length 95th (ft)	#295	#893		#253	604		#299	#496	193	#484	290	177
Internal Link Dist (ft)		351			574			601			628	
Turn Bay Length (ft)	400			400			300		300	300		300
Base Capacity (vph)	167	2081		119	1923		239	277	235	275	330	280
Starvation Cap Reductn	0	0		0	0		0	0	0	0	0	0
Spillback Cap Reductn	0	0		0	0		0	0	0	0	0	0
Storage Cap Reductn	0	0		0	0		0	0	0	0	0	0
Reduced v/c Ratio	0.96	1.06		1.03	0.90		0.81	1.09	0.59	1.07	0.68	0.46

Cycle Length: 140

Actuated Cycle Length: 140

Offset: 0 (0%), Referenced to phase 2:EBT and 6:WBT, Start of Green

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.09

Intersection Signal Delay: 74.7
Intersection Capacity Utilization 98.7%

Intersection LOS: E ICU Level of Service F

Analysis Period (min) 15

~ Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 13: Oak Street & Worcester Rd



Part 4: 2030 PM Conditions

	•	→	•	•	←	•	•	†	/	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻሻ	ተ ተኈ			ተተተ	7	Ĭ		7	7	ર્ન	7
Traffic Volume (vph)	105	3140	10	0	2190	150	20	0	10	700	10	390
Future Volume (vph)	105	3140	10	0	2190	150	20	0	10	700	10	390
Satd. Flow (prot)	3255	4821	0	0	4821	1501	1678	0	1501	1594	1601	1501
Flt Permitted	0.950						0.150			0.950	0.954	
Satd. Flow (perm)	3255	4821	0	0	4821	1501	265	0	1501	1594	1601	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	113	3380	0	0	2350	161	21	0	11	383	379	418
Turn Type	Prot	NA			NA	Perm	Perm		Perm	Perm	NA	Perm
Protected Phases	1	6			2						8	
Permitted Phases						2	4		2	8		8
Total Split (s)	11.0	93.0			82.0	82.0	38.0		82.0	38.0	38.0	38.0
Total Lost Time (s)	5.0	6.0			6.0	6.0	6.0		6.0	5.0	5.0	5.0
Act Effct Green (s)	6.0	87.0			76.0	76.0	32.0		76.0	33.0	33.0	33.0
Actuated g/C Ratio	0.05	0.66			0.58	0.58	0.24		0.58	0.25	0.25	0.25
v/c Ratio	0.76	1.06			0.84	0.19	0.33		0.01	0.96	0.94	1.11
Control Delay	91.6	56.0			26.1	13.6	57.0		11.7	83.5	80.4	123.2
Queue Delay	0.0	0.0			0.0	0.0	0.0		0.0	0.0	0.0	0.0
Total Delay	91.6	56.0			26.1	13.6	57.0		11.7	83.5	80.4	123.2
LOS	F	E			С	В	Е		В	F	F	F
Approach Delay		57.1			25.3			41.4			96.6	
Approach LOS		Е			С			D			F	
Queue Length 50th (ft)	50	~1149			572	61	15		4	338	333	~404
Queue Length 95th (ft)	#100	#1223			643	99	45		13	#550	#538	#610
Internal Link Dist (ft)		1018			585			187			263	
Turn Bay Length (ft)	400											
Base Capacity (vph)	149	3201			2796	870	64		870	401	403	378
Starvation Cap Reductn	0	0			0	0	0		0	0	0	0
Spillback Cap Reductn	0	0			0	0	0		0	0	0	0
Storage Cap Reductn	0	0			0	0	0		0	0	0	0
Reduced v/c Ratio	0.76	1.06			0.84	0.19	0.33		0.01	0.96	0.94	1.11

Cycle Length: 131

Actuated Cycle Length: 131

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.11

Intersection Signal Delay: 52.4 Intersection Capacity Utilization 101.3% Intersection LOS: D

ICU Level of Service G

Analysis Period (min) 15

Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 1: Driveway/California Ave & Worcester Rd



	₾	-	•	•	•	1	~	
Lane Group	EBU	EBT	EBR	WBL	WBT	NBL	NBR	
Lane Configurations	Ð	^	7	ħ	^	ሻሻ		
Traffic Volume (vph)	50	1740	430	200	1750	380	100	
Future Volume (vph)	50	1740	430	200	1750	380	100	
Satd. Flow (prot)	1678	3355	1501	1678	3355	3194	0	
Flt Permitted	0.950			0.950		0.962		
Satd. Flow (perm)	1678	3355	1501	1678	3355	3194	0	
Satd. Flow (RTOR)			*200					
Lane Group Flow (vph)	54	1867	461	215	1878	515	0	
Turn Type	Prot	NA	pt+ov	Prot	NA	Prot		
Protected Phases	5	2	27	1	6	7		
Permitted Phases								
Total Split (s)	20.0	60.0		20.0	60.0	25.0		
Total Lost Time (s)	5.0	6.0		5.0	6.0	5.0		
Act Effct Green (s)	8.7	54.0	78.4	14.8	62.3	19.3		
Actuated g/C Ratio	0.08	0.52	0.75	0.14	0.60	0.19		
v/c Ratio	0.39	1.07	0.39	0.90	0.94	0.87		
Control Delay	52.7	70.4	3.4	83.0	31.3	57.7		
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0		
Total Delay	52.7	70.4	3.4	83.0	31.3	57.7		
LOS	D	Е	Α	F	С	Е		
Approach Delay		57.0			36.6	57.7		
Approach LOS		Е			D	Е		
Queue Length 50th (ft)	35	~742	44	144	603	173		
Queue Length 95th (ft)	73	#880	79	#281	#854	#258		
Internal Link Dist (ft)		1378			1287	306		
Turn Bay Length (ft)	400		400	300				
Base Capacity (vph)	241	1739	1186	241	2006	613		
Starvation Cap Reductn	0	0	0	0	0	0		
Spillback Cap Reductn	0	0	0	0	0	0		
Storage Cap Reductn	0	0	0	0	0	0		
Reduced v/c Ratio	0.22	1.07	0.39	0.89	0.94	0.84		

Cycle Length: 105

Actuated Cycle Length: 104.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.07

Intersection Signal Delay: 48.5 Intersection Capacity Utilization 88.7% Intersection LOS: D

ICU Level of Service E

Analysis Period (min) 15

- * User Entered Value
- Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 2: Country Club Ln & Worcester Rd



	₾	>	۶	→	-	←	>	Ļ	\	\mathbf{x}	4	•
Lane Group	EBU	EBL2	EBL	EBT	EBR	WBT	SBL2	SBL	SEL	SET	SER	NWL
Lane Configurations			¥	^	7	ተተተ	, A	, j		4		7
Traffic Volume (vph)	35	60	0	1570	110	2035	130	220	180	135	35	160
Future Volume (vph)	35	60	0	1570	110	2035	130	220	180	135	35	160
Satd. Flow (prot)	0	0	1678	3355	1501	4821	1678	1678	0	1698	0	1678
Flt Permitted		*0.950	*0.950				0.950	0.950				
Satd. Flow (perm)	0	0	1678	3355	1501	4821	1678	1678	0	1741	0	1766
Satd. Flow (RTOR)												
Lane Group Flow (vph)	0	0	102	1684	118	2183	139	236	0	376	0	172
Turn Type	Prot	Prot	Perm	NA	Perm	NA	Prot	Prot	Perm	NA		Perm
Protected Phases	5	13		2		6	13	13		8		
Permitted Phases			2		2				8			4
Total Split (s)	25.0	25.0	85.0	85.0	85.0	85.0	25.0	25.0	35.0	35.0		35.0
Total Lost Time (s)			5.0	5.0	5.0	5.0	5.0	5.0		7.0		7.0
Act Effct Green (s)			80.2	80.2	80.2	80.2	20.1	20.1		28.1		28.1
Actuated g/C Ratio			0.54	0.54	0.54	0.54	0.13	0.13		0.19		0.19
v/c Ratio			0.11	0.93	0.15	0.84	0.62	1.05		1.15		0.52
Control Delay			18.5	42.6	19.0	33.5	74.6	133.1		107.7		61.9
Queue Delay			0.0	0.0	0.0	0.0	0.0	0.0		0.2		0.0
Total Delay			18.6	42.6	19.0	33.5	74.6	133.1		107.9		61.9
LOS			В	D	В	С	Е	F		F		Е
Approach Delay				39.9		33.5		111.4		107.9		
Approach LOS				D		С		F		F		
Queue Length 50th (ft)			45	729	52	598	125	~236		~372		147
Queue Length 95th (ft)			98	#1160	113	875	#236	#486		m#531		260
Internal Link Dist (ft)				646		691		163		96		
Turn Bay Length (ft)			400		400							300
Base Capacity (vph)			1185	2370	1060	2595	225	225		328		333
Starvation Cap Reductn			0	0	0	0	0	0		6		0
Spillback Cap Reductn			189	0	0	0	0	0		0		0
Storage Cap Reductn			0	0	0	0	0	0		0		0
Reduced v/c Ratio			0.10	0.71	0.11	0.84	0.62	1.05		1.17		0.52

Cycle Length: 190

Actuated Cycle Length: 149

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.15

Intersection Signal Delay: 50.4 Intersection Capacity Utilization 116.6% Intersection LOS: D

ICU Level of Service H

Analysis Period (min) 15

- User Entered Value
- Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 3: Temple St & Worcester Rd & Jug Handle





Lane Group NWT NWR2 Ø11 Lane Configurations 180 70 Traffic Volume (vph) 180 70 Future Volume (vph) 180 70 Satd. Flow (prot) 1692 0 Flt Permitted Satd. Flow (perm) 1692 0 Satd. Flow (RTOR) Lane Group Flow (vph) 268 0 Turn Type NA Protected Phases 4 11 Permitted Phases 4 11 11 Total Split (s) 35.0 20.0 Total Lost Time (s) 7.0 28.1 Actuated g/C Ratio 0.19 0.19
Traffic Volume (vph) 180 70 Future Volume (vph) 180 70 Satd. Flow (prot) 1692 0 Filt Permitted 0 0 Satd. Flow (perm) 1692 0 Satd. Flow (RTOR) 0 0 Lane Group Flow (vph) 268 0 Turn Type NA 0 Protected Phases 4 11 Permitted Phases 1 1 Total Split (s) 35.0 20.0 Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Future Volume (vph) 180 70 Satd. Flow (prot) 1692 0 Flt Permitted Satd. Flow (perm) 1692 0 Satd. Flow (RTOR) Lane Group Flow (vph) 268 0 Turn Type NA Protected Phases 4 11 Permitted Phases Total Split (s) 35.0 20.0 Act Effct Green (s) 28.1
Satd. Flow (prot) 1692 0 Flt Permitted 0 0 Satd. Flow (perm) 1692 0 Satd. Flow (RTOR) 0 0 Lane Group Flow (vph) 268 0 Turn Type NA 0 Protected Phases 4 11 Permitted Phases 35.0 20.0 Total Split (s) 35.0 20.0 Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Fit Permitted Satd. Flow (perm) 1692 0 Satd. Flow (RTOR) Lane Group Flow (vph) 268 0 Turn Type NA Protected Phases 4 11 Permitted Phases Total Split (s) 35.0 20.0 Act Effct Green (s) 28.1
Satd. Flow (perm) 1692 0 Satd. Flow (RTOR) 0 0 Lane Group Flow (vph) 268 0 Turn Type NA 0 Protected Phases 4 11 Permitted Phases 1 0 Total Split (s) 35.0 20.0 Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Satd. Flow (RTOR) Lane Group Flow (vph) 268 0 Turn Type NA Protected Phases 4 11 Permitted Phases Total Split (s) 35.0 20.0 Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Lane Group Flow (vph) 268 0 Turn Type NA Protected Phases 4 11 Permitted Phases 35.0 20.0 Total Split (s) 35.0 20.0 Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Turn Type NA Protected Phases 4 11 Permitted Phases Total Split (s) 35.0 20.0 Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Protected Phases 4 11 Permitted Phases Total Split (s) 35.0 20.0 Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Permitted Phases Total Split (s) 35.0 20.0 Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Total Split (s) 35.0 20.0 Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Total Lost Time (s) 7.0 Act Effct Green (s) 28.1
Act Effct Green (s) 28.1
· ,
v/c Ratio 0.84
Control Delay 81.5
Queue Delay 8.3
Total Delay 89.8
LOS F
Approach Delay 78.9
Approach LOS E
Queue Length 50th (ft) 246
Queue Length 95th (ft) #473
Internal Link Dist (ft) 704
Turn Bay Length (ft)
Base Capacity (vph) 318
Starvation Cap Reductn 0
Spillback Cap Reductn 30
Storage Cap Reductn 0
Reduced v/c Ratio 0.93
Intersection Summary

Seth Synchro 11 Report Page 4

	٠	→	\rightarrow	•	•	•	4	†	/	-	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			î»			ર્ન			î»	
Traffic Volume (vph)	10	0	60	0	25	85	15	225	0	0	290	10
Future Volume (vph)	10	0	60	0	25	85	15	225	0	0	290	10
Satd. Flow (prot)	0	1552	0	0	1582	0	0	1761	0	0	1757	0
Flt Permitted		0.963						*0.800				
Satd. Flow (perm)	0	1505	0	0	1582	0	0	1413	0	0	1757	0
Satd. Flow (RTOR)		69			91						1	
Lane Group Flow (vph)	0	75	0	0	118	0	0	257	0	0	322	0
Turn Type	Perm	NA			NA		custom	NA			NA	
Protected Phases		2			6			4 13			8	
Permitted Phases	2						4					
Total Split (s)	85.0	85.0			85.0		35.0				35.0	
Total Lost Time (s)		8.0			5.0						7.0	
Act Effct Green (s)		77.2			80.2			53.1			28.1	
Actuated g/C Ratio		0.52			0.54			0.36			0.19	
v/c Ratio		0.09			0.13			0.51			0.97	
Control Delay		5.6			6.1			20.4			101.7	
Queue Delay		0.1			0.0			15.9			21.1	
Total Delay		5.7			6.1			36.4			122.8	
LOS		Α			Α			D			F	
Approach Delay		5.7			6.1			36.4			122.8	
Approach LOS		Α			Α			D			F	
Queue Length 50th (ft)		3			11			65			303	
Queue Length 95th (ft)		35			52			m90			#594	
Internal Link Dist (ft)		1206			164			96			221	
Turn Bay Length (ft)												
Base Capacity (vph)		1054			893			503			332	
Starvation Cap Reductn		0			0			227			0	
Spillback Cap Reductn		442			0			0			25	
Storage Cap Reductn		0			0			0			0	
Reduced v/c Ratio		0.12			0.13			0.93			1.05	

Cycle Length: 190

Actuated Cycle Length: 149

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.15

Intersection Signal Delay: 64.8
Intersection Capacity Utilization 48.4%

Intersection LOS: E ICU Level of Service A


Analysis Period (min) 15

- * User Entered Value
- # 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 4: Temple St & Old Worcester Rd



	۶	-	•	•	←	•	•	†	/	-	↓	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻ	ની	7					414			€ 1₽	
Traffic Volume (vph)	360	31	251	0	0	0	29	913	34	135	621	351
Future Volume (vph)	360	31	251	0	0	0	29	913	34	135	621	351
Satd. Flow (prot)	1594	1611	1501	0	0	0	0	3335	0	0	3175	0
Flt Permitted	0.950	0.960						0.732			0.590	
Satd. Flow (perm)	1594	1611	1501	0	0	0	0	2444	0	0	1885	0
Satd. Flow (RTOR)												
Lane Group Flow (vph)	208	211	269	0	0	0	0	1047	0	0	1188	0
Turn Type	Split	NA	pt+ov				pm+pt	NA		Perm	NA	
Protected Phases	3	3	3 5				5	2			6 4	
Permitted Phases							2			6 4		
Total Split (s)	27.0	27.0					12.0	63.0				
Total Lost Time (s)	7.0	7.0						6.5				
Act Effct Green (s)	20.2	20.2	25.3					57.1			70.7	
Actuated g/C Ratio	0.15	0.15	0.19					0.43			0.53	
v/c Ratio	0.86	0.86	0.95					0.97			1.19	
Control Delay	87.3	87.5	83.0					57.3			108.5	
Queue Delay	52.5	51.8	0.0					41.8			0.0	
Total Delay	139.8	139.2	83.0					99.1			108.5	
LOS	F	F	F					F			F	
Approach Delay		117.4						99.1			108.5	
Approach LOS		F						F			F	
Queue Length 50th (ft)	168	170	151					332			~393	
Queue Length 95th (ft)	#396	#401	#417					#747			m#855	
Internal Link Dist (ft)		457			497			605			150	
Turn Bay Length (ft)	300		250									
Base Capacity (vph)	241	244	284					1084			1000	
Starvation Cap Reductn	0	0	0					0			0	
Spillback Cap Reductn	51	51	0					162			0	
Storage Cap Reductn	0	0	0					0			0	
Reduced v/c Ratio	1.09	1.09	0.95					1.14			1.19	

Cycle Length: 150

Actuated Cycle Length: 133.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.19

Intersection Signal Delay: 107.2

Intersection LOS: F Intersection Capacity Utilization 89.0% ICU Level of Service E

Analysis Period (min) 15

~ Volume exceeds capacity, queue is theoretically infinite.


Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 5: Main St/Edgell Rd & High St /High St



	•	→	\rightarrow	•	•	•	•	†	/	>	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations				44	ĵ»		¥	†			∱ }	
Traffic Volume (vph)	0	0	0	600	153	101	505	797	0	0	660	55
Future Volume (vph)	0	0	0	600	153	101	505	797	0	0	660	55
Satd. Flow (prot)	0	0	0	3255	1660	0	1678	1766	0	0	3315	0
Flt Permitted				0.950			0.182					
Satd. Flow (perm)	0	0	0	3255	1660	0	321	1766	0	0	3315	0
Satd. Flow (RTOR)												
Lane Group Flow (vph)	0	0	0	644	272	0	542	855	0	0	767	0
Turn Type				Split	NA		custom	NA			NA	
Protected Phases				4	4		53	23			6	
Permitted Phases							2					
Total Split (s)				32.0	32.0						51.0	
Total Lost Time (s)				6.0	6.0						6.5	
Act Effct Green (s)				26.3	26.3		78.8	84.4			45.0	
Actuated g/C Ratio				0.20	0.20		0.59	0.63			0.34	
v/c Ratio				1.00	0.83		1.16	0.76			0.69	
Control Delay				89.5	74.3		107.7	7.8			43.7	
Queue Delay				28.8	0.0		0.7	7.4			36.0	
Total Delay				118.4	74.3		108.4	15.1			79.7	
LOS				F	E		F	В			Е	
Approach Delay					105.3			51.3			79.7	
Approach LOS					F			D			Е	
Queue Length 50th (ft)				258	203		~367	20			261	
Queue Length 95th (ft)				#504	#449		m#558	m86			443	
Internal Link Dist (ft)		271			808			150			421	
Turn Bay Length (ft)				500								
Base Capacity (vph)				641	327		467	1118			1119	
Starvation Cap Reductn				0	0		35	223			0	
Spillback Cap Reductn				50	0		0	0			396	
Storage Cap Reductn				0	0		0	0			0	
Reduced v/c Ratio				1.09	0.83		1.25	0.96			1.06	

Cycle Length: 150

Actuated Cycle Length: 133.2

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.19

Intersection Signal Delay: 74.4 Intersection Capacity Utilization 82.5% Intersection LOS: E ICU Level of Service E

Analysis Period (min) 15


Volume exceeds capacity, queue is theoretically infinite.
 Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 6: Edgell Rd & Pleasant St



	-	•	•	•	1						
Lane Group	EBT	EBR	WBL	WBT	NBL	NBR	Ø3	Ø4	Ø5	Ø10	
Lane Configurations	↑ ↑₽			ተተተ		77					
Traffic Volume (vph)	1750	35	0	2385	0	380					
Future Volume (vph)	1750	35	0	2385	0	380					
Satd. Flow (prot)	4807	0	0	4821	0	2642					
Flt Permitted											
Satd. Flow (perm)	4807	0	0	4821	0	2642					
Satd. Flow (RTOR)	2					873					
Lane Group Flow (vph)	1916	0	0	2559	0	408					
Turn Type	NA			NA		Prot					
Protected Phases	2			6		9	3	4	5	10	
Permitted Phases											
Total Split (s)	84.0			64.0		11.0	29.0	11.0	20.0	35.0	
Total Lost Time (s)	7.0			7.0		6.0					
Act Effct Green (s)	78.2			57.9		5.1					
Actuated g/C Ratio	0.59			0.44		0.04					
v/c Ratio	0.68			1.22		0.43					
Control Delay	22.9			120.6		1.5					
Queue Delay	0.2			0.2		0.3					
Total Delay	23.1			120.8		1.7					
LOS	С			F		Α					
Approach Delay	23.1			120.8	1.7						
Approach LOS	С			F	Α						
Queue Length 50th (ft)	331			~867		0					
Queue Length 95th (ft)	763		n	n#1084		0					
Internal Link Dist (ft)	422			244	416						
Turn Bay Length (ft)											
Base Capacity (vph)	2826			2098		940					
Starvation Cap Reductn	0			138		0					
Spillback Cap Reductn	203			0		147					
Storage Cap Reductn	0			0		0					
Reduced v/c Ratio	0.73			1.31		0.51					

Cycle Length: 170

Actuated Cycle Length: 133

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.28

Intersection Signal Delay: 72.5
Intersection Capacity Utilization 60.2%

Intersection LOS: E ICU Level of Service B

Analysis Period (min) 15

Volume exceeds capacity, queue is theoretically infinite.


Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

m Volume for 95th percentile queue is metered by upstream signal.

Splits and Phases: 7: Main St & Worcester Rd



	۶	→	\rightarrow	•	←	•	4	†	/	-	ţ	✓
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	7	ተተተ			↑ ↑			4		14.54		7
Traffic Volume (vph)	350	1815	0	0	2035	210	0	1	0	275	0	350
Future Volume (vph)	350	1815	0	0	2035	210	0	1	0	275	0	350
Satd. Flow (prot)	1678	4821	0	0	4754	0	0	1766	0	3255	0	1678
Flt Permitted	0.950									0.950		
Satd. Flow (perm)	1678	4821	0	0	4754	0	0	1766	0	3255	0	1678
Satd. Flow (RTOR)												
Lane Group Flow (vph)	376	1947	0	0	2408	0	0	1	0	295	0	376
Turn Type	Prot	NA			NA			NA		Prot		Prot
Protected Phases	59	29			6			4		3		3
Permitted Phases							4					
Total Split (s)					64.0		11.0	11.0		29.0		29.0
Total Lost Time (s)					7.0			6.0		6.0		6.0
Act Effct Green (s)	24.4	89.4			57.9			5.1		23.4		23.4
Actuated g/C Ratio	0.18	0.67			0.44			0.04		0.18		0.18
v/c Ratio	1.22	0.60			1.16			0.01		0.52		1.28
Control Delay	180.1	5.2			114.0			71.0		55.6		191.7
Queue Delay	1.1	0.0			0.5			0.0		0.0		1.3
Total Delay	181.2	5.3			114.6			71.0		55.6		193.0
LOS	F	Α			F			Е		E		F
Approach Delay		33.7			114.6			71.0			132.6	
Approach LOS		С			F			Е			F	
Queue Length 50th (ft)	~345	63			~803			1		110		~367
Queue Length 95th (ft)	#799	151			#1428			9		217		#818
Internal Link Dist (ft)		244			273			196			695	
Turn Bay Length (ft)												200
Base Capacity (vph)	307	3239			2069			67		571		294
Starvation Cap Reductn	26	112			0			0		0		0
Spillback Cap Reductn	0	0			362			0		0		29
Storage Cap Reductn	0	0			0			0		0		0
Reduced v/c Ratio	1.34	0.62			1.41			0.01		0.52		1.42

Cycle Length: 170

Actuated Cycle Length: 133

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.28

Intersection Signal Delay: 82.0
Intersection Capacity Utilization 95.0%


Intersection LOS: F
ICU Level of Service F

Analysis Period (min) 15

- Volume exceeds capacity, queue is theoretically infinite.
 - Queue shown is maximum after two cycles.
- # 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 8: Worcester Rd & Prospect St



	۶	→	\rightarrow	•	←	•	1	†	/	-	ļ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	14.14	↑ ↑		1,1	ተ ተኈ		ň	4		14.54		7
Traffic Volume (vph)	380	1670	15	140	1790	215	80	0	45	220	0	185
Future Volume (vph)	380	1670	15	140	1790	215	80	0	45	220	0	185
Satd. Flow (prot)	3255	4816	0	3255	4744	0	1594	1470	0	3255	0	1501
Flt Permitted	0.950			0.950			0.950	0.988		0.713		
Satd. Flow (perm)	3255	4816	0	3255	4744	0	1594	1470	0	2443	0	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	408	1808	0	150	2152	0	70	64	0	236	0	198
Turn Type	Prot	NA		Prot	NA		Perm	NA		Perm		Perm
Protected Phases	5	2		1	6			8				
Permitted Phases							8			4		4
Total Split (s)	22.0	44.0		15.0	37.0		21.0	21.0		21.0		21.0
Total Lost Time (s)	7.5	6.0		7.5	6.0		6.0	6.0		6.0		6.0
Act Effct Green (s)	19.8	63.9		9.6	53.7		15.0	15.0		15.0		15.0
Actuated g/C Ratio	0.17	0.56		0.08	0.47		0.13	0.13		0.13		0.13
v/c Ratio	0.73	0.68		0.56	0.97		0.34	0.34		0.74		1.02
Control Delay	53.9	22.1		59.1	43.9		50.6	50.9		63.2		118.6
Queue Delay	0.0	0.0		0.0	0.0		0.0	0.0		0.0		0.0
Total Delay	53.9	22.1		59.1	43.9		50.6	50.9		63.2		118.6
LOS	D	С		Е	D		D	D		Е		F
Approach Delay		28.0			44.9			50.7			88.5	
Approach LOS		С			D			D			F	
Queue Length 50th (ft)	145	289		55	503		50	46		88		~151
Queue Length 95th (ft)	#262	#668		#104	#950		98	93		#142		#304
Internal Link Dist (ft)		865			3810			474			672	
Turn Bay Length (ft)	500			300			250			300		
Base Capacity (vph)	560	2677		270	2215		207	191		318		195
Starvation Cap Reductn	0	0		0	0		0	0		0		0
Spillback Cap Reductn	0	0		0	0		0	0		0		0
Storage Cap Reductn	0	0		0	0		0	0		0		0
Reduced v/c Ratio	0.73	0.68		0.56	0.97		0.34	0.34		0.74		1.02

Cycle Length: 115

Actuated Cycle Length: 115

Offset: 12 (10%), Referenced to phase 2:EBT and 6:WBT, Start of Green

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.02

Intersection Signal Delay: 41.4

Intersection Capacity Utilization 79.4%

Intersection LOS: D
ICU Level of Service D

Analysis Period (min) 15


~ Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

Splits and Phases: 12: Worcester Rd



	•	→	•	•	←	•	•	†	/	>	ţ	4
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻ	ተተኈ		ሻ	ተተ _ጮ		ሻ	^	7	ሻ	†	7
Traffic Volume (vph)	185	1520	135	160	1800	190	270	190	80	190	230	245
Future Volume (vph)	185	1520	135	160	1800	190	270	190	80	190	230	245
Satd. Flow (prot)	1678	4763	0	1678	4754	0	1678	1766	1501	1678	1766	1501
Flt Permitted	0.950			0.950			0.950			0.950		
Satd. Flow (perm)	1678	4763	0	1678	4754	0	1678	1766	1501	1678	1766	1501
Satd. Flow (RTOR)												
Lane Group Flow (vph)	198	1776	0	172	2135	0	290	204	86	204	247	263
Turn Type	Prot	NA		Prot	NA		Prot	NA	Perm	Prot	NA	Perm
Protected Phases	5	2		1	6		3	8		7	4	
Permitted Phases									8			4
Total Split (s)	20.0	53.0		20.0	53.0		23.0	24.0	24.0	23.0	24.0	24.0
Total Lost Time (s)	6.0	6.0		6.0	6.0		6.0	6.0	6.0	6.0	6.0	6.0
Act Effct Green (s)	14.0	47.2		13.8	47.0		17.0	18.5	18.5	16.5	18.0	18.0
Actuated g/C Ratio	0.12	0.39		0.12	0.39		0.14	0.15	0.15	0.14	0.15	0.15
v/c Ratio	1.02	0.95		0.89	1.15		1.22	0.75	0.37	0.89	0.94	1.17
Control Delay	121.2	47.4		94.5	107.5		175.7	66.9	51.2	87.2	92.0	158.1
Queue Delay	0.0	0.0		0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	121.2	47.4		94.5	107.5		175.7	66.9	51.2	87.2	92.0	158.1
LOS	F	D		F	F		F	Е	D	F	F	F
Approach Delay		54.8			106.5			119.0			115.0	
Approach LOS		D			F			F			F	
Queue Length 50th (ft)	~158	483		133	~710		~276	154	61	157	191	~243
Queue Length 95th (ft)	#314	#594		#263	#805		#452	#270	114	#292	#351	#412
Internal Link Dist (ft)		351			574			601			628	
Turn Bay Length (ft)	400			400			300		300	300		300
Base Capacity (vph)	195	1871		195	1861		237	271	231	237	264	225
Starvation Cap Reductn	0	0		0	0		0	0	0	0	0	0
Spillback Cap Reductn	0	0		0	0		0	0	0	0	0	0
Storage Cap Reductn	0	0		0	0		0	0	0	0	0	0
Reduced v/c Ratio	1.02	0.95		0.88	1.15		1.22	0.75	0.37	0.86	0.94	1.17

Cycle Length: 120

Actuated Cycle Length: 120

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 1.22

Intersection Signal Delay: 90.6
Intersection Capacity Utilization 98.6%

Intersection LOS: F
ICU Level of Service F

Analysis Period (min) 15

Volume exceeds capacity, queue is theoretically infinite.

Queue shown is maximum after two cycles.

95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.


Splits and Phases: 13: Oak Street & Worcester Rd



Appendix E: Traffic Safety Data

1. Collision Diagrams

Part 1: Collision Diagrams



BOSTON REGION MPO



Figure 1
Collision Diagram 2015–19
Route 9 and California Avenue


Addressing Priority Corridors from the LRTP Needs Assessment: Route 9 in Framingham and Natick

Index	Crash Date	Day	Time	Peak Hour	# Veh	# Injured	Crash Severity	Manner of Collision	Road Surface Conditions	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior to Crash	Most Harmful Event	Driver Contributing Code
1	01/18/2015	Sun	5:53 PM	Off-peak		2 0	Property damage) only	Sideswipe, same direction	Wet	Dark - lighted roadway		Travelling straight ahead / Overtaking/passing	Collision with motor vehicle in traffic	No improper driving / Failure to keep in proper lane or running off road
2	01/22/2015	Thu	11:42 PM	Off-peak		2 2	2 Incapacitating	Angle	Dry	Dark - lighted roadway	Clear / Cloudy	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Operating vehicle in erratic, reckless, careless, negligent or aggressive manner / No improper driving
3	02/20/2015		7:21 PM	Off-peak				Sideswipe, same direction	Dry	Dark - lighted roadway		Travelling straight ahead / Turning right		No improper driving / Other improper action
4	02/21/2015	Sat	2:54 PM	Off-peak		2 (Property damage) only	Rear-end	Snow	Daylight		Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
5	02/22/2015			Off-peak			Property damage) only	Rear-end	Wet	Daylight		Slowing or stopped in traffic / Travelling straight ahead	Collision with ditch / Collision with motor vehicle in traffic	Inattention / Distracted / No improper driving
6	03/05/2015		3:15 AM	Off-peak		1 0	Property damage only	Single vehicle crash	Sand, mud, dirt, oil, gravel	Dark - unlit roadway		Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
7	03/17/2015	Tue	12:43 PM	Off-peak		2 0	Property damage only	Sideswipe, same direction	Dry	Daylight	Cloudy	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving
8	03/18/2015	Wed	7:53 AM	Peak		2 2	Non-incapacitating	Angle	Dry	Daylight	Clear	Making U-turn / Travelling straight ahead	Collision with motor vehicle in traffic	Made an improper turn / No improper driving
9	04/15/2015	Wed	1:17 PM	Off-peak		2 1	Possible	Rear-end	Dry	Daylight		Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention
10	04/18/2015	Sat	11:21 AM	Off-peak		2 0	Property damage) only	Rear-end	Dry	Daylight		Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention
11	06/06/2015	Sat	7:40 PM	Off-peak		1 C	Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
12	06/21/2015	Sun	12:20 PM	Off-peak		2 0	Property damage) only	Rear-end	Wet	Daylight		Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / Disregarded traffic signs, signals, road markings / Made an improper turn
13	07/05/2015	Sun	1:49 AM	Off-peak		1 1	Non-incapacitating	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with guardrail	Fatigued/asleep / Failure to keep in proper lane or running off road
14	07/13/2015	Mon	8:47 AM	Peak		2 4	Non-incapacitating	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings / Made an improper turn
15	07/23/2015	Thu	10:26 PM	Off-peak		3 1	l Possible	Rear-end	Dry	Dark - lighted roadway		Slowing or stopped in traffic / Travelling straight ahead	Collision with parked motor vehicle / Collision with motor vehicle in traffic	No improper driving / Driving too fast for conditions
16	07/29/2015	Wed	1:20 AM	Off-peak		2 1	Non-incapacitating	Anale	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Operating vehicle in erratic, reckless, careless, negligent or aggressive manner / No improper driving
17	08/17/2015		12:00 AM				Property damage	Head-on	Dry	Daylight		Travelling straight ahead	Reported but invalid / Collision with motor vehicle in traffic	No improper driving
18	10/23/2015		8:24 PM	Off-peak			Property damage	Rear-end	Dry	Dark - lighted roadway		Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	No improper driving / Failure to keep in proper lane or running off road
19	10/29/2015			Peak			l Possible	Rear-end	Dry	Dusk		Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Distracted / No improper driving
20	11/13/2015		6:25 PM	Peak			Property damage	Sideswipe, same direction	Dry	Dark - lighted roadway		Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	No improper driving / Inattention
21	12/01/2015			Off-peak		2 0	Property damage only	Angle	Dry	Dark - lighted roadway		Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Disregarded traffic signs, signals, road markings / No improper driving

22	01/04/2016	Mon 5:08 PM	Peak	1	2 Incapacitating	Unknown	Dry	Dusk	Clear	Travelling straight ahead	Collision with pedestrian	Unknown
23					Property damage						Collision with motor	
20	01/13/2016	Wed 5:26 PM	Peak	2	0 only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic	vehicle in traffic	Unknown
24	02/22/2016	Mon 4:40 PM	Peak	2	Property damage o only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
	02/22/2010	101011 4.40 F101	reak	2	Property damage	direction	ы	Dayligiit	Clear	Travelling straight anoda	Collision with motor	Olikilowii
25	03/04/2016	Fri 1:01 PM	Off-peak	2	0 only	Angle	Dry	Daylight	Cloudy	Turning left	vehicle in traffic	Unknown
20					Property damage						Collision with motor	
26	03/12/2016	Sat 6:25 PM	Off-peak	3	0 only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	vehicle in traffic	No improper driving
27	00/40/0040	0 0 55 514	0"		1 Non-incapacitating			D 11.14		Travelling straight ahead	Collision with motor vehicle in traffic	
	03/13/2016	Sun 3:55 PM	Off-peak	2	1 Non-incapacitating	Angle	Dry	Daylight	Clear	Travelling straight aneau	verlicle in traffic	Unknown
28					Property damage					Slowing or stopped in traffic /	Collision with motor	No improper driving / Inattention /
_0	04/14/2016	Thu 5:50 PM	Peak	2	0 only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	Glare
29					Property damage	Sideswipe, same				Travelling straight ahead /	Collision with motor	
	04/19/2016	Tue 12:38 PM	Off-peak	2	0 only	direction	Dry	Daylight	Clear	Changing lanes	vehicle in traffic	Unknown
30					Property damage					Slowing or stopped in traffic /	Collision with motor	
30	05/01/2016	Sun 2:29 PM	Off-peak	2	0 only	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead	vehicle in traffic	Unknown
24					Property damage	Sideswipe, same		, 0		Travelling straight ahead / Turning	Collision with motor	
31	05/13/2016	Fri 3:58 PM	Peak	2	0 only	direction	Dry	Daylight	Cloudy	left	vehicle in traffic	Unknown
32					Property damage						Collision with motor	
	05/19/2016	Thu 6:53 PM	Off-peak	2	0 only	Angle	Dry	Daylight	Clear	left	vehicle in traffic	Unknown
33					Property damage	Sideswipe, same				Travelling straight ahead /	Collision with motor	No improper driving / Other improper
33	05/22/2016	Sun 7:19 PM	Off-peak	2	0 only	direction	Dry	Daylight	Clear	Changing lanes	vehicle in traffic	action
0.4					Property damage			, , ,			Collision with motor	
34	05/30/2016	Mon 8:09 PM	Off-peak	2	0 only	Rear-end	Dry	Dusk	Clear	Travelling straight ahead	vehicle in traffic	No improper driving
						0.1				T	0 11: 1	N. Santa and J. Sa
35	06/02/2016	Th., 0,00 DM			Property damage	Sideswipe, same				Travelling straight ahead /	Collision with motor	No improper driving / Failure to keep
						direction	Dm.		Class		vehicle in traffic	
	00/02/2010	Thu 3:28 PM	Off-peak	2	0 only Property damage	direction	Dry	Daylight	Clear	Changing lanes Travelling straight ahead / Turning	vehicle in traffic	in proper lane or running off road Exceeded authorized speed limit /
36				2	Property damage o only					Travelling straight ahead / Turning left		Exceeded authorized speed limit /
	06/14/2016	Tue 7:18 PM	Off-peak Off-peak	2	Property damage	Angle	Dry	Daylight Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor	
36 37				2 2 2	Property damage 0 only Property damage 0 only					Travelling straight ahead / Turning left Travelling straight ahead / Turning left	Collision with motor vehicle in traffic Collision with motor vehicle in traffic	Exceeded authorized speed limit / Failed to yield right of way
37	06/14/2016 07/09/2016	Tue 7:18 PM Sat 2:31 PM	Off-peak	2 2 2	Property damage o only Property damage o only Property damage	Angle	Dry Dry	Daylight Daylight	Clear	Travelling straight ahead / Turning left Travelling straight ahead / Turning left Travelling straight ahead / Turning	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving
	06/14/2016	Tue 7:18 PM	Off-peak	2 2 2	Property damage 0 only Property damage 0 only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left Travelling straight ahead / Turning left	Collision with motor vehicle in traffic Collision with motor vehicle in traffic	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No
37	06/14/2016 07/09/2016	Tue 7:18 PM Sat 2:31 PM	Off-peak	2 2 2 2	Property damage 0 only Property damage 0 only Property damage 0 only Only	Angle Angle	Dry Dry	Daylight Daylight	Clear	Travelling straight ahead / Turning left Travelling straight ahead / Turning left Travelling straight ahead / Turning left	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving
37	06/14/2016 07/09/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM	Off-peak	2 2 2 2 2	Property damage o only Property damage o only Property damage	Angle	Dry Dry	Daylight Daylight Daylight	Clear	Travelling straight ahead / Turning left Travelling straight ahead / Turning left Travelling straight ahead / Turning	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving
37	06/14/2016 07/09/2016 07/19/2016	Tue 7:18 PM Sat 2:31 PM	Off-peak Off-peak Peak	2 2 2 2	Property damage 0 only Property damage 0 only Property damage 0 only Property damage	Angle Angle Angle Sideswipe, same	Dry Dry	Daylight Daylight	Clear Cloudy Clear	Travelling straight ahead / Turning left Travelling straight ahead / Turning left Travelling straight ahead / Turning left Travelling straight ahead /	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown
37	06/14/2016 07/09/2016 07/19/2016 07/23/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM	Off-peak Off-peak Peak Off-peak	2 2 2 2	Property damage 0 only Property damage 0 only Property damage 0 only Property damage 0 only Property damage 1 only Property damage 1 only	Angle Angle Angle Sideswipe, same direction Sideswipe, same	Dry Dry Dry	Daylight Daylight Daylight Daylight	Clear Cloudy Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight	Collision with motor vehicle in traffic	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown
37 38 39	06/14/2016 07/09/2016 07/19/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM	Off-peak Off-peak Peak	2 2 2 2 2 2 2	Property damage 0 only	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction	Dry Dry	Daylight Daylight Daylight	Clear Cloudy Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic / Unknown	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown
37 38 39	06/14/2016 07/09/2016 07/19/2016 07/23/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM	Off-peak Peak Off-peak Off-peak	2 2 2	Property damage 0 only Property damage	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same	Dry Dry Dry Dry Dry	Daylight Daylight Daylight Daylight Daylight	Clear Cloudy Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead	Collision with motor vehicle in traffic / Unknown Collision with motor	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown
37 38 39 40	06/14/2016 07/09/2016 07/19/2016 07/23/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM	Off-peak Peak Off-peak Off-peak	2 2 2	Property damage 0 only	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction	Dry Dry Dry	Daylight Daylight Daylight Daylight	Clear Cloudy Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown
37 38 39 40 41	06/14/2016 07/09/2016 07/19/2016 07/23/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM	Off-peak Peak Off-peak Off-peak	2 2 2	Property damage 0 only Property damage	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same	Dry Dry Dry Dry Dry	Daylight Daylight Daylight Daylight Daylight	Clear Cloudy Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead	Collision with motor vehicle in traffic / Unknown Collision with motor	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown
37 38 39 40	06/14/2016 07/09/2016 07/19/2016 07/23/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM	Off-peak Peak Off-peak Off-peak	2 2 2	Property damage 0 only Property damage	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same	Dry Dry Dry Dry Dry	Daylight Daylight Daylight Daylight Daylight	Clear Cloudy Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown
37 38 39 40 41	06/14/2016 07/09/2016 07/19/2016 07/23/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM	Off-peak Peak Off-peak Off-peak	2 2 2	Property damage 0 only	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same	Dry Dry Dry Dry Dry	Daylight Daylight Daylight Daylight Daylight	Clear Cloudy Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead Changing lanes / Unknown	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown Disregarded traffic signs, signals,
37 38 39 40 41	06/14/2016 07/09/2016 07/19/2016 07/23/2016 08/06/2016 08/24/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM Wed 12:45 PM Sat 6:44 AM	Off-peak Peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 2	Property damage 0 only	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same direction Angle	Dry Dry Dry Dry Dry Dry Dry	Daylight Daylight Daylight Daylight Daylight Daylight Daylight Daylight Daylight	Clear Clear Clear Clear Clear Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead Changing lanes / Unknown Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic / Collision with median barrier Collision with median	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown Disregarded traffic signs, signals, road markings / Failed to yield right of way / No improper driving
37 38 39 40 41	06/14/2016 07/09/2016 07/19/2016 07/23/2016 08/06/2016 08/24/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM Wed 12:45 PM	Off-peak Peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 2	Property damage 0 only	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same direction	Dry Dry Dry Dry Dry Dry	Daylight Daylight Daylight Daylight Daylight Daylight Daylight	Clear Cloudy Clear Clear Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead Changing lanes / Unknown Travelling straight ahead /	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic / Collision with median barrier Collision with median barrier	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown Disregarded traffic signs, signals, road markings / Failed to yield right of
37 38 39 40 41 42	06/14/2016 07/09/2016 07/19/2016 07/23/2016 08/06/2016 08/24/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM Wed 12:45 PM Sat 6:44 AM	Off-peak Peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 2	Property damage 0 only	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same direction Angle	Dry Dry Dry Dry Dry Dry Dry	Daylight Daylight Daylight Daylight Daylight Daylight Daylight Daylight Daylight	Clear Clear Clear Clear Clear Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead Changing lanes / Unknown Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic / Collision with median barrier Collision with median barrier Collision with parked	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown Disregarded traffic signs, signals, road markings / Failed to yield right of way / No improper driving
37 38 39 40 41	06/14/2016 07/09/2016 07/19/2016 07/23/2016 08/06/2016 08/24/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM Wed 12:45 PM Sat 6:44 AM	Off-peak Peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 2	Property damage 0 only	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same direction Angle	Dry Dry Dry Dry Dry Dry Dry	Daylight Daylight Daylight Daylight Daylight Daylight Daylight Daylight Daylight	Clear Clear Clear Clear Clear Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead Changing lanes / Unknown Travelling straight ahead / Changing lanes Travelling straight ahead	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic / Collision with median barrier Collision with median barrier	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown Disregarded traffic signs, signals, road markings / Failed to yield right of way / No improper driving Unknown
37 38 39 40 41 42	06/14/2016 07/09/2016 07/19/2016 07/23/2016 08/06/2016 08/24/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM Wed 12:45 PM Sat 6:44 AM	Off-peak Peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 2	Property damage 0 only Property damage 1 Non-incapacitating	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same direction Angle	Dry Dry Dry Dry Dry Dry Dry	Daylight Daylight Daylight Daylight Daylight Daylight Daylight Daylight Daylight	Clear Clear Clear Clear Clear Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead Changing lanes / Unknown Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic / Collision with motor vehicle in traffic / Collision with median barrier Collision with median barrier Collision with parked motor vehicle / Collision	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown Disregarded traffic signs, signals, road markings / Failed to yield right of way / No improper driving
37 38 39 40 41 42	06/14/2016 07/09/2016 07/19/2016 07/23/2016 08/06/2016 08/24/2016 11/05/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM Wed 12:45 PM Sat 6:44 AM Sun 12:50 AM	Off-peak Peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 2	Property damage 0 only Property damage 1 Non-incapacitating Property damage	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same direction Angle Single vehicle crash	Dry	Daylight	Clear Clear Clear Clear Clear Clear Clear Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead Changing lanes / Unknown Travelling straight ahead / Changing lanes Travelling straight ahead Slowing or stopped in traffic /	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic / Collision with motor vehicle in traffic / Collision with median barrier Collision with median barrier Collision with parked motor vehicle / Collision with motor vehicle in traffic Collision with utility pole /	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown Disregarded traffic signs, signals, road markings / Failed to yield right of way / No improper driving Unknown
37 38 39 40 41 42	06/14/2016 07/09/2016 07/19/2016 07/23/2016 08/06/2016 08/24/2016 11/05/2016 11/27/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM Wed 12:45 PM Sat 6:44 AM Sun 12:50 AM	Off-peak Peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 2	Property damage 0 only Property damage 0 Property damage 0 only Property damage	Angle Angle Angle Sideswipe, same direction Angle Single vehicle crash Rear-end	Dry	Daylight Daylight Daylight Daylight Daylight Daylight Daylight Daylight Dawn Dark - lighted roadway	Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead Changing lanes / Unknown Travelling straight ahead / Changing lanes Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic / Collision with motor vehicle in traffic / Collision with median barrier Collision with median barrier Collision with parked motor vehicle / Collision with motor vehicle in traffic Collision with utility pole / Collision with motor	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown Disregarded traffic signs, signals, road markings / Failed to yield right of way / No improper driving Unknown Failure to keep in proper lane or running off road / Unknown
37 38 39 40 41 42 43	06/14/2016 07/09/2016 07/19/2016 07/23/2016 08/06/2016 08/24/2016 11/05/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM Wed 12:45 PM Sat 6:44 AM Sun 12:50 AM	Off-peak Peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 2	Property damage 0 only	Angle Angle Angle Sideswipe, same direction Sideswipe, same direction Sideswipe, same direction Angle Single vehicle crash	Dry	Daylight	Clear Clear Clear Clear Clear Clear Clear Clear Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead Changing lanes / Unknown Travelling straight ahead / Changing lanes Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic / Collision with motor vehicle in traffic / Collision with median barrier Collision with median barrier Collision with parked motor vehicle / Collision with motor vehicle in traffic Collision with utility pole / Collision with motor vehicle in traffic	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown Disregarded traffic signs, signals, road markings / Failed to yield right of way / No improper driving Unknown Vinknown To improper driving Unknown Failure to keep in proper lane or running off road / Unknown No improper driving / Followed too closely
37 38 39 40 41 42 43	06/14/2016 07/09/2016 07/19/2016 07/23/2016 08/06/2016 08/24/2016 11/05/2016 11/27/2016	Tue 7:18 PM Sat 2:31 PM Tue 5:57 PM Sat 1:01 PM Sat 4:55 PM Wed 12:45 PM Sat 6:44 AM Sun 12:50 AM	Off-peak Peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 2	Property damage 0 only Property damage 0 Property damage 0 only Property damage	Angle Angle Angle Sideswipe, same direction Angle Single vehicle crash Rear-end	Dry	Daylight Daylight Daylight Daylight Daylight Daylight Daylight Daylight Dawn Dark - lighted roadway	Clear	Travelling straight ahead / Turning left Travelling straight ahead / Changing lanes Unknown / Travelling straight ahead Changing lanes / Unknown Travelling straight ahead / Changing lanes Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead	Collision with motor vehicle in traffic / Unknown Collision with motor vehicle in traffic Collision with motor vehicle in traffic / Collision with motor vehicle in traffic / Collision with median barrier Collision with median barrier Collision with parked motor vehicle / Collision with motor vehicle in traffic Collision with utility pole / Collision with motor	Exceeded authorized speed limit / Failed to yield right of way Failed to yield right of way / No improper driving Unknown Unknown Unknown Disregarded traffic signs, signals, road markings / Failed to yield right of way / No improper driving Unknown Failure to keep in proper lane or running off road / Unknown

47	01/09/2017	Mon 9:20 AM	Peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
48										Travelling straight ahead /	Collision with motor	
	02/04/2017	Sat 1:38 PM	Off-peak	2	1 Possible	Angle	Dry	Daylight	Clear	Changing lanes	vehicle in traffic	Unknown
49	02/09/2017	Thu 2:30 AM	Off-peak	1	Property damage 0 only	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
50					Property damage					Slowing or stopped in traffic /	Collision with motor	
	02/14/2017	Tue 2:00 PM	Off-peak	3	0 only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	Unknown
51	02/17/2017	Fri 8:16 PM	Off-peak	2	Property damage only	Sideswipe, same direction	Sand, mud, dirt, oil, gravel	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
52	02/19/2017	Sun 7:08 PM	Off-peak	1	1 Incapacitating	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with median barrier	Unknown
53	03/01/2017	Wed 5:42 AM	Off-peak	2	Property damage 0 only	Rear-end	Wet	Dawn	Rain	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
			2 p. 2								Calliaian with marks	
54	06/08/2017	Thu 9:41 PM	Off-peak	2	1 Possible	Angle	Dry	Dark - lighted roadway	Clear	Making U-turn / Travelling straight ahead	Collision with motor vehicle in traffic	Made an improper turn / Failed to yield right of way
55					Property damage					Slowing or stopped in traffic /	Collision with motor	
	06/17/2017	Sat 10:57 AM	Off-peak	2	0 only	Rear-end	Water (standing, moving)	Daylight	Cloudy	Travelling straight ahead	vehicle in traffic	Unknown
56						Sideswipe, same				Travelling straight ahead /	Collision with motor	Failure to keep in proper lane or running off road / Other improper
	07/02/2017	Sun 8:47 PM	Off-peak	2	1 Non-incapacitating	direction Sideswipe, same	Dry	Dusk	Cloudy / Unknown	Changing lanes Travelling straight ahead / Turning	vehicle in traffic Collision with motor	action
57	07/12/2017	Wed 8:38 PM	Off-peak	3	3 Non-incapacitating		Wet	Dark - lighted roadway	Cloudy / Rain	left	vehicle in traffic	Unknown
58	07/30/2017	Sun 1:55 PM	Off-peak	2	Property damage 0 only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Unknown
59					Property damage only					Travalling straight shood	Collision with motor vehicle in traffic	No improper driving / Followed too
	09/29/2017	Fri 7:22 AM	Peak	2	0 Offiny	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	veriicie in tranic	closely
60	10/03/2017	Tue 9:05 AM	Peak	2	Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	No improper driving / Other improper action
61					Property damage					Travelling straight ahead / Turning	Collision with motor	Disregarded traffic signs, signals,
	10/04/2017	Wed 6:44 PM	Off-peak	2	0 only	Angle	Dry	Dark - lighted roadway	Clear	left	vehicle in traffic	road markings / No improper driving
62					Property damage	Sideswipe, same				Unknown / Travelling straight	Collision with motor	
	10/06/2017	Fri 8:32 PM	Off-peak	2	0 only	direction	Dry	Dark - lighted roadway	Clear	ahead	vehicle in traffic	Unknown
63	40/04/0047				Property damage 0 only			5 " 11		Slowing or stopped in traffic /	Collision with motor vehicle in traffic	Unknown / No improper driving / Followed too closely
64	10/31/2017	Tue 7:49 AM	Peak	3	Property damage	Rear-end	Dry	Daylight	Clear		Collision with median	Followed too closely
64	01/04/2018	Thu 4:13 PM	Peak	1	0 only	Single vehicle crash	Snow	Dusk	Rain / Snow	Travelling straight ahead	barrier	Unknown
65	01/12/2018	Fri 6:49 PM	Off-peak	2	Property damage 0 only	Sideswipe, same direction	Wet	Dark - lighted roadway	Rain / Fog, smog, smoke	Travelling straight ahead / Turning right	Collision with motor vehicle in traffic	Disregarded traffic signs, signals, road markings / No improper driving
												Failure to keep in proper lane or running off road / Over-
66	01/19/2018	Fri 11:23 PM	Off-neak	2	Property damage 0 only	Angle	Sand, mud, dirt, oil, gravel	Dark - lighted roadway	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	correcting/over-steering) / No improper driving
67				2	Property damage						Collision with motor	
	01/27/2018	Sat 9:04 AM	Off-peak	2	0 only	Rear-end	Dry	Daylight	Clear	Turning left	vehicle in traffic	Unknown
68	03/02/2018	Fri 9:28 AM	Peak	2	1 Non-incapacitating	l Angle	Wet	Daylight	Rain	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in traffic	Failed to yield right of way / No improper driving
69					Property damage					Slowing or stopped in traffic /	Collision with motor	
	03/06/2018	Tue 8:40 AM	Peak	2	only	Rear-end	Dry	Daylight	Clear		vehicle in traffic	No improper driving / Unknown
70					Property damage					Entering traffic lane / Travelling	Collision with motor	Failed to yield right of way / No
	04/05/2018	Thu 11:39 AM	Off-peak	2	0 only	Angle	Dry	Daylight	Clear		vehicle in traffic	improper driving

	_											
71	04/06/2018	Fri 7:33 AM	Peak	2	Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	No improper driving / Followed too closely
72	04/08/2018	Sun 10:15 PM	Off-peak	2	Property damage 0 only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
73					Property damage	Sideswipe, same				Travelling straight ahead /	Collision with motor	Failed to yield right of way / No
	04/15/2018	Sun 10:47 AM	Оп-реак	2	0 only	direction	Wet	Daylight	Rain	Changing lanes	vehicle in traffic	improper driving
74	05/08/2018	Tue 3:50 PM	Peak	1	Property damage only	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	Collision with unknown movable object	Unknown
75	05/10/2018	Thu 12:25 PM	Off-peak	2	1 Non-incapacitating	Angle	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	Failed to yield right of way / No improper driving
76	07/12/2018	Thu 1:38 PM	Off-peak	2	2 Non-incapacitating	Angle	Dry	Daylight	Clear	Making U-turn / Travelling straight ahead	Collision with motor vehicle in traffic	Disregarded traffic signs, signals, road markings / No improper driving
77				2	Property damage						Collision with median	, , , , , , , , , , , , , , , , , , ,
	07/22/2018	Sun 3:03 AM	Off-peak	1	0 only	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	barrier	Unknown
78	08/16/2018	Thu 11:55 AM	Off-peak	4	Property damage 0 only	Angle	Dry	Daylight	Clear	Slowing or stopped in traffic / Changing lanes	Collision with motor vehicle in traffic	Inattention / No improper driving / No improper driving
79	09/11/2018	Tue 8:42 AM	Peak	2	Property damage only	Angle	Dry	Daylight	Cloudy	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Failure to keep in proper lane or running off road
80	12/10/2018	Mon 9:23 AM	Peak	2	Property damage	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	Unknown
	12/10/2010		Cuit				2.9	July iig. ii	0.00.		O-11:-:	
81	02/01/2019	Fri 11:09 AM	Off-peak	2	Property damage 0 only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Unknown
82	02/06/2019	Wed 2:36 PM	Off-peak	2	Property damage 0 only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Turning right	Collision with motor vehicle in traffic	Unknown
83	05/12/2019	Sun 12:41 PM	Off-peak	1	1 Non-incapacitating	Single vehicle crash	Wet	Daylight	Rain	Turning left	Collision with pedestrian	No improper driving
84	05/21/2019	Tue 12:14 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
85					Property damage						Collision with motor	
	05/31/2019	Fri 3:12 PM	Off-peak	2	0 only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	No improper driving / Unknown Disregarded traffic signs, signals,
86	06/07/2019	Fri 1:44 PM	Off-peak	2	Property damage 0 only	Sideswipe, same direction	Dry	Daylight	Clear	Making U-turn / Travelling straight ahead	Collision with motor vehicle in traffic	road markings / Failure to keep in proper lane or running off road / No improper driving
	33/3/12013		On Poun	_			,	Sugnit .	Old I			
87	07/03/2019	Wed 8:14 AM	Peak	2	Property damage 0 only	Sideswipe, same direction	Unknown	Daylight	Clear	Travelling straight ahead / Changing lanes	Other / Collision with motor vehicle in traffic	No improper driving / Failure to keep in proper lane or running off road
88	08/20/2019	Tue 8:05 PM	Off-peak	2	1 Non-incapacitating	Angle	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Turning left	Collision with motor vehicle in traffic	Operating defective equipment / No improper driving
89	08/26/2019		Off-peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Turning left	Collision with motor vehicle in traffic	No improper driving
90	09/21/2019	Sat 12:00 AM	Off-peak	2	4 Incapacitating	Head-on	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Disregarded traffic signs, signals, road markings / Exceeded authorized speed limit / No improper driving
91	44/05/55		0.5		Property damage			Dayle lighted and down		Travelling straight - b - d	Collision with motor vehicle in traffic / Collision with unknown	No improper driving / Followed too closely / Exceeded authorized speed
	11/08/2019	Fri 2:47 AM	Off-peak	3	0 only Property damage	Rear-end	Wet	Dark - lighted roadway	Clear	Travelling straight ahead	movable object Collision with motor	limit
92	12/30/2019	Mon 4:47 PM	Peak	2	0 only	Rear-end	Wet	Dark - lighted roadway	Rain	Travelling straight ahead	vehicle in traffic	No improper driving



BOSTON REGION MPO




Figure 2
Collision Diagram 2015–19
Route 9 and Country Club Lane

Addressing Priority Corridors from the LRTP Needs Assessment: Route 9 in Framingham and Natick Table 2 Crash Lookup: Country Club Lane at Route 9 MassDOT Crash Data 2015-2019

Index	Crash Date	Day Time	Peak Hour	# Veh	# Injured	Crash Severity	Manner of Collision	Road Surface Condition		Weather Conditions	Vehicle Actions Prior to Crash	Most Harmful Event	Driver Contributing Code
1	02/06/2015	Fri 9:35 PM	Off-peak	,	1 (Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with parked motor vehicle	Followed too closely
2	03/25/2015	Wed 8:44 AM	Peak	2	2 () Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
3	04/28/2015	Tue 10:20 AM	Off-peak	2	2 (Property damage only	Angle	Dry	Daylight	Clear	Slowing or stopped in traffic / Turning left	Collision with motor vehicle in traffic	No improper driving / Failure to keep in proper lane or running off road
4	05/18/2015	Mon 6:12 PM	Peak	,	1 (Property damage only	Single vehicle crash	Sand, mud, dirt, oil, gravel	Daylight	Clear	Making U-turn	Collision with guardrail	Unknown
5	06/12/2015	Fri 7:00 PM	Off-peak	2	2 1	Non-incapacitating	Sideswipe, same direction	Dry	Daylight	Cloudy	Slowing or stopped in traffic / Turning right	Collision with motor vehicle in traffic	No improper driving / Inattention
6	07/10/2015	Fri 6:00 PM	Peak	3	3 1	Possible	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Followed too closely
7	08/06/2015	Thu 9:17 PM	Off-peak	2	2 (Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Followed too closely
8	11/11/2015	Wed 9:30 PM	Off-peak	2	2 (Property damage only		Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention / Distracted
9	11/12/2015	Thu 12:27 PM	Off-peak	2	2 (Property damage only	Sideswipe, same direction	Wet	Daylight	Rain / Cloudy	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving
10	02/05/2016	Fri 8:20 AM	Peak	2	2 1	Non-incapacitating	Sideswipe, same direction	Slush	Daylight	Cloudy / Snow	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Other improper action / No improper driving
11	02/06/2016	Sat 3:20 AM	Off-peak	2	2 1	Non-incapacitating	Angle	Ice	Dark - lighted roadway	Clear	Turning right / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
12	02/15/2016	Mon 8:41 PM	Off-peak	,	1 (Property damage only	Single vehicle crash	Snow	Dark - lighted roadway	Snow / Blowing sand, snow	Slowing or stopped in traffic	Collision with tree	Driving too fast for conditions
13	04/12/2016	Tue 1:59 PM	Off-peak	2	2 1	Possible	Angle	Wet	Daylight	Rain	Making U-turn / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
14	05/03/2016	Tue 10:29 AM	Off-peak	2	2 (Property damage only	Rear-end	Wet	Daylight	Rain	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
15	05/21/2016	Sat 9:59 AM	Off-peak	2	2 (Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Unknown
16	07/29/2016	Fri 6:38 AM	Off-peak	3	3 (Property damage only	Sideswipe, same direction	Wet	Daylight	Rain / Cloudy	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
17	08/08/2016	Mon 8:41 AM	Peak	2	2 (Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
18	08/26/2016	Fri 6:46 PM	Off-peak	3	3 1	Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
19	11/14/2016	Mon 11:00 AM	Off-peak	2	2 (Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
20	12/20/2016	Tue 6:04 PM	Peak	2	2 (Property damage only	Head-on	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
21	01/09/2017	Mon 8:05 AM	Peak	3	3 2	Non-incapacitating	Rear-end	Wet	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
22	02/07/2017	Tue 7:42 PM	Off-peak	2	2 () Property damage only	Angle	Ice	Dark - lighted roadway	Sleet, hail (freezing rain or drizzle)	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Disregarded traffic signs, signals, road markings / Failed to yield right of way
23	02/17/2017	Fri 7:15 PM	Off-peak	3	3 1	Non-incapacitating	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Changing lanes	Collision with motor vehicle in traffic	Unknown
24	04/05/2017	Wed 9:49 AM	Peak	3	3 (Property damage only	Rear-end	Dry	Daylight	Clear / Cloudy	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown

Table 2 Crash Lookup: Country Club Lane at Route 9 MassDOT Crash Data 2015-2019

25	05/29/2017	Mon 2:25 AM	Off-peak	1	1 Non-incapacitating	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with guardrail	Unknown
											Collision with light pole	
26	07/21/2017	Fri 4:53 AM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Dawn	Clear	Travelling straight ahead	or other post/support	No improper driving
27	08/09/2017	Wed 4:36 PM	Peak	3	0 Property damage only	Rear-end	Dry	Daylight	Clear	Turning right / Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
28	10/01/2017	Sun 1:46 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	Other improper action / No improper driving
						Sideswipe, same				Travelling straight ahead /	Collision with motor	No improper driving /
29	11/12/2017	Sun 6:45 PM	Off-peak	2	0 Property damage only	direction	Dry	Dark - unknown	Clear	Unknown	vehicle in traffic	Followed too closely Failure to keep in proper
30	11/18/2017	Sat 3:36 AM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	object (wall, building, tunnel, etc.)	lane or running off road / Fatigued/asleep
										Slowing or stopped in traffic /	Collision with motor	Inattention / Followed too
31	11/22/2017	Wed 12:00 AM	Off-peak	2	0 Property damage only	Rear-end	Wet	Daylight	Rain / Cloudy	Travelling straight ahead	vehicle in traffic	closely / No improper driving
32	02/10/2018	Sat 1:08 PM	Off-peak	2	Property damage only	Sideswipe, same direction	Wet	Daylight	Rain / Cloudy	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	Other improper action / No improper driving
33	07/07/2018	Sat 2:45 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	Collision with guardrail	No improper driving
			0.00		Trapers, among am	- mgra ramana araan		, -9			Collision with motor	in a map of an annual
34	07/31/2018	Tue 6:35 AM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	vehicle in traffic	No improper driving
35	09/14/2018	Fri 6:00 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dusk	Clear	Turning right	Collision with motor vehicle in traffic	No improper driving
36	09/17/2018	Mon 2:53 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Unknown
37	10/02/2018	Tue 6:54 PM	Off-peak	2	0 Property damage only	Angle	Wet	Dark - lighted roadway	Rain	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
20	40/00/0040	C-+ 0.00 DM	0# 1-	0	0 D	AI -	D	Davidakt	Ola	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Links are a
38	12/22/2018	Sat 2:22 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	ieit	verlicle in traffic	Unknown
39	01/01/2019	Tue 4:22 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
										Slowing or stopped in traffic /	Collision with motor	
40	01/10/2019	Thu 5:20 PM	Peak	4	0 Property damage only	Rear-end	Dry	Dark - unlit roadway	Clear	Travelling straight ahead	vehicle in traffic	Unknown
											Collision with motor	No improper driving /
41	03/26/2019	Tue 4:31 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	vehicle in traffic Collision with motor	Followed too closely No improper driving /
42	03/27/2019	Wed 10:46 AM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	vehicle in traffic	Followed too closely
43	06/28/2019	Fri 6:54 PM	Off-peak	2	0 Property damage only	Rear-end	Unknown	Daylight	Clear	Making U-turn	Collision with motor vehicle in traffic	No improper driving / Unknown
											O 111 1 11 11 11 11 11 11 11 11 11 11 11	
44	07/07/2019	Sun 2:10 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Unknown	Daylight	Clear	Travelling straight ahead	Collision with light pole or other post/support	Other improper action
45	08/22/2019	Thu 8:00 AM	Peak	2	Property damage only	Angle	Dry	Daylight	Cloudy / Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Failed to yield right of way
	13,22,2010	0.007 1111				.3			S. I. I. J. F. C. Gall			
46	10/24/2019	Thu 5:25 PM	Peak	3	1 Non-incapacitating	Rear-end	Dry	Dusk	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
47	10/11/0010	Mod 4.54 DM	Dook		O Droporty dansaria	Dear and	Des	Dark - lighted roadway	Claudy	Slowing or stopped in traffic /	Collision with motor vehicle in traffic	No improper driving /
47 48	12/11/2019 12/13/2019	Wed 4:51 PM Fri 7:20 AM	Peak Peak	1	0 Property damage only0 Property damage only		Dry Dry	,	Cloudy	Travelling straight ahead Travelling straight ahead		Followed too closely Unknown
40	12/13/2019	FII 1.20 AIVI	reak		o intoperty damage only	Single vehicle crash	DIY	Daylight	Oleai	Travelling Straight aneau	Comsion with guartifall	OTIKIOWII



BOSTON REGION MPO



Figure 3
Collision Diagram 2015–19
Route 9 and Temple Street

Addressing Priority Corridors from the LRTP Needs Assessment: Route 9 in Framingham and Natick

Table 3 Crash Lookup: Temple Street at Route 9 MassDOT Crash Data 2015-2019

						_			Massbot Crash Data	2015-2019		1	1	
Index	Crash Date D	ay	Time	Peak Hour	# Veh	# Injured	Crash Severity	Manner of Collision	Road Surface Conditions	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior to Crash	Most Harmful Event	Driver Contributing Code
1	01/01/2015	Thu	12:40 AM	Off-peak		1	0 Property damage only	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Turning left	Collision with utility pole	Unknown
2	01/02/2015		3:53 PM	Peak			1 Incapacitating	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	Collision with utility pole	Fatigued/asleep
3	02/25/2015		8:00 PM	Off-peak		3	1 Non-incapacitating	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
4	04/08/2015	Wed	12:00 AM	Off-peak		2	0 Property damage only	Sideswipe, same direction	Wet	Dark - lighted roadway	Rain	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in traffic	Failed to yield right of way / No improper driving
5	04/21/2015	Tue	3:00 PM	Off-peak		2	0 Property damage only	Angle	Dry	Daylight	Cloudy	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Made an improper turn / Disregarded traffic signs, signals, road markings
6	04/25/2015	Sat	2:00 PM	Off-peak		2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
7	04/26/2015	Sun	1:34 AM	Off-peak		2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Cloudy	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings / Other improper action
8	05/05/2015	Tue	3:30 PM	Peak		1	2 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
9	05/05/2015	Tue	8:05 PM	Off-peak		2	0 Property damage only	Sideswipe, same direction	Wet	Dark - lighted roadway	Rain	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in traffic	Failed to yield right of way / No improper driving
10	05/21/2015	Thu	4:00 PM	Peak		2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
11	07/19/2015	Sun	4:45 PM	Off-peak		1	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning left	Collision with motor vehicle in traffic	No improper driving
12	08/03/2015	Mon	9:06 PM	Off-peak		2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with ditch	Disregarded traffic signs, signals, road markings / Unknown
13	08/16/2015	Sun	8:46 PM	Off-peak		1	0 Property damage only	Rear-end	Wet	Dark - lighted roadway	Rain	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving
14	09/21/2015		12:10 PM	Off-peak			Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	Failed to yield right of way / No improper driving
15	10/13/2015	-	11:57 AM	0".			0 Property damage only	Rear-end	Wet	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Unknown
16	11/04/2015		7:29 AM	Peak			Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning right	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
17	11/14/2015	Sat	12:18 PM	Off-peak		2	1 Possible	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
18	12/08/2015	Tue	9:43 PM	Off-peak	:	2	0 Property damage only	Angle	Dry	Dark - unlit roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
19	01/09/2016	Sat	11:25 AM	Off-peak		2	0 Property damage only	Rear-end	Wet	Daylight	Rain	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
20	01/11/2016	Mon	3:21 PM	Off-peak			0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Turning right	Collision with motor vehicle in traffic	Unknown
21	02/04/2016		10:32 PM	Off-peak			Property damage only Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Turning right		No improper driving / Disregarded traffic signs, signals, road markings
22	02/10/2016		6:36 AM	Off-peak			0 Property damage only	Rear-end	Wet	Daylight	Cloudy / Snow	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Unknown
23	02/13/2016		11:02 PM	Off-peak			0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear / Other	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
23	02/13/2010	Jal	1 1.02 T W	OII-peak			o i Toperty damage only	rtodi-criu	D13	gg	Oldai / Other	g or ereppod in traine		OTHERIOWIT

Table 3 Crash Lookup: Temple Street at Route 9 MassDOT Crash Data 2015-2019


							MassDOT Crash Dat	a 2015-2019				
24	03/01/2016	Tue 3:32 PM	Peak	3	Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
						Sideswipe, same				Overteking/passing / Turning right	Collision with motor vehicle in traffic	
25	03/15/2016	Tue 4:07 PM	Peak	2	Property damage only	direction	Wet	Daylight	Rain	Overtaking/passing / Turning right	Collision with motor	Unknown
26	04/13/2016	Wed 6:34 AM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	vehicle in traffic	No improper driving
27	06/13/2016	Mon 8:30 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dusk	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
••	00/47/0040	5 : 4 00 DM	0"		0.0		5	D 11.1	01	Slowing or stopped in traffic /	Collision with motor	- · · · · · · · ·
28	06/17/2016	Fri 1:02 PM	Off-peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	Emotional / Unknown
	00/00/0040									Unknown / Travelling straight	Unknown / Collision with	
29	06/20/2016	Mon 4:29 PM	Peak	2	0 Property damage only	Rear-end Sideswipe, same	Dry	Daylight	Clear	ahead Slowing or stopped in traffic /	motor vehicle in traffic Collision with motor	Unknown No improper driving / Other
30	07/28/2016	Thu 7:49 AM	Peak	2	0 Property damage only	direction	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	improper action
31	08/15/2016	Mon 3:50 PM	Peak	2	Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning right	Collision with motor vehicle in traffic	Unknown
V .	00/10/2010	0.001 W	1 Car		1 Topolity damage only	7 tingle	Diy	Daylight	Olcai	Entering traffic lane / Travelling	Collision with motor	Failed to yield right of way /
32	08/17/2016	Wed 7:41 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	straight ahead	vehicle in traffic Collision with motor	Glare No improper driving /
33	11/03/2016	Thu 4:13 PM	Peak	2	0 Property damage only	Rear-end	Wet	Daylight	Rain	Slowing or stopped in traffic	vehicle in traffic	Followed too closely
	44/40/0040	0 1 10 07 111	0"		0.0		6		01	Travelling straight ahead / Turning		
34	11/19/2016	Sat 10:27 AM	Off-peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	right Slowing or stopped in traffic /	vehicle in traffic Collision with motor	No improper driving No improper driving /
35	12/02/2016	Fri 12:13 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	Followed too closely
36	12/08/2016	Thu 5:01 PM	Peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Unknown
					1 Toporty damage only	7 tingle				Travelling straight ahead / Turning	Collision with motor	
37	01/17/2017	Tue 5:51 PM	Peak	2	0 Property damage only	Angle	Wet	Dark - lighted roadway	Rain	left Slowing or stopped in traffic /	vehicle in traffic Collision with motor	Unknown
38	01/18/2017	Wed 4:08 PM	Peak	3	0 Property damage only	Rear-end	Wet	Daylight	Rain / Cloudy	Travelling straight ahead	vehicle in traffic	Unknown
39	02/02/2017	Thu 12:00 AM	Off-peak	2	2 Possible	Anglo	Dny	Dark - lighted roadway	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Unknown
39	02/02/2017	111u 12.00 AW	Оп-реак	Σ	2 Possible	Angle	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic /	Collision with motor	Ulkilowii
40	02/07/2017	Tue 7:50 PM	Off-peak	2	0 Property damage only	Rear-end	Ice	Dark - lighted roadway	Sleet, hail	Travelling straight ahead	vehicle in traffic	Unknown
41	02/17/2017	Fri 12:00 AM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Ice	Dark - lighted roadway	Clear	Travelling straight ahead / Turning right	vehicle in traffic	Unknown
40	00/04/0047	F : 0.00 PM	0"		^ P		6	David Limbtod mandages	01	Travelling attainst about	Collision with motor vehicle in traffic	
42	02/24/2017	Fri 9:33 PM	Off-peak	2	Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor	Unknown
43	02/27/2017	Mon 12:12 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	No improper driving
44	04/27/2017	Thu 6:30 AM	Off-peak	2	0 Property damage only	Rear-end	Wet	Daylight	Cloudy	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
		_									Collision with motor	
45	05/20/2017	Sat 7:12 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic Slowing or stopped in traffic /	vehicle in traffic Collision with motor	Unknown
46	05/31/2017	Wed 5:57 PM	Peak	2	1 Possible	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	Unknown
47	07/01/2017	Sat 9:09 PM	Off-peak	2	Property damage only	Rear-end	Wet	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
	0770172017	Oat 3.03 1 W	Оп-рсак	2	1 Toperty damage only	real-crid	VVCt		Olcai	Leaving traffic lane / Travelling	Collision with motor	Made an improper turn / No
48	07/19/2017	Wed 10:51 PM	Off-peak	2	1 Possible	Angle	Dry	Dark - lighted roadway	Clear	straight ahead Unknown / Slowing or stopped in	vehicle in traffic Collision with motor	improper driving No improper driving /
49	07/21/2017	Fri 4:20 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	traffic	vehicle in traffic	Followed too closely
	07/07/0047	TI 40.04 DM	0"					Dark - lighted roadway	01	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	
50	07/27/2017	Thu 10:01 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight aneau	Collision with motor	No improper driving
51	08/29/2017	Tue 2:51 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Cloudy	Travelling straight ahead	vehicle in traffic	Unknown
												Driving too fast for
	00/05/22/25	W 1 = - 1 = 1								Slowing or stopped in traffic /	Collision with motor	conditions / Other improper
52	08/30/2017	Wed 5:51 PM	Peak	4	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	action / No improper driving Driving too fast for
53	09/04/2017	Mon 6:41 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Wet	Daylight	Rain	Travelling straight ahead	Collision with utility pole	conditions

Table 3 Crash Lookup: Temple Street at Route 9 MassDOT Crash Data 2015-2019

							MassDOT Crash Data	1 20 13-20 13				
										Travelling straight ahead / Turning		Failed to yield right of way /
54	09/05/2017	Tue 5:46 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	right	vehicle in traffic	No improper driving
											Collision with motor	No improper driving /
55	10/05/2017	Thu 1:31 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	Unknown
						Cide avvine a come				Clausing as atompted in traffic /	Calliaian with master	No improper driving / Failure
56	10/13/2017	Fri 7:43 PM	Off-peak	2	O Proporty domago only	Sideswipe, same direction	Dny	Dark - lighted roadway	Cloor	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	to keep in proper lane or running off road
36	10/13/2017	FII 7.43 PW	Оп-реак	2	Property damage only	direction	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic /	Collision with motor	No improper driving /
57	12/04/2017	Mon 2:26 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	Followed too closely
37	12/04/2017	2.201 W	Оп-рсак	2	o i Toperty damage only	rtoar-criu	Diy	Daylight	Olcai	Slowing or stopped in traffic /	Collision with motor	i oliowed too oloooly
58	12/09/2017	Sat 9:31 PM	Off-peak	2	0 Property damage only	Rear-end	Ice	Dark - lighted roadway	Snow	Travelling straight ahead	vehicle in traffic	No improper driving
	12/00/2011	GGI 0.011 III	On pour	_	o i roporty damage omy	rtodi ond		3 ,	Cilon	, , , , , , , , , , , , , , , , , , ,		Physical impairment /
												Disregarded traffic signs,
										Slowing or stopped in traffic /	Collision with motor	signals, road markings / No
59	12/30/2017	Sat 11:57 PM	Off-peak	3	1 Non-incapacitating	Rear-end	Dry	Dark - lighted roadway	Cloudy	Travelling straight ahead	vehicle in traffic	improper driving
												No improper driving / Failure
						Sideswipe, same				0 0	Collision with motor	to keep in proper lane or
60	12/30/2017	Sat 10:37 PM	Off-peak	2	0 Property damage only	direction	Dry	Dark - lighted roadway	Clear	left	vehicle in traffic	running off road
										Travelling straight ahead / Turning		
61	03/18/2018	Sun 9:02 PM	Off-peak	2	4 Non-incapacitating	Angle	Dry	Dark - lighted roadway	Clear	left	vehicle in traffic	Unknown
00	0.4/4.7/0.04.0	T 7.55 DM	0# 1-	0	0. Door out of our or or or or	Danasa	D	Develo	01	Travelling straight ahead / Turning left	vehicle in traffic	No improper driving / Followed too closely
62	04/17/2018	Tue 7:55 PM	Off-peak	2	Property damage only	Rear-end	Dry	Dusk	Clear	leit	verilcle in traffic	
										Entering traffic lane / Travelling	Collision with motor	No improper driving / Disregarded traffic signs,
63	05/17/2018	Thu 8:20 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Cloudy / Clear	straight ahead	vehicle in traffic	signals, road markings
	00/11/2010	7110 0.20 71111	1 out	_	o i roporty damage omy	, «1910	2.9	Dayligin	Cloudy / Clour			Driving too fast for
												conditions / Followed too
										Slowing or stopped in traffic /	Collision with motor	closely / No improper
64	07/07/2018	Sat 3:26 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	driving
										Slowing or stopped in traffic /	Collision with motor	No improper driving /
65	08/04/2018	Sat 5:25 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear / Cloudy	Travelling straight ahead	vehicle in traffic	Unknown
										Unknown / Slowing or stopped in	Collision with motor	
66	08/23/2018	Thu 10:39 AM	Off-peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	traffic	vehicle in traffic / Other	No improper driving
	00/20/2010	111u 10.33 AW	Оп-реак	2	o i roperty damage omy	rtear end	ыу	Daylight	Cicai	ii diii o	vernere in traine / Other	No improper driving
	00/20/2010	111d 10.39 AW	Оп-реак	2	o i Toperty damage only	real end	Ыу	Dayligin	Cieai			No improper driving /
67				2							Collision with motor	No improper driving / Disregarded traffic signs,
67	08/24/2018	Fri 9:25 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
	08/24/2018	Fri 9:25 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear		Collision with motor	No improper driving / Disregarded traffic signs,
67				2						Travelling straight ahead Slowing or stopped in traffic /	Collision with motor vehicle in traffic Collision with motor	No improper driving / Disregarded traffic signs, signals, road markings No improper driving /
	08/24/2018	Fri 9:25 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely
68	08/24/2018 09/15/2018 10/10/2018	Fri 9:25 AM Sat 3:25 PM	Peak Off-peak Peak	2	O Property damage only Property damage only	Angle Rear-end Rear-end	Dry Dry	Daylight Daylight Daylight	Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic /	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention
68 69	08/24/2018 09/15/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM	Peak Off-peak	2	0 Property damage only0 Property damage only0 Property damage only	Angle Rear-end	Dry	Daylight Daylight	Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving /
68 69	08/24/2018 09/15/2018 10/10/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM	Peak Off-peak Peak	2	0 Property damage only0 Property damage only0 Property damage only	Angle Rear-end Rear-end	Dry Dry	Daylight Daylight Daylight	Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way
68 69	08/24/2018 09/15/2018 10/10/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM	Peak Off-peak Peak	2	0 Property damage only0 Property damage only0 Property damage only	Angle Rear-end Rear-end	Dry Dry	Daylight Daylight Daylight	Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving /
68 69 70	08/24/2018 09/15/2018 10/10/2018 11/09/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM	Peak Off-peak Off-peak Off-peak	2 2 2 1	O Property damage only Property damage only Property damage only Possible Property damage only Property damage only	Angle Rear-end Rear-end Single vehicle crash	Dry Dry Dry Wet	Daylight Daylight Daylight Daylight Daylight Dark - unlit roadway	Clear Clear Clear Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions
68 69 70	08/24/2018 09/15/2018 10/10/2018 11/09/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM	Peak Off-peak Peak Off-peak	2	O Property damage only Property damage only Property damage only Possible	Angle Rear-end Rear-end Single vehicle crash	Dry Dry Dry Dry	Daylight Daylight Daylight Daylight	Clear Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic /	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions
68 69 70	08/24/2018 09/15/2018 10/10/2018 11/09/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM	Peak Off-peak Off-peak Off-peak	2 2 2 1	O Property damage only Property damage only Property damage only Possible Property damage only Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end	Dry Dry Dry Wet	Daylight Daylight Daylight Daylight Daylight Dark - unlit roadway	Clear Clear Clear Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving No improper driving No improper driving /
68 69 70 71 72	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM	Peak Off-peak Off-peak Off-peak Off-peak	2 2 2 1	0 Property damage only 0 Property damage only 1 Possible 0 Property damage only 0 Property damage only 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle	Dry Dry Dry Wet Wet	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway	Clear Clear Clear Clear Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic /	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving No improper driving / Inattention / Followed too
68 69 70	08/24/2018 09/15/2018 10/10/2018 11/09/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM	Peak Off-peak Off-peak Off-peak	2 2 2 1	O Property damage only Property damage only Property damage only Possible Property damage only Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end	Dry Dry Dry Wet	Daylight Daylight Daylight Daylight Daylight Dark - unlit roadway	Clear Clear Clear Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving No improper driving / Inattention / Followed too closely
68 69 70 71 72	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM	Peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 1 1 2 2	0 Property damage only 0 Property damage only 1 Possible 0 Property damage only 0 Property damage only 0 Property damage only 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same	Dry Dry Dry Wet Wet Dry	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway	Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving No improper driving / Inattention / Followed too closely Failed to yield right of way /
68 69 70 71 72	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM	Peak Off-peak Off-peak Off-peak Off-peak	2 2 2 1	0 Property damage only 0 Property damage only 1 Possible 0 Property damage only 0 Property damage only 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end	Dry Dry Dry Wet Wet	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway	Clear Clear Clear Clear Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Travelling straight ahead Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic Collision with motor	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving
68 69 70 71 72	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM	Peak Off-peak Off-peak Off-peak Off-peak Off-peak Peak	2 2 2 1 1 2 2	0 Property damage only 0 Property damage only 1 Property damage only 1 Possible 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same	Dry Dry Dry Wet Wet Ury Wet	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway	Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving No improper driving / Inattention / Followed too closely Failed to yield right of way /
68 69 70 71 72 73	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018 12/08/2018 01/03/2019	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM Thu 9:18 AM	Peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 1 1 2 2	0 Property damage only 0 Property damage only 1 Possible 0 Property damage only 0 Property damage only 0 Property damage only 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same direction	Dry Dry Dry Wet Wet Dry	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway Dark - lighted roadway Daylight Dark - lighted roadway	Clear Cloudy	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Changing lanes Slowing or stopped in traffic /	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic Collision with motor	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving Failed to yield right of way / No improper driving Failed to yield right of way /
68 69 70 71 72 73	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018 12/08/2018 01/03/2019	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM Thu 9:18 AM	Peak Off-peak Off-peak Off-peak Off-peak Off-peak Peak	2 2 2 1 1 2 2	0 Property damage only 0 Property damage only 1 Property damage only 1 Possible 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same direction	Dry Dry Dry Wet Wet Ury Wet	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway Dark - lighted roadway	Clear Cloudy	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead / Changing lanes Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving Failed to yield right of way / No improper driving Failed to yield right of way / No improper driving
68 69 70 71 72 73 74 75 76	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018 12/08/2018 01/03/2019 01/06/2019 01/14/2019	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM Thu 9:18 AM Sun 8:10 PM Mon 8:45 PM	Peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 1 2 2 2 2 2 2	0 Property damage only 0 Property damage only 1 Property damage only 1 Possible 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same direction Rear-end	Dry Dry Dry Wet Wet Dry Wet Dry Dry	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway Daylight Dark - lighted roadway Daylight Dark - lighted roadway	Clear Cloudy Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic /	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving Failed to yield right of way / No improper driving Failed to yield right of way / No improper driving No improper driving No improper driving No improper driving / Followed too closely No improper driving / Followed too closely
68 69 70 71 72 73 74	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018 12/08/2018 01/03/2019 01/06/2019	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM Thu 9:18 AM Sun 8:10 PM	Peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 1 2 2 2 2 2 2	0 Property damage only 0 Property damage only 1 Property damage only 1 Possible 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same direction Rear-end	Dry Dry Dry Wet Wet Dry Wet Dry	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway Dark - lighted roadway Daylight Dark - lighted roadway	Clear Cloudy Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving Failed to yield right of way / No improper driving Failed to yield right of way / No improper driving No improper driving Followed too closely No improper driving / Followed too closely No improper driving / Followed too closely
68 69 70 71 72 73 74 75 76	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018 12/08/2018 01/03/2019 01/06/2019 01/14/2019	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM Thu 9:18 AM Sun 8:10 PM Mon 8:45 PM	Peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 1 2 2 2 2 2 2	0 Property damage only 0 Property damage only 1 Property damage only 1 Possible 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same direction Rear-end Rear-end	Dry Dry Dry Wet Wet Dry Wet Dry Dry	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway Daylight Dark - lighted roadway Daylight Dark - lighted roadway	Clear Cloudy Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic /	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving Failed to yield right of way / No improper driving No improper driving / Followed too closely No improper driving /
68 69 70 71 72 73 74 75 76	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018 12/02/2018 01/03/2019 01/06/2019 01/14/2019 03/11/2019	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM Thu 9:18 AM Sun 8:10 PM Mon 8:45 PM Mon 12:54 PM	Peak Off-peak	2 2 2 1 1 2 2 2 2 2 3	0 Property damage only 0 Property damage only 1 Possible 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same direction Rear-end Rear-end Rear-end	Dry Dry Dry Dry Wet Wet Dry Wet Dry Dry Dry	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway Daylight Dark - lighted roadway Daylight Dark - lighted roadway Daylight Dark - lighted roadway Daylight	Clear Cloudy Clear Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving No improper driving / Followed too closely No improper driving / Disregarded traffic signs,
68 69 70 71 72 73 74 75 76	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018 12/08/2018 01/03/2019 01/06/2019 01/14/2019	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM Thu 9:18 AM Sun 8:10 PM Mon 8:45 PM	Peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak Off-peak	2 2 2 1 2 2 2 2 2 2	0 Property damage only 0 Property damage only 1 Property damage only 1 Possible 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same direction Rear-end Rear-end	Dry Dry Dry Wet Wet Dry Wet Dry Dry	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway Daylight Dark - lighted roadway Daylight Dark - lighted roadway	Clear Cloudy Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic /	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving No improper driving / No improper driving / Followed too closely No improper driving / Followed too closely No improper driving / Followed too closely No improper driving / Disregarded traffic signs, signals, road markings
68 69 70 71 72 73 74 75 76	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018 12/02/2018 01/03/2019 01/06/2019 01/14/2019 03/11/2019	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM Thu 9:18 AM Sun 8:10 PM Mon 8:45 PM Mon 12:54 PM	Peak Off-peak	2 2 2 1 1 2 2 2 2 2 3	0 Property damage only 0 Property damage only 1 Possible 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same direction Rear-end Rear-end Rear-end	Dry Dry Dry Dry Wet Wet Dry Wet Dry Dry Dry	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway Daylight Dark - lighted roadway Daylight Dark - lighted roadway Daylight Dark - lighted roadway Daylight	Clear Cloudy Clear Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Travelling straight ahead / Changing lanes Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving No improper driving / Followed too closely No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Failed
68 69 70 71 72 73 74 75 76	08/24/2018 09/15/2018 10/10/2018 11/09/2018 11/20/2018 12/02/2018 12/02/2018 01/03/2019 01/06/2019 01/14/2019 03/11/2019	Fri 9:25 AM Sat 3:25 PM Wed 4:43 PM Fri 12:07 PM Tue 10:34 PM Sun 7:45 PM Sat 10:15 PM Thu 9:18 AM Sun 8:10 PM Mon 8:45 PM Mon 12:54 PM	Peak Off-peak	2 2 2 1 1 2 2 2 2 2 3	0 Property damage only 0 Property damage only 1 Possible 0 Property damage only	Angle Rear-end Rear-end Single vehicle crash Rear-end Angle Rear-end Sideswipe, same direction Rear-end Rear-end Rear-end	Dry Dry Dry Dry Wet Wet Dry Wet Dry Dry Dry	Daylight Daylight Daylight Daylight Dark - unlit roadway Dark - lighted roadway Dark - lighted roadway Daylight Dark - lighted roadway Daylight Dark - lighted roadway Daylight Dark - lighted roadway Daylight	Clear Cloudy Clear Clear Clear Clear	Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Turning right Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Travelling straight ahead Travelling straight ahead Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with pedestrian Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings No improper driving / Followed too closely No improper driving / Inattention Failed to yield right of way No improper driving / Driving too fast for conditions No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving / Inattention / Followed too closely Failed to yield right of way / No improper driving No improper driving / No improper driving / Followed too closely No improper driving / Followed too closely No improper driving / Followed too closely No improper driving / Disregarded traffic signs, signals, road markings

Table 3
Crash Lookup: Temple Street at Route 9
MassDOT Crash Data 2015-2019

							MassDOI Cras	h Data 2015-2019				
80	04/06/2019	Sat 11:32 F	M Off-peak	2	Property damage only	Sideswipe, same direction	Wet	Dark - lighted roadway	Rain	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Unknown
81	04/06/2019	Sat 5:07 AM	Λ Off-peak	2	Property damage only	Angle	Wet	Dark - lighted roadway	Cloudy / Rain	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
82	05/25/2019	Sat 1:15 PN	/ Off-peak	3	Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
83	07/09/2019	Tue 6:00 PM	1 Peak	2	Property damage only	Angle	Unknown	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Failed to yield right of way / No improper driving
84	07/13/2019	Sat 9:50 PM	Λ Off-peak	2	0 Property damage only	Angle	Unknown	Dark - lighted roadway	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
85	07/28/2019	Sun 1:17 PN	/I Off-peak	2	1 Non-incapacitating	Rear-end	Unknown	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / Followed too closely
86	08/08/2019	Thu 2:44 AM	1 Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dark - lighted roadway	Clear	Leaving traffic lane / Changing lanes	Collision with motor vehicle in traffic	No improper driving / Failure to keep in proper lane or running off road
87	08/09/2019	Fri 7:39 AN	1 Peak	3	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
88	08/12/2019	Mon 9:15 PN		3	Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
				0							Collision with motor vehicle in traffic	No improper driving / Unknown
89	08/16/2019	Fri 12:35 F		2	Property damage only	Angle Sideswipe, same	Dry	Daylight	Clear	Travelling straight ahead Travelling straight ahead /	Collision with motor	No improper driving /
90	08/24/2019	Sat 3:26 PM	/I Off-peak	3	0 Property damage only	direction	Dry	Daylight	Clear	Changing lanes	vehicle in traffic	Unknown No improper driving /
91	09/05/2019	Thu 12:49 F	M Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning right	vehicle in traffic	Disregarded traffic signs, signals, road markings / Made an improper turn
92	09/05/2019	Thu 3:01 AM	/I Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Turning left	Vehicle in traffic	Unknown
93	09/17/2019	Tue 5:11 AN	∕l Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dawn	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Failure to keep in proper lane or running off road
94	10/03/2019	Thu 9:04 PM	/I Off-peak	2	1 Non-incapacitating	Angle	Wet	Dark - lighted roadway	Rain	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Failed to yield right of way / No improper driving
95	10/21/2019	Mon 1:01 AN	1 Off-peak	2	1 Non-incapacitating	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
96	10/24/2019	Thu 4:54 PM	1 Peak	2	1 Incapacitating	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
97	11/02/2019	Sat 11:00 F	M Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
98	11/17/2019	Sun 4:00 Al	/I Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Turning left	Collision with utility pole	Unknown
99	11/21/2019	Thu 7:15 PN	/I Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Cloudy	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Unknown
100	11/21/2019	Thu 8:26 PM	/I Off-peak	2	1 Non-incapacitating	Angle	Dry	Dark - lighted roadway	Clear	Turning left	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
101	12/04/2019	Wed 11:00 F	M Off-peak	2	Property damage only	Angle	Wet	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Other improper action
102	12/11/2019	Wed 10:13 F		2	2 Non-incapacitating	Angle	Wet	Dark - lighted roadway	Rain	, ,	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
	12/18/2019	Wed 7:25 PM		2		Sideswipe, opposite direction		Dark - lighted roadway	Clear	Travelling straight ahead / Turning left		Failed to yield right of way / No improper driving
103	12/16/2019	Wed 7:25 PI	on-peak		Property damage only	direction	Dry	Daik - lighted roadway	Clear	ioit	VEHICLE III HAIIIC	140 improper unving



REGION MPO



Route 9 and Maynard Road


Route 9 in Framingham and Natick

Index	Crash Date	Day T	me	Peak Hour #	Veh #	# Injured Crash Severity	Manner of Collision	Road Surface Conditions	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior to Crash	Most Harmful Event Collision with motor	Driver Contributing Code
1	02/06/2015	Fri	3:12 PM	Off-peak	2	1 Possible injury	Rear end	Wet	Daylight	Clear	Slowing or stopped in traffic	vehicle in transport	
											01	Collision with motor	
2	02/07/2015	Sat	2:35 PM	Off-peak	3	1 Non-incapacitating	Rear end	Slush	Daylight	Snow	Slowing or stopped in traffic	vehicle in transport Collision with motor	Inattention / No improper driving No improper driving / Followed too
3	02/10/2015	Tue	7:16 AM	Peak	2	0 Property damage only	Rear end	Slush	Daylight	Cloudy	Slowing or stopped in traffic	vehicle in transport	closely
							Sideswipe, same					Collision with motor	
4	03/03/2015	Tue	7:11 AM	Peak	2	0 Property damage only	direction	Dry	Daylight	Clear	Travelling straight ahead	vehicle in transport Collision with motor	No improper driving / Unknown
5	03/07/2015	Sat	1:53 PM	Off-peak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in transport	No improper driving / Unknown
											01	Collision with motor	No improper driving / Followed too
6	04/09/2015	Thu	4:10 PM	Peak	3	0 Property damage only	Rear end	Wet	Daylight	Rain	Slowing or stopped in traffic Travelling straight ahead / Slowing or	vehicle in transport	closely
7	04/29/2015	Wed	4:35 PM	Peak	4	0 Property damage only	Rear end	Dry	Daylight	Clear	stopped in traffic	vehicle in transport	
											T	Collision with motor	No improper driving / Followed too
8	05/13/2015	Wed	1:58 PM	Off-peak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	Travelling straight ahead / Merging	vehicle in transport Collision with motor	closely No improper driving / Followed too
9	05/13/2015	Wed	3:32 PM	Peak	3	0 Property damage only	Rear end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in transport	closely
											Travelling straight ahead / Slowing or	Collision with motor	
10	06/12/2015	Fri	7:26 PM	Off-peak	2	1 Non-incapacitating	Rear end Sideswipe, same	Dry	Daylight	Cloudy	stopped in traffic	vehicle in transport Collision with motor	Inattention / No improper driving
11	07/02/2015	Thu	3:06 PM	Off-peak	1	0 Property damage only		Dry	Daylight	Clear	Travelling straight ahead	vehicle in transport	No improper driving
					_						Clausia a an atauna dia tangga	Collision with motor	No improper driving / Followed too
12	07/16/2015	Thu	4:28 PM	Peak	3	1 Possible injury	Rear end	Dry	Daylight	Clear	Slowing or stopped in traffic Travelling straight ahead / Slowing or	vehicle in transport Collision with motor	closely
13	07/24/2015	Fri	7:36 AM	Peak	2	1 Possible injury	Rear end	Dry	Daylight	Clear	stopped in traffic	vehicle in transport	No improper driving / Unknown
											T	Collision with motor	
14	08/25/2015	Tue	4:08 PM	Peak	3	0 Property damage only	Rear end	Dry	Daylight	Clear	Travelling straight ahead Travelling straight ahead / Slowing or	vehicle in transport	Unknown
15	09/01/2015	Tue	4:32 PM	Peak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	stopped in traffic	vehicle in transport	
					_						Travelling straight ahead / Slowing or		
16	09/25/2015	Fri	12:41 PM	Оп-реак	3	1 Possible injury	Rear end	Dry	Daylight	Clear	stopped in traffic	vehicle in transport	
													No improper driving / Made an
17	10/07/2015	Wed	1.02 AM	Off-peak	2	0 Property democra only	Anglo	Dny	Dark - lighted roadway	Cloor	Turning right / Travelling straight ahead	Collision with motor vehicle in transport	improper turn / Failure to keep in proper lane or running off road
17	10/07/2015	weu	1.23 AIVI	Оп-реак	2	0 Property damage only	Angle Sideswipe, same	Dry	Dark - lighted roadway	Clear	aneau	Collision with motor	proper lane or running on road
18	11/03/2015	Tue	2:51 PM	Off-peak	2	0 Property damage only	direction	Dry	Daylight	Clear	Travelling straight ahead	vehicle in transport	No improper driving
19	11/08/2015	Sun	6:45 PM	Off-neak	2	0 Property damage only	Rear end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic	Collision with motor vehicle in transport	No improper driving / Followed too closely
13	11/00/2013	Suii	0.451 101	Оп-реак	2	o i Toperty damage omy	iteal ellu	Diy	Dain lighted reading	Oleai	clowing or otoppod in admo	vornoio in transport	c.oos.y
												O 111	No improper driving / Disregarded
20	11/11/2015	Wed	9:18 PM	Off-peak	2	1 Non-incapacitating	Angle	Wet	Dark - lighted roadway	Rain	Travelling straight ahead	Collision with motor vehicle in transport	traffic signs, signals, road markings / Failed to yield right of way
						, , , , , , , , , , , , , , , , , , ,	- Ingr				Travelling straight ahead / Slowing or		
21	12/15/2015	Tue	6:25 PM	Peak	2	0 Property damage only	Rear end	Dry	Dark - lighted roadway	Clear	stopped in traffic	vehicle in transport	No improper driving / Followed too
22	01/13/2016	Wed	2:51 PM	Off-peak	2	0 Possible injury	Rear end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	closely
											Travelling straight ahead / Slowing or	Collision with motor	No improper driving / Followed too
23	01/18/2016	Mon	5:07 PM	Peak	2	0 Property damage only	Rear end	Dry	Dark - lighted roadway	Clear	stopped in traffic Travelling straight ahead / Slowing or	vehicle in transport	closely
24	01/19/2016	Tue	10:28 PM	Off-peak	3	0 Property damage only	Rear end	Dry	Dark - roadway not lighted	Clear	stopped in traffic	vehicle in transport	
							Sideswipe, same		D. I. F. J.		T. II. (Collision with motor	N
25	02/11/2016	Thu	6:43 PM	Off-peak	2	0 Property damage only	direction	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	vehicle in transport	No improper driving / Unknown
							Sideswipe, same					Collision with motor	No improper driving / Disregarded
26	02/20/2016	Sat	12:45 PM	Off-peak	2	0 Property damage only	direction	Dry	Daylight	Clear	Travelling straight ahead	vehicle in transport	traffic signs, signals, road markings
27	02/29/2016	Mon	4:24 PM	Peak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in transport	No improper driving / Followed too closely
	- OLI LOI LO TO	11.011	1.271101	. Jun		o i roporty damage omy	. Jour Orla			0.341	Travelling straight ahead / Slowing or	•	No improper driving / Followed too
28	03/02/2016	Wed	11:11 AM	Off-peak	2	1 Non-incapacitating	Rear end	Dry	Daylight	Clear	stopped in traffic	vehicle in transport	closely
29	04/07/2016	Thu	11:26 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Turning right / Travelling straight ahead	Collision with motor vehicle in transport	No improper driving
						1 ,		•	, ,				1 1

20	00/47/0040	F.:	0.24 AM	Deale	4	0. D	AI -	D	Devliebt	Ole en	Clausing or standad in traffic	Collision with padastrian	Nie Service en dektere
30	06/17/2016	Fri	8:31 AM	Реак	1	Property damage only	Angle	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with pedestrian Collision with motor	No improper driving / Followed too
31	06/26/2016	Sun	4:16 PM	Off-peak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	Entering traffic lane	vehicle in transport	closely
32	07/03/2016	Sun	12:00 AM	Off-neak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	No improper driving / Followed too closely
33	09/01/2016	Thu	7:14 AM						Daylight	Cloudy	Travelling straight ahead / Slowing or stopped in traffic	· ·	No improper driving / Followed too closely
33	09/01/2010	HIU	7.14 AW	reak	3	o Froperty damage only	rteal ellu	Dry	Dayligitt	Cloudy	Stopped in traine	Collision with motor	No improper driving / Followed too
34	11/05/2016	Sat	12:46 PM	Off-peak	2	2 Possible injury	Rear end	Dry	Daylight	Clear	Slowing or stopped in traffic	vehicle in transport	closely
35	11/12/2016	Sat	2:38 AM	Off-peak	2	0 Possible injury	Head on	Dry	Dark - unknown roadway lighting	Clear	Travelling straight ahead	Collision with motor vehicle in transport	Wrong side or wrong way / No improper driving
											Travelling straight ahead / Slowing or		
36	11/15/2016	Tue	4:39 PM	Peak	2	0 Property damage only	Rear end	Wet	Dusk	Rain	stopped in traffic	vehicle in transport	
37	11/22/2016	Tue	5:40 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dark - lighted roadway	Clear	Turning right	Collision with motor vehicle in transport	No improper driving / Operating vehicle in erratic, reckless, careless, negligent or aggressive manner / Other improper action
38	11/25/2016	Fri	10:50 AM	Off-peak	2	0 Property damage only	Rear end	Wet	Daylight	Rain	Travelling straight ahead	Collision with motor vehicle in transport	No improper driving / Operating vehicle in erratic, reckless, careless, negligent or aggressive manner
39	12/17/2016	Sat	1:16 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Snow	Other	Snow	Other	Collision with light pole or other post/support	Other improper action
						. , , ,						Collision with motor	
40	12/23/2016	Fri	4:46 PM	Peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	lanes	vehicle in transport	Unknown
41	01/10/2017	Tue	8:04 AM	Peak	3	0 Property damage only	Rear end	Ice	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	No improper driving / Unknown
42	02/10/2017	Fri	5:25 PM	Peak	2	0 Property damage only	Rear end	Slush	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in transport	
43	02/17/2017	Fri	7:20 AM	Peak	2	0 Property damage only	Rear end	Unknown	Unknown	Unknown	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	No improper driving / Followed too closely / Other improper action
44	02/27/2017	Mon	8:14 AM	Peak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in transport	No improper driving / Followed too closely
	02/2//2017		01117111			e i reperty damage emy			24)9	- Cida:	ŭ ŭ	Collision with motor	No improper driving / Followed too
45	03/10/2017	Fri	11:06 AM	Off-peak	2	0 Property damage only	Rear end	Snow	Daylight	Snow	Entering traffic lane	vehicle in transport	closely
46	04/03/2017	Mon	3:29 PM	Off-neak	3	0 Property damage only	Rear end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	No improper driving / Followed too closely
47	04/12/2017	Wed	8:22 AM		2	1 Possible injury		Dry	Daylight	Clear	Travelling straight ahead		No improper driving / Followed too closely
	0 1/ 12/2011	**************************************	0.22 7 1111	1 out	_	T T GGGIDIG IIIJUI Y	rtodi ond		Dayngne	Ologi	Travelling straight ahead / Slowing or	Collision with motor	No improper driving / Followed too
48	04/12/2017	Wed	8:33 AM	Peak	2	1 Non-incapacitating	Rear end	Dry	Daylight	Clear	stopped in traffic	vehicle in transport	closely
40	05/47/0047	10/.	4.44 504	Deele		O Branch d	Circula valei l	D	Davidada	Olassa		Collision with light pole	
49	05/17/2017	Wed	4:14 PM	Реак		0 Property damage only	Single venicle crash	Dry	Daylight	Clear	Entering traffic lane	or other post/support Collision with other	Unknown
50	06/02/2017	Fri	5:39 PM	Peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear		movable object	No improper driving
51	07/06/2017	Thu	6:50 AM	Off neak	2	Property damage only	Rear and	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in transport	No improper driving / Followed too closely
31	07/00/2017	Tild	0.50 AIVI	Оп-реак	2	o is toperty damage only	ixeai eiiu	Dry	Daylight	Clear	Travelling straight ahead / Slowing or		No improper driving / Followed too
52	07/28/2017	Fri	2:57 PM	Off-peak	2	0 Property damage only		Dry	Daylight	Clear	stopped in traffic	vehicle in transport	closely
53	08/10/2017	Thu	1:10 AM	Off-peak	2	0 Property damage only		Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Parked	Collision with parked motor vehicle	Fatigued/asleep
54	08/17/2017	Thu	2:28 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in transport	Unknown
											Travelling straight ahead / Slowing or	Collision with motor	No improper driving / Followed too
55	08/27/2017	Sun	6:38 PM	Off-peak	3	0 Property damage only	Rear end	Dry	Daylight	Clear	stopped in traffic Turning right / Travelling straight	vehicle in transport Collision with motor	closely
56	09/05/2017	Tue	4:43 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	ahead	vehicle in transport	Unknown
57	09/29/2017	Fri	7:21 PM	Off-peak	2	1 Possible injury	Rear end	Dry	Dark - lighted roadway	Clear	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in transport	No improper driving / Followed too closely

58	10/18/2017	Wed	8:44 AM	Peak	2	0 Possible injury	Rear end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in transport	No improper driving / Followed too closely
59	10/25/2017	Wed	4:08 PM	Peak	1	1 Non-incapacitating	Angle	Wet	Daylight	Rain	Slowing or stopped in traffic	Collision with cyclist	No improper driving
60	10/28/2017	Sat	10:33 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Turning right	Collision with motor vehicle in transport	No improper driving / Other improper action
61	10/29/2017	Sun	1:36 PM	Off-peak	2	0 Property damage only	Rear end	Wet	Daylight	Rain	Tanas liin a stanishtahan d (Classica and	Collision with motor vehicle in transport	
62	11/06/2017	Mon	5:09 PM	Peak	3	1 Non-incapacitating	Rear end	Wet	Dark - lighted roadway	Rain	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport Collision with motor	Inattention / No improper driving
63	11/27/2017	Mon	12:34 PM	Off-peak	3	0 Property damage only	Rear end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in transport	Unknown
64	12/25/2017	Mon	8:34 AM	Peak	1	0 Property damage only	Single vehicle crash	Snow	Daylight	Snow	Travelling straight ahead	Collision with guardrail	No improper driving
65	01/07/2018	Sun	5:05 PM	Off-peak	2	1 Non-incapacitating	Rear end	Wet	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Changing lanes	Collision with motor vehicle in transport	No improper driving / Followed too closely
											Travelling straight ahead / Slowing or	Collision with motor	
66	01/11/2018	Thu	11:03 AM	Off-peak	2	0 Property damage only	Rear end	Wet	Daylight	Cloudy	stopped in traffic	vehicle in transport	Unknown
67	01/26/2018	Fri	11:20 AM	Off-peak	2	0 Property damage only	Rear end	Dry	Dark - roadway not lighted	Clear	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	No improper driving / Followed too closely
68	02/03/2018	Sat	5:32 AM	Off-peak	2	2 Non-incapacitating	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in transport	Failure to keep in proper lane or running off road / Operating vehicle in erratic, reckless, careless, negligent or aggressive manner / No improper driving
											Travelling straight ahead / Slowing or		
69	02/08/2018	Thu	5:46 PM	Peak	2	0 Property damage only	Rear end	Ice	Dark - lighted roadway	Clear	stopped in traffic	vehicle in transport	
70	03/19/2018	Mon	4:24 PM	Peak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	
71	05/03/2018	Thu	10:19 PM	Off pook	2	0 Property damage only	Poor and	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	No improper driving
/ 1	03/03/2016	HIU	10.19 FIVI	Оп-реак	2	o Property damage only	inear enu	ыу	Dark - lighted roadway	Cicai	Travelling straight ahead / Slowing or		No improper driving / Followed too
72	05/08/2018	Tue	9:45 AM	Peak	2	1 Non-incapacitating	Rear end	Dry	Daylight	Clear	stopped in traffic	vehicle in transport	closely
												Collision with motor	
73	05/24/2018	Thu	6:43 AM	Off-peak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	Entering traffic lane	vehicle in transport	Followed too closely
74	07/01/2018	Sun	8:56 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Changing lanes / Travelling straight ahead	Collision with guardrail	Operating vehicle in erratic, reckless, careless, negligent or aggressive manner / No improper driving
75	08/07/2018	Tue	9:15 AM	Peak	2	1 Non-incapacitating	Rear end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	No improper driving / Followed too closely
							Sideswipe, same					Collision with motor	
76	09/06/2018	Thu	6:07 PM	Peak	2	0 Property damage only	direction	Wet	Daylight	Rain	Travelling straight ahead	vehicle in transport	No improper driving
77	09/10/2018	Mon	3:43 PM	Peak	4	1 Possible injury	Rear end	Wet	Daylight	Rain	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	No improper driving / Followed too closely
78	10/04/2018	Thu	5:04 PM	Deak	2	0 Property damage only	Pear and	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	No improper driving
70	10/04/2010	Tilu	J.U4 F IVI	I Can	2	o i Toperty damage only	real cliu	ы	Daylight	OlGai	Stopped in traine	Collision with median	Failure to keep in proper lane or
79	10/06/2018	Sat	7:21 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Changing lanes	barrier	running off road
							Sideswipe, same				Travelling straight ahead / Changing	Collision with motor	
80	10/13/2018	Sat	1:54 PM	Off-peak	2	0 Property damage only	direction	Dry	Daylight	Clear	lanes	vehicle in transport	Inattention / No improper driving
81	10/18/2018	Thu	6:34 PM	Off-peak	2	0 Property damage only	Rear end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	vehicle in transport	
82	11/13/2018	Tue	8:47 AM	Peak	2	0 Property damage only	Rear end	Wet	Daylight	Cloudy	Entering traffic lane	Collision with motor vehicle in transport	Distracted / No improper driving
					2								
83	12/11/2018	Tue	5:59 PM		1	1 Incapacitating	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with pedestrian	
84	12/31/2018	Mon	2:30 AM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Unknown	Unknown Collision with motor	Unknown Followed too closely / No improper
85	01/07/2019	Mon	7:43 AM	Peak	3	0 Property damage only	Rear end	Sand, mud, dirt, oil, gravel	Daylight	Clear	Travelling straight ahead	vehicle in traffic	driving
86	01/07/2019	Mon	9:38 AM	Peak	2	1 Possible injury	Rear end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Unknown
											Turning right / Travelling straight	Collision with motor	Failed to yield right of way /
87	01/08/2019	Tue	5:22 PM	Peak	2	0 Property damage only	Angle	Wet	Dark - lighted roadway	Rain	ahead	vehicle in traffic	Unknown

											Turning right / Slowing or stopped in	Collision with motor	Followed too closely / No improper
88	01/21/2019	Mon	6:55 PM	Off-peak	2	0 Unknown	Rear end	Ice	Dark - lighted roadway	Clear	traffic	vehicle in traffic	driving
													Failure to keep in proper lane or
89	02/18/2019	Mon	11:00 PM	Off pook	2	2 Possible injury	Sideswipe, same direction	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	running off road / No improper driving
09	02/16/2019	IVIOIT	11.00 FW	Оп-реак	2	2 Possible Injury	Sideswipe, same	Diy	Dank lighted roddway	Oleai	Travelling straight ahead / Entering	Collision with motor	unving
90	03/19/2019	Tue	2:02 PM	Off-peak	2	0 Property damage only	direction	Dry	Daylight	Clear	traffic lane	vehicle in traffic	No improper driving
											Claving or standard in traffic /	Collision with motor	Followed too closely / Driving too fast for conditions / No improper
91	03/22/2019	Fri	3:13 PM	Off-peak	4	0 Property damage only	Rear end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	vehicle in traffic	driving
						1 , 3 ,			, ,		Travelling straight ahead / Slowing or	Collision with motor	
92	04/19/2019	Fri	9:10 AM	Peak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	stopped in traffic	vehicle in traffic	Unknown / No improper driving
													Swerving or avoiding due to wind,
93	04/19/2019	Fri	6:05 PM	Dook	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Cloudy	Turning right	Collision with motor vehicle in traffic	slippery surface, vehicle, object, non- motorist in roadway, etc
93	04/19/2019	FII	0.03 FW	reak		o Froperty damage only	Single verilide drasii	Ыу	Daylight	Cloudy	Turning right	vernoie in traine	motorist in roadway, cto
													Disregarded traffic signs, signals,
							Sideswipe, same				Changing lanes / Travelling straight	Collision with motor	road markings / Failure to keep in proper lane or running off road / No
94	04/24/2019	Wed	10:03 AM	Off-peak	2	2 Non-incapacitating	direction	Dry	Daylight	Clear	ahead	vehicle in traffic	improper driving
											Slowing or stopped in traffic /	Collision with motor	
95	06/21/2019	Fri	1:21 PM	Off-peak	2	Property damage only	Rear end	Unknown	Daylight	Rain	Travelling straight ahead	vehicle in traffic Collision with motor	Unknown
96	06/28/2019	Fri	7:54 AM	Peak	2	0 Property damage only	Angle	Unknown	Daylight	Clear	Turning right / Travelling straight ahead	vehicle in traffic	Unknown / No improper driving
													No improper driving / Followed too
97	07/22/2019	Mon	7:49 AM	Dook	4	2 Non-incapacitating	Rear end	Unknown	Daylight	Clear / Cloudy	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	closely / Driving too fast for conditions
91	0112212019	IVIOIT	7.49 AIVI	reak	4	2 Non-incapacitating	Real ellu	Olikilowii	Daylight	Clear / Cloudy	Travelling Straight arious	vernoie in tramo	Failure to keep in proper lane or
98	08/13/2019	Tue	7:17 PM	Off-peak	1	1 Possible injury	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	Collision with guardrail	running off road
99	08/28/2019	Wed	2:21 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Wet	Daylight	Cloudy / Rain	Travelling straight ahead	Collision with utility pole	Followed too closely
100	09/03/2019	Tue	4:28 PM	Dook	2	0 Property damage only	Angle	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
100	09/03/2019	Tue	4.20 1 101	I Gan	2	o i roperty damage omy	Sideswipe, same	Diy	Daylight	Oleai	Changing lanes / Travelling straight	Collision with motor	Other improper action / No
101	09/24/2019	Tue	9:43 AM	Peak	2	0 Property damage only	direction	Dry	Daylight	Clear	ahead	vehicle in traffic	improper driving
102	10/04/2019	Fri	2:44 DM	Off-peak	2	0 Proporty domago only	Rear end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Distracted / No improper driving
102	10/04/2019	FII	2.44 FIVI	Оп-реак	2	0 Property damage only	Real ellu	Diy	Daylight	Oleai	Slowing or stopped in traffic /	Collision with motor	Distracted / No improper driving
103	10/11/2019	Fri	2:03 PM	Off-peak	2	0 Property damage only	Rear end	Wet	Daylight	Rain	Travelling straight ahead	vehicle in traffic	Unknown / No improper driving
404	10/00/0040	347. 1	0.00 DM	0"	,	0.5	0:11	VA	D. F.H.	011/ D.:	Travelling straight shoot	Collision with motor	N
104	10/30/2019	Wed	3:28 PM	Off-peak	1	2 Possible injury	Single vehicle crash	Wet	Daylight	Cloudy / Rain	Travelling straight ahead	vehicle in traffic Collision with motor	No improper driving Followed too closely / No improper
105	10/30/2019	Wed	7:20 PM	Off-peak	2	3 Possible injury	Rear end	Wet	Dark - lighted roadway	Cloudy	Travelling straight ahead	vehicle in traffic	driving
									D. I I			Collision with motor	No improper driving / Followed too
106	11/17/2019	Sun	5:12 PM	Off-peak	2	0 Property damage only	Rear end	Wet	Dark - roadway not lighted	Snow	Entering traffic lane Travelling straight ahead / Slowing or	vehicle in traffic	closely Followed too closely / No improper
107	12/12/2019	Thu	3:20 PM	Off-peak	2	0 Property damage only	Rear end	Dry	Daylight	Clear	stopped in traffic	vehicle in traffic	driving



BOSTON REGION MPO



Figure 5
Collision Diagram 2015–19
Route 9 and Edgell Road/Main Street

Addressing Priority Corridors from the LRTP Needs Assessment: Route 9 in Framingham and Natick

								WidssDOT Crash	Data 2010-2019				
Index	Crash Date Day	у .	Time	Peak Hour # Ve	h # Injured	Crash Severity	Manner of Collision	Road Surface Condition	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior to Crash	Most Harmful Event	Driver Contributing Code
							Sidoswino como					Calliaion with mater vehicle	No improper driving / Driving
1	01/03/2015	Sat 6	6:33 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Snow	Dark - lighted roadway	Snow / Sleet, hail	Travelling straight ahead	in traffic	No improper driving / Driving too fast for conditions
						. , , ,							
2	01/15/2015	Thu	11:00 AM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Wet	Daylight	Cloudy	Turning right / Travelling straight ahead	Collision with motor vehicle in traffic	Inattention / Unknown
	01/13/2013	Tilu	11.00 AW	Оп-реак	2	o Property damage only	Sideswipe, same	VVEL	Daylight	Cloudy		Collision with motor vehicle	matterition / Officiown
3	01/19/2015	Mon 8	5:12 PM	Peak	2	0 Property damage only	direction	Dry	Dark - lighted roadway	Clear	Turning left	in traffic	Unknown
4	01/25/2015	Sun	12:00 PM	Off-peak	3	Property damage only	Rear-end	Wet	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Followed too closely
_	01/20/2010	Our	12.00 T W	оп-реак	- U	o Property damage only	redi-crid	VVCt	Dayiight	Olcai			To morniou too choco.y
_											Travelling straight ahead / Turning		No improper driving / Failed
5	02/06/2015	Fri	5:52 PM	Peak	2	Property damage only	Angle	Dry	Dark - unknown	Clear	left	in traffic	to yield right of way
												Collision with motor vehicle	Inattention / Followed too
6	02/17/2015	Tue	5:50 AM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Dawn	Clear	Turning right	in traffic	closely / No improper driving
											Travelling straight ahead / Turning	Collision with motor vehicle	No improper driving / Failed
7	02/25/2015	Wed 3	3:13 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	left	in traffic	to yield right of way
8	04/22/2015	Wed	4:02 PM	Peak	2	Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Failed to yield right of way
	04/22/2013	vveu -	4.02 T W	I Cak	2	o i roperty damage only	Aligie	Diy	Dayligili	Olcai	101		to yiola rigin or may
													No improper driving / Failed
9	05/05/2015	Tue	5:06 PM	Peak	2	Property damage only	Angle	Dry	Daylight	Clear	Turning left	in traffic Collision with motor vehicle	to yield right of way
10	05/06/2015	Wed 6	6:35 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Turning left	in traffic	No improper driving
11	05/16/2015	Sat '	2:27 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear / Cloudy	Travelling straight ahead	Collision with ditch	No improper driving / Failed to yield right of way
	03/10/2013	Jac	Z.ZI FIVI	Оп-реак	2	o Froperty damage only	unoction	Diy	Daylight	Clear / Cloudy	Travelling straight affeau	Collision with diton	to your right or may
							Sideswipe, same				Travelling straight ahead /		No improper driving / Failed
12	06/16/2015	Tue	5:20 PM	Peak	2	Property damage only	direction	Dry	Daylight	Cloudy	Changing lanes	in traffic	to yield right of way
											Slowing or stopped in traffic /	Collision with motor vehicle	No improper driving /
13	06/29/2015	Mon	1:08 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead	in traffic	Followed too closely
											Travelling straight ahead / Turning	Collision with motor vehicle	No improper driving / Failed
14	08/28/2015	Fri 3	3:18 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	left	in traffic	to yield right of way
											Slowing or stopped in traffic /	Collision with motor vehicle	
15	09/15/2015	Tue	5:30 PM	Peak	2	Property damage only	Rear-end	Dry	Dusk	Clear	Travelling straight ahead Changing lanes / Slowing or	in traffic	Unknown
											stopped in traffic / Travelling	Collision with motor vehicle	No improper driving / Failed
16	09/24/2015	Thu 4	4:15 PM	Peak	3	0 Property damage only	Angle	Dry	Daylight	Clear	straight ahead	in traffic	to yield right of way
17	11/07/2015	Sat .	7:23 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Cloudy	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Failed to yield right of way
	11/0//2015	Jal	r.ZJ F IVI	эн-реак		o i Toperty damage only	raigic	Diy	_ am ng.nou roudway	Oloudy		Collision with motor vehicle	
18	11/15/2015	Sun 8	8:39 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	in traffic	Followed too closely
19	11/25/2015	\Mod 1	2:55 PM	Off-peak	2	Property damage only	Sideswipe, same direction	Unknown	Daylight	Unknown	Slowing or stopped in traffic / Turning left	Collision with motor vehicle in traffic	Unknown
19	11/25/2015	wed	L.JJ FIVI	оп-реак		o Property damage only	an conort	OHKHOWIT	Daylight	OHKHOWH	Slowing or stopped in traffic /	Collision with motor vehicle	CHRIOWII
20	01/14/2016	Thu	12:00 AM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	in traffic	Unknown
21	01/21/2016	Thu	3:55 PM	Peak	2	0 Property demoses and	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving
21	01/21/2010	i Tiu 、	J.33 PIVI	reak	2	0 Property damage only	i veai-eilu	Diy	Daylight	Cieai	Travelling straight ahead / Turning		No improper driving No improper driving / Failed
22	01/22/2016	Fri	1:08 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	left	in traffic	to yield right of way
23	01/28/2016	Thu	8:03 AM	Peak	5	0 Property demand only	Rear-end	Dny	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
23	01/26/2010	i iiu 8	J.UJ AIVI	reak	3	0 Property damage only	i veai-eilu	Dry	Daylight	Cieai	Travelling straight affeau	Collision with motor vehicle	
24	02/09/2016	Tue	6:31 AM	Off-peak	2	0 Property damage only	Rear-end	Snow	Dusk	Cloudy	Slowing or stopped in traffic	in traffic	Unknown
25	02/16/2016	\\/ ad .	1.50 DM	Off pook	2	O Proporty domaga and	Sideswipe, same direction	Dny	Daylight	Cloor	Turning loft	Collision with motor vehicle in traffic	Unknown
25	03/16/2016	wed	1:59 PM	Off-peak	2	Property damage only	unection	Dry	Daylight	Clear	Turning left Travelling straight ahead / Turning	Collision with motor vehicle	Unknown
26	03/21/2016	Mon	1:21 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	left	in traffic	Unknown
27	03/24/2016	Thu	7:12 PM	Off-peak	1	1 Non-incapacitating	Single vehicle crash	Unknown	Dusk	Rain	Turning right	Collision with pedestrian	Unknown


28	04/15/2016	Fri	8:20 AM	Peak 2	2 0 Property damage only	Head-on	Dry	Daylight	Clear	Travelling straight ahead / Turning left	in traffic	Failed to yield right of way / Made an improper turn
29	05/14/2016	Sat	5:46 PM	Off-peak 2	2 0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
						Sideswipe, same					Collision with motor vehicle	
30	06/05/2016	Sun	1:01 PM	Off-peak 2	2 0 Property damage only	direction	Wet	Daylight	Cloudy / Rain	Travelling straight ahead	in traffic	Unknown Operating vehicle in erratic reckless, careless, neglige or aggressive manner /
31	06/12/2016	Sun	3:14 PM	Off-peak 2	2 0 Property damage only	Sideswipe, same direction	Dry	Daylight	Cloudy	Slowing or stopped in traffic / Changing lanes	Collision with motor vehicle in traffic	Failure to keep in proper lane or running off road
32	06/16/2016	Thu	6:19 PM	Peak 2	2 0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Unknown
33	07/06/2016	Wed	9:58 PM	Off-peak 2	2 0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
34	08/05/2016	Fri	1:54 PM	Off-peak 2	2 0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Unknown
35	08/12/2016	Fri	9:58 PM	Off-peak 2	2 0 Property damage only	Sideswipe, same direction	Dry	Dark - lighted roadway	Clear	Turning left	Collision with motor vehicle in traffic	Unknown
36	08/27/2016	Sat	3:29 PM	Off-peak 2	2 0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	in traffic	No improper driving / Followed too closely
37	12/10/2016	Sat	8:00 PM	Off-peak 2	2 0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
38	12/13/2016	Tue	12:46 AM	Off-peak 2	2 0 Property damage only	Angle	Wet	Dark - lighted roadway	Rain	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Disregarded traffic signs, signals, road markings / No improper driving
39	12/28/2016	Wed	8:15 PM	Off-peak 2	2 0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
40	12/28/2016	Wed	3:15 PM	Off-peak 2	2 1 Non-incapacitating	Angle Sideswipe, same	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic Collision with motor vehicle	Unknown
41	01/19/2017	Thu	12:00 AM	Off-peak 2	2 0 Property damage only	direction	Dry	Daylight	Clear	Turning left	in traffic Collision with motor vehicle	Unknown
42	01/27/2017	Fri	4:25 PM	Peak 2	2 0 Property damage only	Rear-end	Dry	Dusk	Clear	Travelling straight ahead Travelling straight ahead / Turning	in traffic Collision with motor vehicle	Unknown
43	03/02/2017	Thu	6:15 PM	Peak 2	2 0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	left	in traffic Collision with motor vehicle	Unknown
44	03/16/2017	Thu	10:10 AM	Off-peak 2	2 0 Property damage only	Angle	Dry	Daylight	Clear	Unknown / Turning left Travelling straight ahead / Turning	in traffic Collision with motor vehicle	Unknown
45	03/31/2017		2:28 PM	Off-peak 2	2 1 Non-incapacitating	Angle Sideswipe, same	Wet	Daylight	Rain	left	in traffic Collision with motor vehicle	Unknown
46	04/08/2017		12:20 PM	Off-peak 2		direction	Dry	Daylight	Cloudy	Turning left Travelling straight ahead / Turning	in traffic Collision with motor vehicle	Unknown
47	04/11/2017		3:40 PM	Peak 2	0 Property damage only	Angle	Dry	Daylight Dark lighted readway	Clear	left Travelling straight ahead /	in traffic Collision with motor vehicle	Unknown
18	04/16/2017		7:32 PM 7:00 AM	Off-peak 3	0 Property damage only 1 Non-incapacitating	Rear-end Sideswipe, same direction	Dry	Dark - lighted roadway Daylight	Clear	Overtaking/passing Turning right / Turning left	in traffic Collision with motor vehicle in traffic	Unknown
50	05/06/2017		1:31 PM	Off-peak 2		Angle	Dry	Daylight	Cloudy	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Unknown
											Collision with motor vehicle	Disregarded traffic signs, signals, road markings /
51	06/01/2017		4:10 PM	Peak 2	2 0 Property damage only	Angle	Dry	Daylight	Clear	Turning left Slowing or stopped in traffic /	in traffic Collision with motor vehicle	
52 53	06/08/2017		7:04 PM 3:49 PM	Off-peak 3		Rear-end Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead Travelling straight ahead / Changing lanes	in traffic Collision with motor vehicle in traffic	Followed too closely Unknown
					- Troporty damage drifty	Sideswipe, same		Daylight		Travelling straight ahead /	Collision with motor vehicle	Disregarded traffic signs, signals, road markings / Failure to keep in proper
54	06/23/2017		4:31 PM	Peak 2	1 7 9 7	direction Sideswipe, same	Dry	Daylight	Clear	Changing lanes Travelling straight ahead / Turning	in traffic Collision with motor vehicle	lane or running off road
55	06/26/2017	Mon	3:38 PM	Peak 2	2 0 Property damage only	direction	Dry	Daylight	Clear	left	in traffic	Unknown Failure to keep in proper
56	07/10/2017	Mon	12:25 AM	Off-peak 2	2 0 Property damage only	Sideswipe, same direction	Dry	Dark - lighted roadway	Clear	Turning left	Collision with motor vehicle in traffic	lane or running off road / No improper driving

57	08/11/2017	Fri 1:06 PM	Off-peak	2	Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Unknown	Collision with motor vehicle in traffic	Unknown
37	00/11/2017	1 11 1.00 1 W	Оп-реак		o i roperty damage only	un oouon	Diy	Dayligitt	Olcai	Travelling straight ahead / Turning		OTIKTOWIT
58	08/17/2017	Thu 8:46 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	left	in traffic	Unknown
59	08/20/2017	Sun 7:22 PM	Off-peak	1	1 Non-incapacitating	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	Collision with guardrail	Unknown
60	08/27/2017	Sun 12:36 AM	Off-peak	2	Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Changing lanes	Collision with motor vehicle in traffic	Operating vehicle in erratic, reckless, careless, negligent or aggressive manner / Overcorrecting/over-steering
61	08/28/2017	Mon 5:34 PM	Peak	3	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Unknown
62	09/11/2017	Mon 3:55 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Entering traffic lane	Collision with motor vehicle in traffic	No improper driving / Followed too closely
63	10/02/2017	Mon 8:24 AM	Peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Turning right	Collision with motor vehicle in traffic	No improper driving
64	10/03/2017	Tue 12:59 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Failed to yield right of way / Unknown
65	10/20/2017	Fri 10:59 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Failed to yield right of way
						Sideswipe, same				Travelling straight ahead /	Collision with motor vehicle	
66	10/27/2017	Fri 2:32 PM	Off-peak	2	0 Property damage only	direction	Dry	Daylight	Clear	Changing lanes Travelling straight ahead / Turning	in traffic Collision with motor vehicle	No improper driving / Failed
67	11/05/2017	Sun 1:44 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Cloudy	left	in traffic	No improper driving / Failed to yield right of way
68	12/08/2017	Fri 6:26 PM	Peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear / Cloudy	Travelling straight ahead / Turning left	in traffic	to yield right of way
69	01/10/2018	Wed 8:12 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Inattention / No improper driving
03	01/10/2010	WEG 0.121 W	Оп-реак	2	o i roperty damage only	rtear-end	Біу	Daylight	Rain / Fog, smog,	Travoling orangin arious	in damo	diving
70	01/12/2018	Fri 6:01 PM	Peak	1	1 Incapacitating	Angle	Wet	Dark - lighted roadway	smoke	Travelling straight ahead	Collision with pedestrian	No improper driving
74	04/40/0040	Thu 3:39 PM	Deels		O Danie anticidente de la constante	Sideswipe, same direction	D	Davidialet	Class	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	No improper driving / Failed to yield right of way
71	01/18/2018	111u 3.39 PW	Peak	2	0 Property damage only	Sideswipe, same	Dry	Daylight	Clear	Orlanging lances	Collision with motor vehicle	Failure to keep in proper lane or running off road / No
72	01/20/2018	Sat 3:30 PM	Off-peak	2	0 Property damage only	direction	Dry	Daylight	Clear	Travelling straight ahead	in traffic	improper driving
73	02/08/2018	Thu 4:28 PM	Peak	3	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely / Driving too fast for conditions
74	02/11/2018	Sun 4:05 PM	Off-peak	2	1 Non-incapacitating	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Failed to yield right of way
75	03/21/2018	Wed 8:51 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
76	03/23/2018	Fri 12:05 PM	Off-peak	2	Property damage only	Anglo	Dry	Dovlight	Cloudy	Travelling straight ahead / Entering traffic lane	Collision with motor vehicle in traffic	No improper driving
77	04/02/2018	Mon 4:25 PM	Peak	2	, , , , ,	Angle Sideswipe, same direction		Daylight	Clear		Collision with motor vehicle in traffic	
- //	04/02/2016	WOII 4.25 PW	Реак	2	0 Property damage only	direction	Dry	Daylight	Clear	Travelling straight ahead / Turning		unving
78	04/17/2018	Tue 12:44 PM	Off-peak	2	2 Non-incapacitating	Angle	Dry	Daylight	Cloudy	left	in traffic	Unknown
70	04/24/2046	Tue 40:04 DM	Off no -l		O Proporty demands	Sideswipe, same direction	Day	Dark - lighted roadway	Clear	Travelling straight ahead / Unknown	Collision with motor vehicle in traffic / Unknown	No improper driving / Unknown
79	04/24/2018	Tue 10:34 PM		2	0 Property damage only	Sideswipe, same	Dry	,	Clear		Collision with motor vehicle	
80	04/24/2018	Tue 3:13 PM	Off-peak	2	Property damage only	direction	Dry	Daylight	Clear	Travelling straight ahead	in traffic Collision with motor vehicle	Unknown
81	05/04/2018	Fri 1:56 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	in traffic	No improper driving
82	05/07/2018	Mon 8:30 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Unknown
83	05/21/2018	Mon 3:10 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Overtaking/passing / Slowing or stopped in traffic	Collision with motor vehicle in traffic	improper driving
	05/00/53/3	W. 1 4 55 51 5	0" .		4 No	Sideswipe, same			01	Slowing or stopped in traffic /	Collision with motor vehicle	
84	05/23/2018	Wed 1:57 PM	Off-peak	2	1 Non-incapacitating	direction	Dry	Daylight	Clear	Changing lanes	in traffic Collision with motor vehicle	No improper driving / Inattention / Failure to keep
85	05/27/2018	Sun 1:22 AM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Wet	Dark - lighted roadway	Rain	Turning left	in traffic	in proper lane or running off road

											Travelling straight ahead / Turning	Collision with motor vehicle	
86	06/01/2018	Fri	3:57 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	left	in traffic	Unknown
											Slowing or stopped in traffic /	Collision with parked motor vehicle / Collision with motor	
87	06/11/2018	Mon	11:45 AM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	No improper driving
88	06/19/2018	Tue	1:58 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear		Collision with motor vehicle in traffic	Unknown
89	08/05/2018	Sun	11:31 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	in traffic	No improper driving / Failed to yield right of way
90	08/28/2018	Tue	4:01 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
91	09/09/2018		6:19 AM	Off-peak		Property damage only Property damage only	Single vehicle crash	Dry	Dawn	Clear	Leaving traffic lane	Collision with motor vehicle in traffic	Inattention
J 1	03/03/2010	Cuii	0.107111	оп реак		o i roperty damage omy	Olligio verlicio diasti	Diy	Dawii	Olcui	Ecaving traine lane		Failure to keep in proper
92	09/14/2018	Fri	4:38 PM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning left	Collision with motor vehicle in traffic	lane or running off road / No improper driving
00	00/00/0040	F:	4.44 DM	O#!		4 Non-in-annihation	A I	10/-4	Davidialet	Clavely / Dair	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Failed
93	09/28/2018		1:14 PM	Off-peak		1 Non-incapacitating	Angle	Wet	Daylight	Cloudy / Rain	Slowing or stopped in traffic /	Collision with motor vehicle	to yield right of way
94	10/16/2018	Tue	8:50 AM	Peak	4	Property damage only	Rear-end Sideswipe, same	Dry	Daylight	Clear	Travelling straight ahead	in traffic Collision with motor vehicle	Unknown
95	10/16/2018	Tue	1:41 PM	Off-peak	2	0 Property damage only	direction	Dry	Daylight	Clear	Turning left	in traffic	Unknown
				J		i reperty mannings and	Sideswipe, same	,			Slowing or stopped in traffic /	Collision with motor vehicle	
96	10/23/2018	Tue	10:57 AM	Off-peak	2	0 Property damage only	direction	Dry	Daylight	Cloudy	Turning right	in traffic	No improper driving
07	44/42/2040	т	0.50 AM	Deels		4 Non incomprised in a	Daniend	10/-4	Davidialet	Dein	Slowing or stopped in traffic /	Collision with motor vehicle in traffic	
97	11/13/2018	Tue	8:56 AM	Peak	2	1 Non-incapacitating	Rear-end	Wet	Daylight	Rain	Travelling straight ahead	in trainc	Followed too closely Disregarded traffic signs,
											Turning right / Travelling straight	Collision with motor vehicle	
98	11/27/2018	Tue	4:35 PM	Peak	2	0 Property damage only	Angle	Dry	Dusk	Clear	ahead	in traffic	improper driving
99	12/05/2018	Wed	8:50 AM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
							Sideswipe, same				Travelling straight ahead /	Collision with motor vehicle	
100	12/11/2018	Tue	8:00 AM	Peak	2	Property damage only	direction	Dry	Dawn	Clear	Changing lanes	in traffic Collision with motor vehicle	No improper driving
101	01/01/2019	Tue	1:56 AM	Off-peak	2	0 Property damage only	Rear-end	Wet	Dark - lighted roadway	Rain	Slowing or stopped in traffic / Travelling straight ahead	in traffic	Followed too closely
102	01/03/2019	Thu	10:05 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
103	01/08/2019	Tue	7:31 AM	Peak	2	0 Property damage only	Angle	Wet	Daylight	Cloudy / Snow	Slowing or stopped in traffic / Turning left	vehicle in traffic	Made an improper turn / No improper driving
404	00/44/0040	N4	4.54 DM	Deels	0	O December descent and	A I	D	Davidialet	Class	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	I Indonesia
104	02/11/2019	ivion	4:51 PM	Peak	2	Property damage only	Angle	Dry	Daylight	Clear		Collision with motor vehicle	Unknown
105	04/05/2019	Fri	9:03 AM	Peak	2	0 Property damage only	Angle Sideswipe, same	Dry	Daylight	Clear	left	in traffic Collision with motor vehicle	No improper driving
106	05/20/2019	Mon	7:21 AM	Peak	2	0 Property damage only	direction	Dry	Daylight	Cloudy / Clear	Turning left	in traffic	Unknown
											Travelling straight ahead / Turning	Collision with motor vehicle	
107	05/31/2019	Fri	6:24 PM	Peak	2	1 Non-incapacitating	Angle	Dry	Daylight	Clear	left	in traffic	Unknown
108	06/05/2019	Wed	11:35 AM	Off-peak	2	1 Non-incapacitating	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	in traffic	No improper driving / Failed to yield right of way
109	06/19/2019	Wed	8:57 PM	Off-peak	2	0 Property damage only	Rear-end	Unknown	Dark - lighted roadway	Cloudy	Slowing or stopped in traffic / Unknown	Collision with motor vehicle in traffic	No improper driving
110	06/28/2019	Fri	2:58 PM	Off-peak	2	1 Non-incapacitating	Sideswipe, same direction	Unknown	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
111	07/09/2019	Tue	11:24 AM	· ·		1 Non-incapacitating	Single vehicle crash	Unknown	Daylight	Clear	Turning left	Collision with pedestrian	Unknown
112	07/13/2019		2:13 AM	Off-peak		1 Possible	Rear-end	Unknown	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Exceeded authorized speed limit
112	01/10/2019	Gat	2. 10 /\text{\text{IVI}}	оп рошк	_	1 OGGIDIC	Sideswipe, same	CIACIOWII		Jioui	Travelling straight ahead /	Collision with motor vehicle	
113	07/16/2019	Tue	8:22 AM	Peak	2	0 Property damage only	direction	Unknown	Daylight	Clear	Changing lanes	in traffic	No improper driving
114	07/25/2019	Thu	9:41 AM	Peak	2	1 Incapacitating	Angle	Unknown	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Failed to yield right of way
115	07/28/2019	Sun	9:30 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - unlit roadway	Clear		Collision with motor vehicle in traffic	No improper driving / Failed to yield right of way

Table 5 Crash Lookup: Edgell Road/Main Street at Route 9 MassDOT Crash Data 2015-2019

							Massboi	Olasii Dala 2015-2015				
116	08/07/2019	Wed 3:36 PM	Peak	2	3 Non-incapacitating	Angle	Dry	Daylight	Cloudy	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Failed to yield right of way / Other improper action
110	06/07/2019	Wed 3.30 FW	reak	2	3 Non-incapacitating	Arigie	Diy	Dayligiti	Cloudy	Slowing or stopped in traffic /	Collision with motor vehicle	No improper driving /
117	08/20/2019	Tue 5:38 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	in traffic	Followed too closely
	00/20/2010	0.00	, can		o . reporty damage emy	11001 0110		2 ayıngını	O.Gu.	Slowing or stopped in traffic /	Collision with motor vehicle	No improper driving /
118	08/26/2019	Mon 3:25 PM	Off-peak	4	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	in traffic	Followed too closely
												Failure to keep in proper
						Sideswipe, same					Collision with motor vehicle	lane or running off road / No
119	08/29/2019	Thu 7:28 AM	Peak	2	0 Property damage only	direction	Dry	Daylight	Cloudy	Travelling straight ahead	in traffic	improper driving
400	00/00/0040	F.: 0.00 AAA	Deale		0. Boundard	A I	D	D divide	01	Slowing or stopped in traffic / Turning left	Collision with motor vehicle in traffic	No improper driving / Unknown
120	09/06/2019	Fri 8:02 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear / Cloudy	J	Collision with motor vehicle	Inattention / No improper
121	09/07/2019	Sat 10:26 AM	Off-peak	3	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	in traffic	driving
121	03/01/2013	Oat 10.20 AW	Оп-реак	3	o i roperty damage omy	rtear-criu	Diy	Dayligitt	Olcai	0 0	Collision with motor vehicle	anving
122	09/09/2019	Mon 4:13 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	0 0	in traffic	Unknown
	3373372				e reperty seminage emy		,				Collision with motor vehicle	
123	09/10/2019	Tue 8:01 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Cloudy	Turning left	in traffic	Unknown
												Disregarded traffic signs,
											Collision with motor vehicle	signals, road markings / No
124	09/21/2019	Sat 6:31 PM	Off-peak	2	2 Non-incapacitating	Angle	Dry	Daylight	Clear	Travelling straight ahead	in traffic	improper driving
405	40/04/0040	T 0.50 AAA	0.55		O December 1	A I	D	Doublinh	01	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Under the same
125	10/01/2019	Tue 6:50 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear		Collision with motor vehicle	Unknown No improper driving /
126	10/02/2019	Wed 8:03 PM	Off-peak	2	2 Possible	Rear-end	Wet	Dark - lighted roadway	Rain	left	in traffic	Followed too closely
120	10/02/2019	Wed 0.051 W	Оп-реак	2	Z i ossible	rtear-crid	VVCI	Jan Ignou isaana,	Italii	Travelling straight ahead / Turning	Collision with motor vehicle	. emeriou tee elecciy
127	10/03/2019	Thu 6:40 AM	Off-peak	2	2 Non-incapacitating	Angle	Dry	Daylight	Clear	left	in traffic	Unknown
					i j	Sideswipe, same		, 3			Collision with motor vehicle	Inattention / No improper
128	10/04/2019	Fri 9:32 AM	Peak	2	0 Property damage only	direction	Dry	Daylight	Clear	Travelling straight ahead	in traffic	driving
										0 0		No improper driving / Failed
129	10/15/2019	Tue 1:33 PM	Off-peak	2	1 Possible	Angle	Dry	Daylight	Clear	left	in traffic	to yield right of way
										Travelling straight ahead / Turning	Collision with motor vehicle	
130	10/17/2019	Thu 1:05 PM	Off-peak	2	Property damage only	Angle	Wet	Daylight	Cloudy / Rain	left	in traffic	Unknown
131	11/06/2019	Wed 2:46 PM	Off-peak		O Proporty domago only	Sideswipe, same direction	Dmi	Doublisht	Clear	Travelling straight shood	Collision with motor vehicle in traffic	Unknown
131	11/00/2019	VVed 2.46 PIVI	Оп-реак	2	0 Property damage only	direction	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle	UTKTOWT
132	11/23/2019	Sat 10:25 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Turning left	in traffic	No improper driving
102	11/20/2019	Out 10.20 AW	On pour		o i roporty damage only	Sideswipe, same	Ji y	Dayligitt	O/Out	Tarring forc	Collision with motor vehicle	Tto improper driving
133	11/26/2019	Tue 6:02 PM	Peak	2	0 Property damage only	direction	Dry	Dark - lighted roadway	Clear	Turning right	in traffic	Failed to yield right of way
					, , , , , , , , , , , , , , , , , , , ,					0 0	Collision with motor vehicle	No improper driving / Failed
134	12/09/2019	Mon 8:54 PM	Off-peak	2	0 Property damage only	Angle	Wet	Dark - unlit roadway	Rain	left	in traffic	to yield right of way
										Slowing or stopped in traffic /	Collision with motor vehicle	Distracted / No improper
135	12/18/2019	Wed 4:00 PM	Peak	3	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	in traffic	driving



BOSTON REGION MPO



Figure 6
Collision Diagram 2015–19
Route 9 and Prospect Street


Addressing Priority Corridors from the LRTP Needs Assessment: Route 9 in Framingham and Natick

Index	Crash Date	Day	Time	Peak Hour	# Veh	# Injured	Crash Severity	Manner of Collision	Road Surface Conditions	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior to Crash	Most Harmful Event	Driver Contributing Code
													Collision with motor vehicle	No improper driving / Made
1	01/10/2015	Sat	2:05 PM	Off-peak	2		3 Possible	Sideswipe, same direction	Dry	Daylight	Clear	U-turn	in traffic	an improper turn
	00/44/0045	0	40.00 DM	O#				December	0	Dark - unknown	Q.,	Tarrie Warra sharinka ala and	Collision with motor vehicle in traffic	No improper driving / Operating vehicle in erratic, reckless, careless, negligent
2	02/14/2015	Sa	10:00 PM	Оп-реак			Property damage only	Rear-end	Snow	Dark - unknown	Snow	Travelling straight ahead		or aggressive manner
•	00/00/0045	C	0.50 DM	Off I-			D. D	Danie and	D	Davidant	Olavada.	Toursellies steelisht about	Collision with motor vehicle in traffic	No improper driving /
3	02/22/2015	Sur	3:50 PM	Оп-реак	3		Property damage only	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead	III tranic	Followed too closely
4	02/25/2015	Wed	I 2:48 PM	Off-peak	4		1 Unknown	Angle	Wet	Daylight	Clear	Entering traffic lane / Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Failed to yield right of way / Made an improper turn / No improper driving
5	04/27/2015	Mor	3:23 PM	Off-peak	2	2	2 Possible	Angle	Dry	Daylight	Clear	Slowing or stopped in traffic / Turning left	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
6	05/31/2015	Sur	8:00 AM	Off-peak	3	(O Property damage only	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Inattention / No improper driving
													Collision with motor vehicle	
7	07/28/2015	Tue	9:12 PM	Off-peak	2	(Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic	in traffic	No improper driving
												Turning left / Travelling straight	Collision with motor vehicle	
8	09/01/2015	Tue	12:00 AM	Off-peak	2	•	1 Non-incapacitating	Angle	Dry	Daylight	Clear	ahead	in traffic	Unknown
												Travelling straight ahead /	Collision with motor vehicle	
9	09/17/2015	Thu	12:33 PM	Off-peak	2	(Property damage only	Angle	Dry	Daylight	Clear	Unknown	in traffic	No improper driving
		_							_					Failed to yield right of way /
10	09/22/2015	Tue	8:55 AM	Peak	2		1 Non-incapacitating	Angle	Dry	Daylight	Clear	straight ahead	in traffic	No improper driving
11	10/05/2015	Mor	9:30 PM	Off-peak	1		O Property damage only	Single vehicle crash	Wet	Dark - lighted roadway	Rain	Travelling straight ahead	Collision with other fixed object (wall, building, tunnel etc.)	Failure to keep in proper lane or running off road
							. , , , ,	ŭ				U U		
12	11/06/2015	Fr	i 1:14 AM	Off-peak	1		1 Possible	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with tree	Disregarded traffic signs, signals, road markings
13	11/16/2015	Mor	10:49 AM	Off-peak	2	(O Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Followed too closely / Distracted
							, , , ,			7 0			Collision with motor vehicle	
14	01/10/2016	Sur	11:13 PM	Off-peak	6		Property damage only	Rear-end	Wet	Dark - lighted roadway	Rain	Travelling straight ahead	in traffic	Unknown
												Travelling straight ahead / Slowing	Collision with motor vehicle	Inattention / No improper
15	01/15/2016	Fr	i 5:50 PM	Peak	2	(Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	or stopped in traffic	in traffic	driving
16	01/20/2016	Wed	I 7:48 PM	Off peak	1		1 Fatal injury	Single vehicle crash	Sand, mud, dirt, oil, gravel	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with pedestrian	Operating vehicle in erratic, reckless, careless, negligent or aggressive manner
10	01/20/2010	vvec	7.40 FIVI	Оп-реак			i i atai iiijui y	onigie venicie crasii	Jana, maa, ant, on, gravor	- a.r. lighted foldway	Gicai	Travelling straight affeau	Comploir with pedestrial	c. aggreeatte mariner
17	04/13/2016	Wed	I 10:10 PM	Off-peak	2	(O Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
	5 ., 10,2010	1130		J. Pour					,	3		.,		
18	05/06/2016	Fr	i 7:03 AM	Peak	2	(Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
19	06/08/2016	Wed	I 5:29 PM	Peak	2	(Property damage only	Sideswipe, same direction	Wet	Daylight	Cloudy	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
							, ,							Followed too closely / Other
20	08/23/2016	Tue	2:03 PM	Off-peak	2		1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	
													0.111.1	
21	08/29/2016	Mor	4:29 PM	Peak	2	(Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Followed too closely

22	08/30/2016	Tue	2:20 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Followed too closely / Distracted
23	11/03/2016	Thu	5:42 PM	Peak	2	0 Property damage only	Angle	Wet	Dusk	Rain / Cloudy	Changing lanes / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Failed to yield right of way / No improper driving
24	11/06/2016	Sun	7:25 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic / Collision with parked motor vehicle	Other improper action / No improper driving
25	11/26/2016	Sat	10:08 PM	Off-peak	2	Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Followed too closely
26	12/02/2016	Fri	6:28 PM	Peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Inattention / No improper driving
27	12/10/2016	Sat	2:03 PM	Off-peak	2	Property damage only	Angle	Dry	Daylight	Clear	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in traffic	Failed to yield right of way / No improper driving
28	12/14/2016	Wed	9:26 PM	Off-peak	2	Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Followed too closely
-	40/45/0040							_	5 11 1	a:	Turning left / Travelling straight	Collision with motor vehicle	
29	12/15/2016	I hu	2:41 PM	Оп-реак	3	Property damage only	Angle	Dry	Daylight	Clear	ahead	in traffic Collision with other fixed object (wall, building, tunnel,	Unknown
30	01/05/2017	Thu	7:16 AM	Peak	1	1 Non-incapacitating	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	etc.)	Unknown
											Turning left / Travelling straight ahead / Slowing or stopped in	Collision with motor vehicle	
31	01/07/2017	Sat	12:41 PM	Off-peak	3	0 Property damage only	Angle	Snow	Daylight	Snow	traffic Turning right / Slowing or stopped	in traffic Collision with motor vehicle	Unknown
32	01/10/2017	Tue	9:27 AM	Peak	2	0 Property damage only	Head-on	Wet	Daylight	Cloudy	in traffic	in traffic	Unknown
33	03/25/2017	Sat	9:03 AM	Off-peak	2	Property damage only	Sideswipe, same direction	Wet	Daylight	Cloudy/Rain	Changing lanes	Collision with motor vehicle in traffic	Unknown
34	04/26/2017										Turning right / Travelling straight ahead / Slowing or stopped in	Collision with motor vehicle in traffic / Collision with ditch	Unknown
35		Wed	10:13 AM	Off-peak	3	1 Non-incapacitating	Angle	Wet	Daviiont	Rain	traffic	in transcr Comston with diton	
	06/05/2017		10:13 AM 3:49 PM	Off-peak Peak		1 Non-incapacitating 2 Incapacitating	Angle Single vehicle crash	Wet Wet	Daylight Daylight	Rain / Cloudy	Turning left	Collision with pedestrian	Unknown
	06/05/2017								, ,			Collision with pedestrian Collision with motor vehicle	
36	06/05/2017	Mon		Peak	1				, ,		Turning left	Collision with pedestrian	
	06/09/2017	Mon Fri	3:49 PM 11:32 AM	Peak Off-peak	2	2 Incapacitating 1 Non-incapacitating	Single vehicle crash Rear-end	Wet Dry	Daylight Daylight	Rain / Cloudy Clear	Turning left Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing	Collision with pedestrian Collision with motor vehicle in traffic Collision with motor vehicle	Unknown
36 37		Mon Fri	3:49 PM	Peak Off-peak	2	2 Incapacitating	Single vehicle crash	Wet	Daylight	Rain / Cloudy	Turning left Travelling straight ahead / Slowing or stopped in traffic	Collision with pedestrian Collision with motor vehicle in traffic Collision with motor vehicle in traffic	Unknown Unknown
	06/09/2017	Mon Fri Sat	3:49 PM 11:32 AM	Peak Off-peak Off-peak	2	2 Incapacitating 1 Non-incapacitating	Single vehicle crash Rear-end	Wet Dry	Daylight Daylight	Rain / Cloudy Clear	Turning left Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing	Collision with pedestrian Collision with motor vehicle in traffic Collision with motor vehicle in traffic	Unknown Unknown No improper driving /
37	06/09/2017 06/17/2017	Mon Fri Sat	3:49 PM 11:32 AM 10:46 AM	Off-peak Off-peak Off-peak	2 2	Incapacitating Non-incapacitating Non-incapacitating	Single vehicle crash Rear-end Rear-end Rear-end	Dry Dry	Daylight Daylight Daylight	Rain / Cloudy Clear Cloudy	Turning left Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Slowing or stopped in traffic	Collision with pedestrian Collision with motor vehicle in traffic	Unknown Unknown Unknown No improper driving / Followed too closely / Distracted Failed to yield right of way / No improper driving
38	06/09/2017 06/17/2017 08/05/2017	Mon Fri Sat Sat	3:49 PM 11:32 AM 10:46 AM 11:22 PM	Off-peak Off-peak Peak	2 2 2	Incapacitating Non-incapacitating Non-incapacitating Non-incapacitating	Single vehicle crash Rear-end Rear-end Rear-end	Dry Dry Wet	Daylight Daylight Daylight Daylight Dark - lighted roadway	Rain / Cloudy Clear Cloudy Clear	Turning left Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Slowing or stopped in traffic	Collision with pedestrian Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle in traffic Collision with motor vehicle	Unknown Unknown Unknown No improper driving / Followed too closely / Distracted Failed to yield right of way / No improper driving
37 38 39	06/09/2017 06/17/2017 08/05/2017 10/03/2017	Mon Fri Sat Sat Tue	3:49 PM 11:32 AM 10:46 AM 11:22 PM 7:38 AM	Off-peak Off-peak Off-peak Peak Peak	2 2 2 3	2 Incapacitating 1 Non-incapacitating 1 Non-incapacitating 1 Non-incapacitating 0 Property damage only	Single vehicle crash Rear-end Rear-end Rear-end Rear-end Rear-end	Dry Dry Wet	Daylight Daylight Daylight Dark - lighted roadway Daylight	Rain / Cloudy Clear Cloudy Clear	Turning left Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Slowing or stopped in traffic	Collision with pedestrian Collision with motor vehicle in traffic	Unknown Unknown No improper driving / Followed too closely / Distracted Failed to yield right of way / No improper driving No improper driving /
37 38 39 40	06/09/2017 06/17/2017 08/05/2017 10/03/2017 10/10/2017	Mon Fri Sat Sat Tue Tue	3:49 PM 11:32 AM 10:46 AM 11:22 PM 7:38 AM 4:01 PM	Peak Off-peak Off-peak Peak Peak Peak Off-peak	2 2 2 3 2 2	2 Incapacitating 1 Non-incapacitating 1 Non-incapacitating 1 Non-incapacitating 0 Property damage only 0 Non-incapacitating 0 Property damage only	Single vehicle crash Rear-end Rear-end Rear-end Rear-end Angle	Dry Dry Wet Dry Dry Dry	Daylight Daylight Daylight Dark - lighted roadway Daylight Daylight Daylight	Rain / Cloudy Clear Cloudy Clear Clear Clear	Turning left Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Slowing or stopped in traffic Slowing or stopped in traffic Entering traffic lane / Travelling straight ahead	Collision with pedestrian Collision with motor vehicle in traffic	Unknown Unknown No improper driving / Followed too closely / Distracted Failed to yield right of way / No improper driving No improper driving / Followed too closely Failed to yield right of way / No improper driving / Followed too closely
37 38 39 40	06/09/2017 06/17/2017 08/05/2017 10/03/2017 10/10/2017	Mon Fri Sat Sat Tue Tue	3:49 PM 11:32 AM 10:46 AM 11:22 PM 7:38 AM 4:01 PM	Peak Off-peak Off-peak Peak Peak Peak Off-peak	2 2 2 3 2 2	2 Incapacitating 1 Non-incapacitating 1 Non-incapacitating 1 Non-incapacitating 0 Property damage only 0 Non-incapacitating	Single vehicle crash Rear-end Rear-end Rear-end Rear-end Angle	Dry Dry Wet Dry Dry	Daylight Daylight Daylight Dark - lighted roadway Daylight Daylight	Rain / Cloudy Clear Cloudy Clear Clear	Turning left Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Slowing or stopped in traffic Slowing or stopped in traffic Entering traffic lane / Travelling straight ahead Turning right	Collision with pedestrian Collision with motor vehicle in traffic	Unknown Unknown No improper driving / Followed too closely / Distracted Failed to yield right of way / No improper driving No improper driving / Followed too closely Failed to yield right of way / No improper driving / No improper driving
37 38 39 40	06/09/2017 06/17/2017 08/05/2017 10/03/2017 10/10/2017	Mon Fri Sat Sat Tue Tue Fri	3:49 PM 11:32 AM 10:46 AM 11:22 PM 7:38 AM 4:01 PM	Peak Off-peak Off-peak Peak Peak Peak Peak Peak	2 2 2 3 2 1	2 Incapacitating 1 Non-incapacitating 1 Non-incapacitating 1 Non-incapacitating 0 Property damage only 0 Non-incapacitating 0 Property damage only	Single vehicle crash Rear-end Rear-end Rear-end Rear-end Angle Single vehicle crash	Dry Dry Wet Dry Dry Dry	Daylight Daylight Daylight Dark - lighted roadway Daylight Daylight Daylight	Rain / Cloudy Clear Cloudy Clear Clear Clear	Turning left Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Slowing or stopped in traffic Slowing or stopped in traffic Entering traffic lane / Travelling straight ahead	Collision with pedestrian Collision with motor vehicle in traffic	Unknown Unknown No improper driving / Followed too closely / Distracted Failed to yield right of way / No improper driving No improper driving / Followed too closely Failed to yield right of way / No improper driving / No improper driving
37 38 39 40 41 42	06/09/2017 06/17/2017 08/05/2017 10/03/2017 10/10/2017 10/17/2017	Sat Sat Tue Tue Fri	3:49 PM 11:32 AM 10:46 AM 11:22 PM 7:38 AM 4:01 PM 11:38 AM 3:50 PM	Peak Off-peak Off-peak Peak Peak Peak Peak Peak Peak	1 2 2 2 2 2 3 3 2 1	2 Incapacitating 1 Non-incapacitating 1 Non-incapacitating 1 Non-incapacitating 2 Property damage only 3 Non-incapacitating 4 Property damage only 5 Property damage only 6 Property damage only 7 Property damage only	Single vehicle crash Rear-end Rear-end Rear-end Rear-end Angle Single vehicle crash Rear-end	Wet Dry Wet Dry Dry Dry Dry	Daylight Daylight Daylight Dark - lighted roadway Daylight Daylight Daylight Daylight Daylight Daylight	Rain / Cloudy Clear Cloudy Clear Clear Clear Clear	Turning left Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead / Slowing or stopped in traffic Slowing or stopped in traffic Slowing or stopped in traffic Entering traffic lane / Travelling straight ahead Turning right Travelling straight ahead / Slowing	Collision with pedestrian Collision with motor vehicle in traffic Collision with motor vehicle in traffic	Unknown Unknown No improper driving / Followed too closely / Distracted Failed to yield right of way / No improper driving No improper driving / Followed too closely Failed to yield right of way / No improper driving / Followed too closely No improper driving No improper driving No improper driving / Followed too closely

													No improper driving / Operating vehicle in erratic,
45	12/02/2017	Sat 2	2:03 AM	Off-peak 2	(Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	reckless, careless, negligent or aggressive manner
46	01/03/2018	Wed 1	10:35 AM	Off-peak 2	(Property damage only	Rear-end	Ice	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
47	02/15/2018	Thu 7	7:18 PM	Off-peak 1	() Fatal injury	Single vehicle crash	Wet	Dark - lighted roadway	Fog, smog, smoke	Changing lanes	Collision with pedestrian	Unknown
48	03/06/2018		l:19 PM				Rear-end	Dry	Daylight	Clear	, ,		No improper driving / Followed too closely / Inattention
49	03/11/2018	Sun 7	7:45 PM	Off-peak 2	() Property damage only	Sideswipe, same direction	Dry	Dark - lighted roadway	Clear	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
50	05/04/2018	Fri 8	3:46 PM	Off-peak 3	2	Non-incapacitating	Rear-end	Dry	Dark - unlit roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Followed too closely
51	06/03/2018	Sun 3	3:15 PM	Off-peak 2	(Property damage only	Angle	Dry	Daylight	Clear	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in traffic	Failed to yield right of way / No improper driving
52	08/09/2018	Thu 1	I:31 PM	Off-peak 2	(Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
53	09/23/2018			Off-peak 1		. , , ,	Single vehicle crash	Dry	Dawn	Clear	Travelling straight ahead	Collision with utility pole	Visibility obstructed
54	09/27/2018	Thu 8	3:34 AM	Peak 3	(Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Followed too closely
55	00/07/2040	Thu (0.00 AM	Peak 2		Dranach damaga anh	Sideswipe, opposite direction	Des	Doublimbt	Class	Trayalling straight aboad	Collision with motor vehicle in traffic	Unknown
55	09/27/2018	inu	9:00 AM	Peak 2		Property damage only	unection	Dry	Daylight	Clear	Travelling straight ahead	in traine	Unknown
56	10/15/2018	Mon 3	3:42 PM	Peak 3	3	3 Possible	Rear-end	Dry	Daylight	Clear / Cloudy	Making U-turn / Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Made an improper turn / No improper driving / Followed too closely
57	10/24/2018	Wed 4	1:52 PM	Peak 2	(Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning left / Making U-turn	Collision with motor vehicle in traffic	No improper driving / Unknown
58	11/02/2018	Fri 9	9:48 AM	Peak 2	(Property damage only	Rear-end	Wet	Daylight	Cloudy	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving
59	11/02/2018	Fri 1	10:27 AM	Off-peak 2			Sideswipe, same direction	Wet	Daylight	Rain	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic / Collision with light pole or other post/support	Inattention / No improper
60	11/28/2018	Wed 1	I:21 AM	Off-peak 2	(Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Inattention / Distracted / No improper driving
61	12/30/2018	Sun 1	10:30 PM	Off-peak 3	2	2 Incapacitating	Sideswipe, same direction	Dry	Dark - lighted roadway	Clear	Changing lanes / Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Inattention / Failure to keep in proper lane or running off road / No improper driving
62	02/19/2019	Tue 7	7:55 AM	Peak 2		Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
63	04/08/2019	Mon §	9:07 AM	Peak 2	(Property damage only	Sideswipe, same direction	Wet	Daylight	Rain	Turning right / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
64	05/21/2019	Tue 8	3:28 AM	Peak 2	() Property damage only	Head-on	Dry	Daylight	Clear	Turning left / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
65	06/13/2019	Thu 1	11:29 AM	Off-peak 3	(Property damage only	Rear-end	Unknown	Daylight	Rain	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving

66	09/06/2019	Fri	9:06 AM	Peak	2	0	Property damage only	Rear-end	Dry	Daylight	Clear / Cloudy	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Unknown
67	09/18/2019	Wed	6:15 PM	Peak	2	0	Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning right		No improper driving / Made an improper turn
68	11/20/2019	Wed	9:56 AM	Peak	2	0	Property damage only	Sideswipe, same direction	Wet	Daylight	Clear	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
69	11/28/2019	Thu	1:49 AM	Off-peak	1	1	Possible	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with guardrail	Unknown
70	12/30/2019	Mon	12:58 PM	Off-peak	1	0	Property damage only	Single vehicle crash	Slush	Daylight	Snow / Sleet, hail	Slowing or stopped in traffic	Collision with median barrier	Driving too fast for conditions



BOSTON REGION MPO



Figure 10
Collision Diagram 2015–19
Route 9 and Cochituate Road

Addressing Priority Corridors from the LRTP Needs Assessment: Route 9 in Framingham and Natick


								-	lassbot orașii bata					
Index	Crash Date	Day	Time	Peak Hour	# Veh	# Injured	Crash Severity	Manner of Collision	Road Surface Conditions	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior to Crash	Most Harmful Event	Driver Contributing Code
1	01/20/2015	Tue	10:30 AM	Off-peak	2	(Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	in traffic	improper driving
2	01/26/2015	Mor	1:08 PM	Off-peak	2		1 Incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	improper driving
3	03/03/2015	Tue	8:34 AM	Peak	2	,	Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Followed too closely / No improper driving
4	03/14/2015	Sa	12:24 PM	Off-peak	2	(Property damage only	Rear-end	Wet	Daylight	Rain	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
5	03/23/2015	Mor	7:42 PM	Off-peak	2		1 Possible	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic	in traffic	Followed too closely / No improper driving
6	03/24/2015	Tue	2:07 PM	Off-peak	2		1 Possible	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
7	03/30/2015	Mor	1:31 AM	Off-peak	2	2	2 Possible	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
8	04/07/2015	Tue	5:25 PM	Peak	3		1 Non-incapacitating	Rear-end	Wet	Daylight	Rain	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
9	04/20/2015	Mor	12:58 PM	Off-peak	2	(Property damage only	Rear-end	Wet	Daylight	Rain / Cloudy	Travelling straight ahead / Slowing or stopped in traffic	in traffic	improper driving
10	04/24/2015	Fr	9:53 AM	Peak	2		1 Possible	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Inattention
11	05/07/2015	Thu	8:28 PM	Off-peak	2		1 Incapacitating	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	improper driving
12	05/09/2015	Sa	t 3:30 PM	Off-peak	3	(Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
13	05/25/2015	Mor	3:21 PM	Off-peak	2	4	1 Possible	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
14	06/16/2015	Tue	7:26 AM	Peak	2	(Property damage only	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
15	07/09/2015	Thu	11:30 AM	Off-peak	2	(Property damage only	Rear-end	Dry	Daylight	Cloudy / Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic Collision with motor vehicle	No improper driving
16	07/24/2015	Fr	4:30 PM	Peak	2		1 Non-incapacitating	Rear-end	Dry	Daylight	Cloudy / Rain	Slowing or stopped in traffic	in traffic Collision with motor vehicle	No improper driving Followed too closely / No
17	08/08/2015	Sa	11:04 AM	Off-peak	2		1 Possible	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	in traffic	improper driving
18	08/17/2015	Mor	10:59 AM	Off-peak	2		Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	in traffic	improper driving
19	08/29/2015	Sa	2:00 AM	Off-peak	2		Non-incapacitating	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Inattention
20	09/05/2015	Sa	4:06 PM	Off-peak	2	(Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Inattention
21	09/06/2015	Sur	1:08 PM	Off-peak	2	(Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	driving
22	09/21/2015	Mor	2:47 PM	Off-peak	2		1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Entering traffic lane	Collision with motor vehicle in traffic	Followed too closely / No improper driving
23	11/17/2015	Tue	8:54 AM	Peak	2	(Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
24	01/15/2016	Fr	i 9:22 AM	Peak	2		1 Possible	Rear-end	Dry	Daylight	Cloudy	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
25	02/02/2016	Tue	e 6:16 PM	Peak	3	() Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Failure to keep in proper lane or running off road / Nimproper driving

26	04/20/2016	Wed 9:20 AM	Peak	2 (Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Followed too closely / Other improper action
27	05/13/2016	Fri 12:10 PM	Off-peak	2	Non-incapacitating	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Entering traffic lane	Collision with motor vehicle in traffic	Unknown
28	05/22/2016	Sun 9:15 AM	Off-peak	2	Property damage only	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
29	06/03/2016	Fri 6:04 PM	Peak	2	2 Unknown	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
30	06/15/2016	Wed 2:07 PM	Off-peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
31	06/20/2016	Mon 5:21 PM	Peak	2	1 Possible	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	in traffic	Unknown
32	08/13/2016	Sat 1:10 PM	Off-peak	2 (Property damage only	Rear-end	Dry	Daylight	Clear	Turning right / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
33	11/03/2016	Thu 10:41 AM	Off-peak	2 (Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic		No improper driving / Distracted
34	11/08/2016	Tue 9:00 AM	Peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
35	11/08/2016	Tue 12:48 PM	Off-peak	3	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic		No improper driving
36	11/20/2016	Sun 12:00 AM	Off-peak	2 (Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
37	12/06/2016	Tue 11:04 AM	Off-peak	2	Property damage only	Rear-end	Slush	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving
38	12/09/2016	Fri 12:40 PM	Off-peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
39	12/23/2016	Fri 9:55 AM	Peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
40	02/12/2017	Sun 4:44 PM	Off-peak	1	1 Non-incapacitating	Single vehicle crash	Snow	Dark - lighted roadway	Snow	Turning left	Collision with curb	No improper driving
41	02/20/2017	Mon 3:35 PM	Peak	3	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
42	02/27/2017	Mon 3:00 PM	Off-peak	2	1 Possible	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	in traffic	Unknown
43	04/17/2017	Mon 4:32 PM	Peak	2 (Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic		Unknown
44	06/20/2017	Tue 3:24 PM	Off-peak	2 (Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
45	08/03/2017	Thu 8:20 PM	Off-peak	2 (Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Inattention
46	08/07/2017	Mon 3:10 PM	Off-peak	2	1 Non-incapacitating	Angle	Dry	Daylight	Cloudy	Entering traffic lane / Travelling straight ahead	Collision with utility pole / Collision with motor vehicle in traffic	Failure to keep in proper lane or running off road / No improper driving
47	08/12/2017	Sat 5:13 PM	Off-peak	3	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
48	09/21/2017	Thu 2:21 PM	Off-peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Entering traffic lane		Followed too closely / No improper driving
49	11/22/2017	Wed 2:00 PM	Off-peak	3 ;	3 Possible	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention

50	01/12/2018	Fri	12:07 AM	Off-peak	2	1 Non-incapacitating	Rear-end	Wet	Dark - lighted roadway	Rain	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
51	02/03/2018	Sat	11:06 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving
52	03/16/2018	Fri	11:31 AM	Off-neak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Unknown	Collision with motor vehicle in traffic / Unknown	Unknown / No improper driving
32	03/10/2010	111	TT.ST AIVI	Оп-реак	2	o Property damage only	ixeai-enu	Ыу	Dayligitt	Clear	Travelling straight ahead / Slowing		arving
53	04/17/2018	Tue	2:17 PM	Off-peak	3	0 Property damage only	Rear-end	Dry	Daylight	Clear	or stopped in traffic	in traffic Collision with highway traffic	No improper driving
54	04/28/2018	Sat	3:39 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Unknown	sign post	Unknown
55	06/11/2018	Mon	6:15 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic		improper driving
56	08/05/2018	Sun	7:49 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / Physical impairment / No improper driving
57	09/23/2018	Sun	12:04 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Entering traffic lane	Collision with motor vehicle in traffic	Unknown / No improper driving
58	09/29/2018	Sat	1:35 PM	Off-peak	6	0 Property damage only	Rear-end	Dry	Daylight	Clear / Cloudy	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
59	10/03/2018	Wed	8:25 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	improper driving
60	10/08/2018	Mon	9:10 AM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Cloudy / Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Inattention / Visibility obstructed
61	10/11/2018	Thu	2:00 PM	Off-peak	4	1 Possible	Rear-end	Wet	Daylight	Cloudy	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
62	10/11/2018	Thu	11:00 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
63	10/16/2018	Tue	4:00 PM	Peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
64	10/22/2018	Mon	7:38 AM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Entering traffic lane	Collision with motor vehicle in traffic	No improper driving / Inattention
65	12/04/2018	Tue	10:13 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown / No improper driving
66	12/30/2018	Sun	3:50 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving
67	01/04/2019	Fri	8:14 AM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	in traffic	Inattention / Distracted / No improper driving
68	02/07/2019	Thu	11:15 AM	Off-peak	2	1 Possible	Rear-end	Wet	Daylight	Rain	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving
69	02/27/2019	Wed	7:01 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Dark - lighted roadway	Clear	Entering traffic lane	in traffic	Followed too closely / No improper driving
70	03/05/2019	Tue	10:26 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
71	03/20/2019	Wed	12:50 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear / Cloudy	straight ahead	Collision with motor vehicle in traffic	driving
72	04/20/2019	Sat	10:19 AM	Off-peak	2	0 Property damage only	Rear-end	Wet	Daylight	Rain / Cloudy	Entering traffic lane	Collision with motor vehicle in traffic	Followed too closely / No improper driving
73	04/22/2019	Mon	8:45 AM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear / Cloudy	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in traffic	Followed too closely / No improper driving

							viassbot orasii bata					
74	06/10/2019	Mon 7:45 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dusk	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	No improper driving / Made an improper turn
75	07/13/2019	Sat 12:51 PM	Off-peak	2	0 Property damage only	Rear-end	Unknown	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
76	07/13/2019	Sat 12:59 PM	Off-peak	2	Property damage only	Rear-end	Unknown	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / Inattention / No improper driving
77	07/14/2019	Sun 12:57 PM	Off-peak	2	Property damage only	Rear-end	Unknown	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown / No improper driving
78	07/16/2019	Tue 7:15 PM	Off-peak		Property damage only	Rear-end	Unknown	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Distracted
79	08/05/2019	Mon 12:54 PM			Property damage only	Rear-end	Dry	Daylight	Clear	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
80	08/17/2019	Sat 4:45 PM	Off-peak		Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic		No improper driving / Inattention
81	08/23/2019	Fri 10:05 AM	Off-peak		Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic		Followed too closely / No improper driving
82	08/28/2019	Wed 4:00 PM	Peak		Non-incapacitating	Rear-end	Wet	Daylight	Rain	Travelling straight ahead / Slowing or stopped in traffic		Unknown / No improper driving
83	09/08/2019	Sun 5:08 PM	Off-peak	3	1 Possible	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic		
84	09/10/2019	Tue 10:50 AM	Off-peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic		Unknown / No improper driving
85	09/11/2019	Wed 7:50 PM	Off-peak				Dry	Dark - lighted roadway		Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
					0 Property damage only	Rear-end			Cloudy	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
86	09/20/2019	Fri 5:00 PM	Peak		0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing	Collision with motor vehicle	Followed too closely / No
87	09/21/2019	Sat 1:20 PM	Off-peak		Property damage only	Rear-end	Dry	Daylight	Clear	or stopped in traffic Travelling straight ahead / Slowing		
88	10/07/2019	Sun 4:30 PM Mon 7:00 PM	Off-peak Off-peak		0 Property damage only 0 Property damage only	Rear-end Rear-end	Dry Dry	Daylight Dark - lighted roadway	Clear	or stopped in traffic Slowing or stopped in traffic / Unknown	in traffic Collision with motor vehicle in traffic	Distracted No improper driving
90	10/08/2019	Tue 10:35 AM	Off-peak	2	1 Possible	Rear-end	Wet	Daylight	Rain	Travelling straight ahead / Slowing or stopped in traffic	in traffic	No improper driving
91	10/24/2019	Thu 12:17 PM	Off-peak	3	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown / No improper driving
92	10/25/2019	Fri 12:11 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Followed too closely / No improper driving
93	11/01/2019	Fri 9:00 AM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic		No improper driving
94	11/04/2019	Mon 11:35 AM	Off-peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Disregarded traffic signs, signals, road markings / No improper driving
95	12/08/2019	Sun 12:54 PM	Off-peak	3	1 Possible	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving

96	12/18/2019	Wed 8:22	2 PM	Off-peak	2	0	Property damage only	Rear-end	Dry	Dark - lighted roadway	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
97	12/30/2019	Mon 9:12	2 AM	Peak	2	1	Possible	Rear-end	Wet	Daylight	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown / No improper driving



BOSTON REGION MPO



Figure 7
Collision Diagram 2015–19
Route 9 and Route 126

Addressing Priority Corridors from the LRTP Needs Assessment: Route 9 in Framingham and Natick

Table 7
Crash Lookup: RT 126 at Route 9
MassDOT Crash Data 2015-2019

							MassDOT Crash Da	ata 2015-2019				
Indov	Creek Date	Time	Dook Hour	# Veh # Inju	urad Crash Saverity	Manner of Collision	Road Surface Condition	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior to Crash	Most Harmful Event	Driver Contributing Code
Index	Crash Date D	ay Time	Peak Hour	# Veh # Inju	ured Crash Severity	Manner of Collision	Road Surface Condition	Ambient Light Conditions	weather Conditions			Driver Contributing Code
	20/21/22/-							Davida Balata da ara da ara		Turning left / Travelling straight	Collision with motor	Halman (National and distinct
1	02/04/2015	Wed 9:30 PM	Off-peak	2	0 Property damage only	Rear-end	Snow	Dark - lighted roadway	Snow		vehicle in traffic	Unknown / No improper driving
											Collision with motor	
										Travelling straight ahead / Slowing		Followed too closely / No
2	02/28/2015	Sat 12:47 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	or stopped in traffic	Collision with ditch	improper driving
												Driving too fast for conditions /
												Operating vehicle in erratic,
												reckless, careless, negligent or
3	03/21/2015	Sat 12:33 AM	Off-peak	1	1 Incapacitating	Single vehicle crash	Wet	Dark - lighted roadway	Sleet, hail	Turning left	Collision with curb	aggressive manner
					1 3	J		,	,		Collision with motor	Followed too closely / No
4	04/11/2015	Sat 12:53 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear		vehicle in traffic	improper driving
-	01/11/2010	Cat 12.001 W	On pour		o i reporty damage emy	Ttour ond	5.3	Daylight	Oloui			
										Travelling straight ahead / Slowing	Collision with motor	Followed too closely / Inattention
5	05/15/2015	Fri 9:00 PM	Off-peak	2	O Proporty domago only	Poor and	Dry	Dark - lighted roadway	Clear		vehicle in traffic	/ No improper driving
3	05/15/2015	FII 9.00 PW	Оп-реак		Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	or stopped in trainic	Vernicle III traffic	
						0.1				OL : 1 / T III	0 11: : :11 (Failure to keep in proper lane or
						Sideswipe, same					Collision with motor	running off road / No improper
6	06/14/2015	Sun 1:15 PM	Off-peak	2	Property damage only	direction	Dry	Daylight	Clear	straight ahead	vehicle in traffic	driving
											Collision with light pole	
7	06/14/2015	Sun 2:19 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Travelling straight ahead	or other post/support	Unknown
					, , , ,			, 0				
										Travelling straight ahead / Slowing	Collision with motor	
8	06/15/2015	Mon 9:10 PM	Off-peak	2	1 Possible	Rear-end	Wet	Daylight	Rain		vehicle in traffic	Inattention / No improper driving
	00/10/2010	WOT 0.101 W	On pour		1 1 COCIDIO	rtour ond	1701	Daylight	ran		Collision with cyclist	matterition 7 No improper arriving
											(bicycle, tricycle,	
9	07/00/0045	Th.: 7:00 DM	Off models	4	4 Nan inaanasitatina	Cinale vehiele aveek	Dmi	Davdialet	Clear		unicycle, pedal car)	Na impaga an duivin a
9	07/02/2015	Thu 7:30 PM	Off-peak		1 Non-incapacitating	Single vehicle crash	Dry	Daylight	Clear			No improper driving
	0=1011001=						_				Collision with motor	Followed too closely / No
10	07/31/2015	Fri 7:14 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Entering traffic lane	vehicle in traffic	improper driving
										Travelling straight ahead / Slowing		Followed too closely / No
11	08/25/2015	Tue 10:00 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	or stopped in traffic	vehicle in traffic	improper driving
												No improper driving / Followed
										Travelling straight ahead / Slowing	Collision with motor	too closely / Other improper
12	10/23/2015	Fri 2:57 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	or stopped in traffic	vehicle in traffic	action
								1 2				Failure to keep in proper lane or
											Collision with utility	running off road /
13	10/25/2015	Sun 4:38 AM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Dark - unlit roadway	Cloudy / Rain		pole	Fatigued/asleep
	10/20/2010	7.007111	On pour		1 reporty damage emy	Origio vornolo oracii	2.9		Cloudy / Italii		Collision with motor	Followed too closely / No
4.4	11/03/2015	Tue 4:48 PM	Peak	2	0 Property damage only	Rear-end	Dry	Dusk	Clear		vehicle in traffic	improper driving
14	11/03/2013	1 ue 4.40 FIVI	reak	2	o Property damage only	Real-ellu	Dry	Dusk	Clear		Collision with parked	improper driving
4.5	44/00/0045	0 40.54.484	011			D	_	Dark lighted readway				
15	11/08/2015	Sun 12:51 AM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear		motor vehicle	No improper driving
						Sideswipe, same	_	D 1 11 1 1			Collision with motor	No improper driving / Made an
16	12/04/2015	Fri 7:30 PM	Off-peak	2	0 Property damage only	direction	Dry	Dark - lighted roadway	Clear	U U	vehicle in traffic	improper turn
											Collision with cyclist	
						Sideswipe, same					(bicycle, tricycle,	
17	12/26/2015	Sat 9:12 AM	Off-peak	1	1 Incapacitating	direction	Dry	Daylight	Clear		unicycle, pedal car)	No improper driving
										Travelling straight ahead / Slowing	Collision with motor	
18	12/31/2015	Thu 11:09 AM	Peak	2	0 Property damage only	Rear-end	Wet	Daylight	Clear	or stopped in traffic	vehicle in traffic	Unknown / No improper driving
					. , , ,						Collision with motor	, , ,
19	03/05/2016	Sat 9:34 PM	Off-peak	1	2 Non-incapacitating	Single vehicle crash	Dry	Dark - unlit roadway	Clear		vehicle in traffic	Unknown
	00/00/2010	5.0 T 1 W	On poak		2 Non-moapasitating	Cingle verilore drasif			Cloui	and a stepped in daile		Sindiomi
												Disregarded traffic signs,
												_
						Sidoowina aarra				Travelling atraight about / Traveling	Collinion with restar	signals, road markings / Failure
	0011=15=15	T I (A.E.)	0.00			Sideswipe, same		Danie limbted and l	0	Travelling straight ahead / Turning		to keep in proper lane or running
20	03/17/2016	Thu 12:50 AM	Off-peak	2	0 Property damage only	direction	Wet	Dark - lighted roadway	Cloudy	right	vehicle in traffic	off road / No improper driving
												Driving too fast for conditions /
												Failure to keep in proper lane or
21	03/25/2016	Fri 12:16 AM	Off-peak	1	0 Property damage only	Single vehicle crash	Wet	Dark - lighted roadway	Rain	Turning right	Collision with curb	running off road
										Slowing or stopped in traffic /	Collision with motor	No improper driving / Other
22	04/16/2016	Sat 5:56 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear		vehicle in traffic	improper action
					. , ,	•	•	, ,				

Table 7 Crash Lookup: RT 126 at Route 9 MassDOT Crash Data 2015-2019


23	05/01/2016	Sun 9:50 AM	Off-peak	2	o i roporty damage omy	Sideswipe, same direction	Dry	Daylight	Clear	3 3	Collision with motor vehicle in traffic Collision with motor	No improper driving / Made an improper turn / Failure to keep in proper lane or running off road
24	05/21/2016	Sat 7:01 PM	Off-peak	2		Sideswipe, same direction	Dry	Daylight	Clear	31 3	vehicle in traffic	Unknown
25	05/28/2016	Sat 8:29 AM	Off-peak	2		Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Visibility obstructed / Unknown
26	06/20/2016	Mon 1:55 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear		Collision with motor vehicle in traffic	No improper driving
27	06/30/2016	Thu 7:16 PM	Off-peak	1	1 Non-incapacitating	Single vehicle crash	Dry	Dusk	Clear	Leaving traffic lane	Collision with guardrail	Driving too fast for conditions
28	07/06/2016	Wed 9:31 AM	Peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Turning right	Collision with curb	No improper driving
29	07/08/2016	Fri 2:10 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Cloudy	Travelling straight ahead / Turning	Collision with light pole or other post/support / Collision with motor vehicle in traffic	Failed to yield right of way
										Travelling straight ahead / Slowing	Collision with motor	No improper driving / Followed
30	07/14/2016	Thu 7:20 AM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	or stopped in traffic	vehicle in traffic	too closely / Unknown
31	08/11/2016	Thu 2:17 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Wet	Daylight	Rain	Turning right	Collision with highway traffic sign post Collision with motor	Driving too fast for conditions No improper driving / Failed to
32	08/27/2016	Sat 10:53 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	ahead	vehicle in traffic	yield right of way
33	11/14/2016	Mon 9:00 AM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear / Cloudy	Turning right	Collision with motor vehicle in traffic Collision with motor	No improper driving / Distracted Followed too closely / No
34	12/15/2016	Thu 3:07 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear		vehicle in traffic	improper driving
35	12/16/2016	Fri 7:46 AM	Peak	2	Property damage only	Rear-end	Dry	Daylight	Clear	Turning right	Collision with motor vehicle in traffic	No improper driving / Followed too closely / Failure to keep in proper lane or running off road
36	01/11/2017	Wed 11:51 AM	Off-peak	2	1 Possible	Rear-end	Wet	Daylight	Clear	•	Collision with motor vehicle in traffic	Unknown / No improper driving
30			Оп-реак			Sideswipe, same	Wet	Daylight	Olcai	Entering traffic lane / Travelling	Collision with motor	Onknown 7 No improper unving
37	01/11/2017	Wed 9:30 AM	Peak	2	0 Property damage only	direction	Dry	Daylight	Clear		vehicle in traffic Collision with motor	No improper driving Followed too closely / No
38	01/13/2017	Fri 2:30 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear		vehicle in traffic	improper driving
39	02/02/2017	Thu 5:31 AM	Off-peak	2	1 Non-incapacitating	Angle	Dry	Dark - lighted roadway	Clear		Collision with motor vehicle in traffic	Other improper action / Unknown
39	02/02/2017	THU 5.51 AIVI	Оп-реак		1 Non-incapacitating	Aligie	Ыу	Dank lighted readway	Oleai	3 11	Collision with other	Onknown
40	02/07/2017	Tue 7:57 PM	Off-peak	1	1 Non-incapacitating	Single vehicle crash	Ice	Dark - lighted roadway	Sleet, hail / Rain		fixed object (wall, building, tunnel, etc.)	Driving too fast for conditions
70	OZ/OT/ZOT/	140 7.07 1 101	оп-реак		1 Non-incapacitating	Single verilore drash		gou rouding	Sicot, Hall / Italii			No improper driving / Followed
41	04/01/2017	Sat 5:12 PM	Off-peak	2	0 Possible	Rear-end	Wet	Daylight	Rain / Snow	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic	too closely / Other improper action
											Collision with motor	
42	05/15/2017	Mon 5:00 PM	Peak	2		Angle Sideswipe, same	Dry	Daylight	Clear	Travelling straight ahead / Backing Travelling straight ahead / Turning	vehicle in traffic Collision with motor	No improper driving No improper driving / Failed to
43	06/05/2017	Mon 5:52 AM	Off-peak	2		direction	Wet	Daylight	Rain	right	vehicle in traffic	yield right of way
44	07/11/2017	Tue 8:35 PM	Off-peak	1	1 Non-incapacitating	Single vehicle crash	Wet	Dark - lighted roadway	Rain	Leaving traffic lane	Collision with utility pole Collision with motor	Failure to keep in proper lane or running off road
45	07/11/2017	Tue 1:22 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear		vehicle in traffic	Unknown / No improper driving
46	07/25/2017	Tue 12:20 AM	Off-peak	2		Sideswipe, opposite direction	Day	Dark - lighted roadway	Clear		Reported but invalid / Collision with motor vehicle in traffic	Failure to keep in proper lane or running off road / No improper driving
				2	o i Toperty damage only		Dry			Turning left / Travelling straight	Collision with motor	No improper driving / Failed to
47	08/03/2017	Thu 6:15 PM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Clear		vehicle in traffic Collision with motor	yield right of way No improper driving / Failed to
48	08/27/2017	Sun 1:40 PM	Off-peak	2	1 Property damage only	Angle	Dry	Daylight	Clear		vehicle in traffic	yield right of way

Table 7 Crash Lookup: RT 126 at Route 9 MassDOT Crash Data 2015-2019

										Slowing or stopped in traffic /	Collision with motor	
49	09/02/2017	Sat 6:44 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Turning right	vehicle in traffic	Unknown
50	00/00/0047	O C. FO DM	0# 1-	0	0 D	Deemand	VA / - 4	Develo	D-i-	Travelling straight ahead / Slowing	Vehicle in traffic	Helmone / Fallenned to a standby
50	09/03/2017	Sun 6:52 PM	Off-peak	2	0 Property damage only	Rear-end	Wet	Dusk	Rain	or stopped in traffic Travelling straight ahead / Slowing		Unknown / Followed too closely Followed too closely / No
51	10/02/2017	Mon 10:10 AM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	or stopped in traffic	vehicle in traffic	improper driving
	10/02/2017	10.1074	on poun	_	i iton moapashamig	Sideswipe, same	J.,	Dayngik	Oloui	Travelling straight ahead / Slowing		Followed too closely / No
52	10/13/2017	Fri 7:27 PM	Off-peak	2	1 Possible	direction	Dry	Dark - lighted roadway	Clear	or stopped in traffic	vehicle in traffic	improper driving
											Collision with motor	
53	10/23/2017	Mon 7:06 PM	Off-peak	3	1 Possible	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	vehicle in traffic	Unknown / No improper driving
E 4	11/01/0017	Tue GAE DM	Off pools	2	O Proporty domago only	Anala	Dm	Dark - unlit roadway	Clear	Travelling straight ahead / Turning right	Collision with motor vehicle in traffic	No improper driving / Failed to yield right of way
54	11/21/2017	Tue 6:45 PM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - urilit roadway	Clear	-	Collision with motor	No improper driving / Failed to
55	12/06/2017	Wed 12:50 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	right	vehicle in traffic	yield right of way
					1 7 9 3	J		, , ,		Travelling straight ahead / Slowing	Collision with motor	
56	12/17/2017	Sun 10:49 AM	Off-peak	2	1 Possible	Rear-end	Dry	Daylight	Clear	or stopped in traffic	vehicle in traffic	Inattention / No improper driving
								D 1 1"		Travelling straight ahead / Slowing		Followed too closely / No
57	12/28/2017	Thu 7:46 PM	Off-peak	3	0 Property damage only	Rear-end	Dry	Dark - unlit roadway	Clear	or stopped in traffic	vehicle in traffic Collision with motor	improper driving
58	01/03/2018	Wed 3:22 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	Unknown / No improper driving
00	01/00/2010	VVCG 0.22 1 W	Оп-реак		o i roperty damage omy	TCUI-CHU	Diy	Daylight	Olcai	Travelling straight ahead	Collision with motor	Followed too closely / No
59	02/08/2018	Thu 10:43 AM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	improper driving
											Collision with motor	Followed too closely / No
60	02/14/2018	Wed 6:07 PM	Peak	3	0 Property damage only	Rear-end	Dry	Dark - unlit roadway	Clear	Travelling straight ahead	vehicle in traffic	improper driving
											Collision with motor vehicle in traffic /	
61	02/25/2018	Sun 4:37 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Unknown	Unknown / No improper driving
01	02/23/2010	3uii 4.37 i ivi	Оп-реак	2	o i roperty damage omy	i teai-eilu	ы	Daylight	Clear	cioning of cropped in traine	O'marown	Offiction 7 No improper driving
												Exceeded authorized speed limit
												/ Operating vehicle in erratic,
								Davis Balata dua adama				reckless, careless, negligent or
62	02/28/2018	Wed 1:42 AM	Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with curb Collision with motor	aggressive manner
63	03/30/2018	Fri 4:53 PM	Peak	2	0 Non-incapacitating	Rear-end	Dry	Daylight	Clear	Entering traffic lane	vehicle in traffic	Unknown
- 00	00/00/2010	1 11 4.00 1 W	I Car		o Non-moapacitating	Sideswipe, same	Diy	Dayngiit	Olcui	Entering trainerane	Collision with motor	No improper driving / Failed to
64	05/15/2018	Tue 2:19 PM	Off-peak	2	0 Property damage only	direction	Dry	Daylight	Clear	Travelling straight ahead	vehicle in traffic	yield right of way
65	05/16/2018	Wed 7:26 AM	Peak	1	0 Property damage only	Single vehicle crash	Sand, mud, dirt, oil, gravel	Daylight	Cloudy / Clear	Turning right	Other	Unknown
											Collision with cyclist (bicycle, tricycle,	
66	06/16/2018	Sat 2:26 PM	Off-peak	1	0 Property damage only	Single vehicle crash	Wet	Daylight	Rain	Entering traffic lane	unicycle, pedal car)	Unknown
					1 , 3 ,	3		7 3		· ·	• • •	Followed too closely / No
67	06/19/2018	Tue 8:40 AM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	or stopped in traffic	vehicle in traffic	improper driving
										01	0 11: 1	- II
60	06/20/2018	Wed 2:18 PM	Off-peak	2	O Proporty domago only	Door and	Dm	Doulight	Clear	Slowing or stopped in traffic / Turning right	Collision with motor vehicle in traffic	Followed too closely / Inattention / No improper driving
68	00/20/2016	Weu 2.16 FW	Оп-реак	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Turning right	Collision with other	/ No improper driving
											fixed object (wall,	Failure to keep in proper lane or
69	09/03/2018	Mon 6:00 PM	Peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Turning right	building, tunnel, etc.)	running off road
	00/22/4 - 1 -	-						5 5 6		Travelling straight ahead / Slowing		Followed too closely / No
70	09/06/2018	Thu 5:47 PM	Peak	2	0 Property damage only	Rear-end	Wet	Daylight	Rain	or stopped in traffic	vehicle in traffic	improper driving
											Collision with cyclist (bicycle, tricycle,	
71	09/17/2018	Mon 2:37 PM	Off-peak	1	1 Property damage only	Single vehicle crash	Dry	Daylight	Clear	Slowing or stopped in traffic	unicycle, pedal car)	No improper driving
	03/11/2010				1 , 3,					Travelling straight ahead / Slowing		Inattention / Distracted / No
	03/11/2010							D 10 1- 4	D : /OL	and the same of the first of the same of t		income a management and a single and
72	09/19/2018	Wed 2:27 PM	Off-peak	2	0 Property damage only	Rear-end	Wet	Daylight	Rain / Cloudy	or stopped in traffic	vehicle in traffic	improper driving
	09/19/2018			2						Travelling straight ahead / Slowing	Collision with motor	
72 73		Wed 2:27 PM Fri 4:42 PM	Off-peak Peak	2	0 Property damage only 1 Possible	Rear-end Rear-end	Wet Dry	Daylight	Cloudy	• •	Collision with motor vehicle in traffic	Unknown / No improper driving
73	09/19/2018	Fri 4:42 PM	Peak	2 2	1 Possible	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead / Slowing or stopped in traffic	Collision with motor vehicle in traffic Collision with	Unknown / No improper driving
	09/19/2018			2 2						Travelling straight ahead / Slowing	Collision with motor vehicle in traffic	
73	09/19/2018	Fri 4:42 PM	Peak	2 2 1	1 Possible	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead	Collision with motor vehicle in traffic Collision with pedestrian	Unknown / No improper driving No improper driving
73 74	09/19/2018 09/21/2018 10/08/2018	Fri 4:42 PM Mon 7:29 PM	Peak Off-peak	2 2 1 2	1 Possible	Rear-end Single vehicle crash	Dry	Daylight Dark - lighted roadway	Cloudy	Travelling straight ahead / Slowing or stopped in traffic Travelling straight ahead Slowing or stopped in traffic /	Collision with motor vehicle in traffic Collision with pedestrian Collision with motor	Unknown / No improper driving No improper driving Followed too closely / No

Table 7 Crash Lookup: RT 126 at Route 9 MassDOT Crash Data 2015-2019

							Mussbot Grush E				Collision with motor	
77	11/15/2018	Thu 8:36 AM	Peak	2	1 Non-incapacitating	Rear-end	Dry	Daylight	Cloudy / Clear		vehicle in traffic	Unknown
						Sideswipe, same					Collision with motor	No improper driving / Failed to
78	11/16/2018	Fri 2:54 PM	Off-peak	2	0 Property damage only	direction	Wet	Daylight	Snow	Travelling straight ahead	vehicle in traffic	yield right of way
												No improper driving /
										Travelling straight ahead / Slowing	Collinion with motor	Disregarded traffic signs, signals, road markings /
79	12/03/2018	Mon 1:13 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	or stopped in traffic	vehicle in traffic	Followed too closely
	12/14/2018	Fri 8:05 PM	Off-peak	1	Property damage only	Single vehicle crash			Clear		Collision with curb	Unknown
80	12/14/2010	FII 6.03 FIVI	Оп-реак	'	o Property damage only	Single verilcle crash	Dry	Daylight	Cleal	0 0	Collision with motor	Olkilowii
81	03/05/2019	Tue 2:18 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear		vehicle in traffic	Unknown / No improper driving
	00/00/2010	1.00	оп роси	_	Troponty damage emy	1.100.1 0.110	,		0.00.	Travelling straight ahead / Slowing		Followed too closely / No
82	03/13/2019	Wed 4:00 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	or stopped in traffic	vehicle in traffic	improper driving
83	03/16/2019	Sat 11:06 AM	Off-peak	1	1 Property damage only	Angle	Dry	Daylight	Clear	0 0	Collision with guardrail	No improper driving
84	04/01/2019	Mon 3:33 PM	Peak	2	1 Duamanti danaana ank	Deer and	Dw	Davidialet	Clear		Collision with motor vehicle in traffic	Followed too closely / No improper driving
04	04/01/2019	IVIOII 3.33 PIVI	Реак	2	1 Property damage only	Rear-end	Dry	Daylight	Clear		Collision with motor	improper unving
85	04/14/2019	Sun 11:05 PM	Off-peak	2	0 Property damage only	Rear-end	Wet	Dark - lighted roadway	Rain		vehicle in traffic	Unknown / No improper driving
	0 17 1 1720 10	71.001 111	on pour	_	o reporty damage emy	rtour ond	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , , , , , , , , , , , , , , , , ,	rair	3 11		Exceeded authorized speed limit
												/ Operating vehicle in erratic,
												reckless, careless, negligent or
	0.4/4.5/0.040		0"					D 11.1.			Collision with motor	aggressive manner / No
86	04/15/2019	Mon 2:44 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead	vehicle in traffic	improper driving
												Disregarded traffic signs,
												signals, road markings / Failure
						Sideswipe, opposite					Collision with motor	to keep in proper lane or running
87	05/17/2019	Fri 7:36 AM	Peak	2	2 Non-incapacitating	direction	Wet	Daylight	Rain		vehicle in traffic	off road / No improper driving
						Sideswipe, same					Collision with motor	Followed too closely / No
88	06/12/2019	Wed 4:09 PM	Peak	2	0 Property damage only	direction	Dry	Daylight	Clear		vehicle in traffic Collision with motor	improper driving
89	06/13/2019	Thu 8:12 AM	Peak	2	0 Property damage only	Rear-end	Unknown	Daylight	Rain		vehicle in traffic	Inattention / No improper driving
03	00/10/2013	7110 0.12 7111	I Can		o rroperty damage omy	rtcui-ciid	Officiowit	Daylight	rair		Collision with motor	matterition / No improper unving
90	06/14/2019	Fri 7:39 AM	Peak	1	0 Property damage only	Rear-end	Unknown	Daylight	Cloudy	Turning right	vehicle in traffic	No improper driving
											Collision with motor	Followed too closely / No
91	06/17/2019	Mon 3:20 PM	Off-peak	2	0 Property damage only	Rear-end	Unknown	Daylight	Clear	Slowing or stopped in traffic	vehicle in traffic	improper driving
00	00/20/2040	C 10.01 AM	Off monte	2	4 Nan in an acitatina	Deer and	l Independen	Davidialet	Clavely		Collision with motor vehicle in traffic	Halman / Fallanced to a closely
92	06/30/2019	Sun 10:01 AM	Off-peak	2	1 Non-incapacitating	Rear-end	Unknown	Daylight	Cloudy	7	Collision with motor	Unknown / Followed too closely
93	07/16/2019	Tue 7:24 AM	Peak	2	0 Property damage only	Rear-end	Unknown	Daylight	Clear		vehicle in traffic	Inattention / No improper driving
					, , , ,					Travelling straight ahead / Turning	Collision with motor	No improper driving / Failed to
94	07/17/2019	Wed 1:36 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Unknown	Daylight	Clear	right	vehicle in traffic	yield right of way
												Failed to yield right of way /
										Making U-turn / Travelling straight	Collision with motor	Disregarded traffic signs, signals, road markings / No
95	07/18/2019	Thu 9:14 AM	Peak	3	2 Non-incapacitating	Angle	Unknown	Daylight	Rain		vehicle in traffic	improper driving
	0171072010	7110 0.11711	roun		2 Non moupaoitating	, angle	Officiowit	Dayngiit	rain	Travelling straight ahead / Slowing		Followed too closely / No
96	07/18/2019	Thu 5:30 PM	Peak	2	1 Non-incapacitating	Rear-end	Unknown	Daylight	Cloudy		vehicle in traffic	improper driving
											Collision with motor	
97	09/17/2019	Tue 9:40 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear		vehicle in traffic	Unknown / No improper driving
00	00/20/2040	Sup 11:00 AM	Off pools	2	O Proporty domago and	Anglo	Dny	Dovlight	Cloor	Travelling straight ahead / Turning right	Collision with motor vehicle in traffic	No improper driving
98	09/29/2019	Sun 11:00 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	· ·	Collision with motor	No improper driving No improper driving / Failed to
99	10/10/2019	Thu 10:29 AM	Off-peak	2	1 Non-incapacitating	Rear-end	Wet	Daylight	Cloudy / Rain		vehicle in traffic	yield right of way
			1-2					, ,		Travelling straight ahead / Slowing		Followed too closely / No
100	11/06/2019	Wed 2:10 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear		vehicle in traffic	improper driving
											Collision with motor	Followed too closely / No
101	11/06/2019	Wed 5:15 PM	Peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear		vehicle in traffic	improper driving
102	11/13/2019	Wod 1:25 DM	Off pools	2	O Proporty domage only	Poor and	Dry	Daylight	Clear		Collision with motor vehicle in traffic	Followed too closely / No improper driving
102	11/13/2019	Wed 1:25 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Oleai	0 11	Collision with motor	improper unving
103	12/21/2019	Sat 12:00 AM	Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear		vehicle in traffic	Unknown / No improper driving
					. , , , ,							' '



REGION MPO



Collision Diagram 2015–19 Route 9 and Caldor Road

the LRTP Needs Assessment: Route 9 in Framingham and Natick


Index	Crash Date	Day Time	Poak Hour	# Veh # I	Injured Crash Severity	Manner of Collision	Road Surface Conditions	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior to Crash	Most Harmful Event	Driver Contributing Code
muex	Orașii Date	Time	r eak riour	# VGII #	orasii deventy	marmer or comston		Tanisione Light Containone				
1	01/01/2015	Thu 5:27 PN	1 Peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Followed too closely
										Slowing or stopped in traffic /	Collision with motor vehicle	
2	01/06/2015	Tue 9:19 PN	1 Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	in traffic	No improper driving
										Slowing or stopped in traffic /	Collision with motor vehicle	No improper driving /
3	01/16/2015	Fri 6:59 AN	l Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead	in traffic	Followed too closely
										Turning right / Travelling straight	Collision with motor vehicle	Unknown / Other improper
4	01/30/2015	Fri 2:30 PN	1 Off-peak	2	0 Property damage only	Angle	Wet	Daylight	Clear / Other	ahead	in traffic	action
												Failure to keep in proper
5	01/31/2015	Sat 3:55 PN	l Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Turning left	Collision with motor vehicle in traffic	lane or running off road / No improper driving
•											Collision with motor vehicle	impropor univing
6	05/20/2015	Wed 4:13 PN	1 Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dusk	Clear	Travelling straight ahead	in traffic Collision with motor vehicle	No improper driving
7	06/10/2015	Wed 9:10 AN	l Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning left	in traffic	Unknown
8	06/29/2015	Mon 7:02 PN	l Off-peak	2	Property damage only	Sideswipe, same direction	Drv	Daylight	Clear	Travelling straight ahead / Unknown	Collision with motor vehicle in traffic	No improper driving
	00/20/2010		. On poun		o reporty damage emy				0.00.		0 11: 11 1 1 1 1 1	The amproper uniting
9	08/09/2015	Sun 8:20 AN	l Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
40	00/04/0045									T 11	Collision with motor vehicle	
10	09/01/2015	Tue 9:08 PN	l Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	in traffic	No improper driving
												Operating vehicle in erratic, reckless, careless, negligent
11	10/18/2015	Sun 12:09 P	M Off-peak	1	0 Property damage only	Single vehicle crash	Dry	Daylight	Cloudy	Travelling straight ahead	Collision with median barrier	
									Fog, smog, smoke /	Slowing or stopped in traffic /	Collision with motor vehicle	No improper driving /
12	12/11/2015	Fri 12:00 A	M Off-peak	3	0 Property damage only	Angle	Wet	Dawn	Cloudy	Travelling straight ahead	in traffic	Followed too closely
										Entering traffic lane / Travelling	Collision with motor vehicle	
13	01/14/2016	Thu 5:52 PN	l Peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	straight ahead	in traffic	Unknown
										Changing lanes / Travelling	Collision with motor vehicle	
14	01/29/2016	Fri 10:14 P	M Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dark - unlit roadway	Clear	straight ahead	in traffic Collision with motor vehicle	Unknown
15	02/15/2016	Mon 2:52 PN	l Off-peak	3	3 Possible	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	in traffic	Unknown
16	02/27/2016	Sat 10·22 Δ	M Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning left	Collision with motor vehicle in traffic	Unknown
.0	<i>52/21/2010</i>	Jul 10.22 A	On poak		Troporty damage only	2.300 mps, ourne uncouon		- ajngn	51001	. a.rimig loit		Failure to keep in proper
17	03/04/2016	Fri 2:53 AN	l Off-peak	1	1 Unknown	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Turning right	Collision with tree	lane or running off road / Unknown
											Collision with motor vehicle	
18	03/11/2016	Fri 6:50 PN	1 Off-peak	2	0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Turning left Travelling straight ahead / Turning	in traffic Collision with motor vehicle	Unknown
19	05/01/2016	Sun 8:35 AN	l Off-peak	2	2 Unknown	Head-on	Dry	Daylight	Clear	left	in traffic	Unknown
20	05/31/2016	Tue 8:04 AN	l Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Turning left / Making U-turn	Collision with motor vehicle in traffic	No improper driving / Followed too closely
21	06/04/2016	Sat 9:13 PN			1 Non inconscitation	Poor and		Dark - lighted roadway	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Unknown
21					1 Non-incapacitating	Rear-end	Dry				Collision with motor vehicle	
22	06/21/2016	Tue 6:23 PN	l Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	in traffic	Inattention
												Disregarded traffic signs,
										Travelling straight ahead / Turning	Collision with motor vehicle	signals, road markings / Failed to yield right of way /
23	07/05/2016	Tue 10:56 P	M Off-peak	2	1 Possible	Rear-end	Dry	Dark - lighted roadway	Clear	left	in traffic	No improper driving

											Collision with motor vehicle	
24	07/06/2016	Wed 3:46 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	in traffic	Unknown
25	07/14/2016	Thu 5:26 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	in traffic	No improper driving / Followed too closely
26	07/23/2016	Sat 10:41 AM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning left	Collision with motor vehicle in traffic	No improper driving
27	08/09/2016	Tue 9:02 PM	Off-peak	1	2 Fatal	Single vehicle crash	Dry	Dark - unlit roadway	Clear	Travelling straight ahead	Collision with pedestrian Collision with motor vehicle	No improper driving
28	08/26/2016	Fri 8:14 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Dark - lighted roadway	Clear	Turning right	in traffic	No improper driving
29	08/30/2016	Tue 6:00 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Inattention / Distracted / No improper driving
30	11/11/2016	Fri 1:35 PM	Off-peak	2	1 Non-incapacitating	Sideswipe, same direction	Dry	Daylight	Clear	Turning left / Making U-turn		Inattention / No improper driving
31	01/25/2017	Wed 5:32 PM	Peak	2	Property damage only	Rear_end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
					. , , , ,		Diy	,		The same of the sa	Collision with motor vehicle	
32	01/28/2017	Sat 9:57 AM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning left	in traffic	Unknown
33	03/26/2017	Sun 2:14 PM	Off-peak	2	0 Property damage only	Rear-end	Wet	Daylight	Cloudy / Rain	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
34	04/01/2017	Sat 1:38 PM	Off-peak	2	0 Property damage only	Angle	Slush	Daylight	Sleet, hail / Snow	Turning left / Making U-turn	Collision with motor vehicle in traffic	Unknown
35	05/03/2017	Wed 7:53 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Turning right / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
36	05/05/2017	Fri 5:33 PM	Peak	2	0 Property damage only	Rear-end	Wet	Daylight	Rain	Slowing or stopped in traffic / Unknown	Collision with motor vehicle in traffic / Unknown	Unknown
										Slowing or stopped in traffic /	Collision with motor vehicle	Followed too closely /
37	05/10/2017	Wed 11:54 PM	Off-peak	2	1 Possible	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	in traffic	Inattention
38	05/13/2017	Sat 2:12 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear / Cloudy	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
39	07/20/2017	Thu 4:50 PM	Peak	4	3 Possible	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / No improper driving
39	0112012011	111u 4.50 FW	reak	4	3 Fossible	Near-enu	Ыу	Daylight	Cleal	Travelling straight aneau	in dame	unving
40	08/14/2017	Mon 10:35 PM	Off-peak	2	2 Inconscitating	Sidoswino, samo direction	Dny	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Inattention / No improper driving
40	06/14/2017	IVIOII 10.33 PIVI	Оп-реак	3	2 Incapacitating	Sideswipe, same direction	Diy	Dark - lighted roadway	Cleal			
41	09/14/2017	Thu 9:20 PM	Off-peak	2	1 Non-incapacitating	Sideswipe, same direction	Wet	Dark - unlit roadway	Rain	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / No improper driving
	03/14/2017	111u 9.20 1 W	Оп-реак	2	Non-incapacitating	oldeswipe, same direction	Wet	Dain unincroadinay	IXaiii	ou aight anoda	Collision with cyclist	uning
42	09/25/2017	Mon 3:25 PM	Off-peak	1	1 Non-incapacitating	Single vehicle crash	Dry	Daylight	Clear	Slowing or stopped in traffic	(bicycle, tricycle, unicycle, pedal car)	Unknown
								, ,			,	
40	40/07/0047	0.10.00.414	0" - 1					D. F.H.		T III	Collision with motor vehicle	
43	10/07/2017	Sat 9:30 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead Travelling straight ahead / Turning	in traffic Collision with motor vehicle	signals, road markings Unknown / No improper
44	10/18/2017	Wed 8:00 AM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	right	in traffic	driving
45	11/03/2017	Fri 11:32 PM	Off-peak	2	Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear / Cloudy	Slowing or stopped in traffic / Travelling straight ahead		Followed too closely / Inattention / No improper driving
					. , , , ,			,		Travelling straight ahead / Turning	Collision with motor vehicle	Unknown / Other improper
46	11/04/2017	Sat 7:35 AM	Off-peak	2	1 Non-incapacitating	Angle	Dry	Daylight	Clear	left	in traffic	No improper driving /
47	11/13/2017	Mon 9:50 PM	Off-peak	2	0 Property damage only	Angle	Wet	Dark - lighted roadway	Cloudy / Rain	Travelling straight ahead	Collision with motor vehicle in traffic	Disregarded traffic signs, signals, road markings

48	11/17/2017	Fri 4:09 AM	Off-peak	3	2 Non-incapacitating	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Parked	Collision with parked motor vehicle	Operating vehicle in erratic, reckless, careless, negligent or aggressive manner / Failure to keep in proper lane or running off road / No improper driving
49	11/20/2017	Mon 7:27 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
	11/20/2017	1011 7.27 1 101	Оп-рсак	2	o i roperty damage omy	Sideswipe, opposite	Біу	Julii ligiliou rodaliu	Olcai	Slowing or stopped in traffic /		
50	12/02/2017	Sat 12:37 PM	Off-peak	2	1 Non-incapacitating	direction	Dry	Daylight	Clear	Backing	in traffic	driving
51	12/12/2017	Tue 9:57 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Wet	Dark - unlit roadway	Rain	Turning right / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
									Rain / Fog, smog,	Travelling straight ahead / Turning		
52	01/12/2018	Fri 10:41 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Wet	Dark - lighted roadway	smoke	left	in traffic Collision with motor vehicle	Unknown / No improper
53	02/16/2018	Fri 1:55 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Turning left	in traffic	driving
								, ,			Collision with motor vehicle	
54	02/20/2018	Tue 1:02 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	in traffic	in traffic	Followed too closely
55	03/02/2018	Fri 12:00 AM	Off-peak	2	0 Property damage only	Angle	Wet	Dark - lighted roadway	Rain / Severe crosswinds	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
56	03/04/2018	Sun 7:53 PM	Off-peak	1	1 Possible	Single vehicle crash	Wet	Dark - lighted roadway	Rain	Unknown	Unknown	Unknown
	00/01/2010	7.00 1 10	On pour		T T GGGIBIC	Chighe Verheie Graen	1761		T Carr	O I I I I I I I I I I I I I I I I I I I	O'IIII O'III	CHAIGWII
										Slowing or stopped in traffic /	Collision with motor vehicle	
57	03/31/2018	Sat 3:28 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead	in traffic	No improper driving
58	04/15/2018	Sun 6:42 PM	Off-peak	2	0 Property damage only	Rear-end	Wet	Daylight	Rain	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
59	04/18/2018	Wed 1:47 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with parked motor vehicle / Collision with motor vehicle in traffic	Unknown / No improper driving
60	05/08/2018	Tue 9:40 AM	Peak	2	0 Property damage only		Dry	Daylight	Clear	Entering traffic lane / Travelling straight ahead	Collision with motor vehicle in traffic Collision with motor vehicle	Disregarded traffic signs, signals, road markings / Failed to yield right of way / No improper driving
61	05/15/2018	Tue 11:01 AM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning left	in traffic	Unknown
62	06/13/2018	Wed 9:48 PM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	motor vehicle in traffic	No improper driving / Followed too closely
63	06/27/2018	Wed 12:28 PM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Turning left	Collision with motor vehicle in traffic	Unknown
64	08/15/2018	Wed 3:48 PM	Peak	2	Property damage only Property damage only		Dry	Daylight	Clear	Making U-turn		No improper driving / Failure to keep in proper lane or
0-7	33, 13/2013	7.50 5.40 1 10	Tour		Troporty damage only	910	,	Daying it	Jiou			1 -1 -1 -1 -1
65	08/20/2018	Mon 9:33 AM	Peak	2	0 Property damage only	Angle	Dry	Daylight	Cloudy	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	driving
66	09/18/2018	Tue 11:11 AM	Off-peak	2	0 Property damage only	Angle	Wet	Daylight	Rain / Cloudy	Travelling straight ahead	Collision with motor vehicle in traffic	Inattention / No improper driving
00	00/10/2010	TGC TT.TT AIVI	On peak	2	o r roporty damage only	,	.700	Dayngrit	rain / Gloddy	Travoling of digit aroau		
67	10/22/2018	Mon 11:56 AM	Off-peak	2	1 Non-incapacitating	Sideswipe, same direction	Dry	Daylight	Clear	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / No improper driving

68	11/07/2018	Wed 8:40 AM	Peak 2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning left Slowing or stopped in traffic /	in traffic	Failure to keep in proper lane or running off road / No improper driving Other improper action / No
69	11/14/2018	Wed 11:35 PM	Off-peak 2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Backing	in traffic	improper driving
70	11/18/2018	Sun 5:01 PM	Off-peak 2	Property damage only		Dry	Dark - unlit roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving /
71	11/29/2018	Thu 5:11 PM	Peak 4	1 Non-incapacitating	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / No improper driving
72	11/29/2018	Thu 7:53 PM	Off-peak 2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
73	12/21/2018	Fri 1:33 PM	Off-peak 2	Property damage only	Angle	Wet	Daylight	Rain	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	Failure to keep in proper lane or running off road / No improper driving
74	12/21/2018	Fri 5:30 PM	Peak 3	Property damage only	Rear-end	Wet	Dusk	Rain	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
										Collision with motor vehicle	No improper driving /
75	01/30/2019	Wed 5:00 PM	Peak 2	0 Property damage only	Rear-end	Dry	Dusk	Clear	Travelling straight ahead Travelling straight ahead / Turning	in traffic Collision with motor vehicle	Followed too closely
76	04/01/2019	Mon 7:40 AM	Peak 2	2 Non-incapacitating	Head-on	Dry	Daylight	Clear	left	in traffic	Unknown
77	04/17/2019	Wed 6:20 PM	Peak 3	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	Unknown / No improper driving
78	07/22/2019	Mon 4:14 PM	Peak 3	1 Possible	Head-on	Dry	Daylight	Clear	Turning right / Travelling straight ahead	Collision with motor vehicle in traffic	Made an improper turn / Failure to keep in proper lane or running off road / No improper driving
79	08/01/2019	Thu 8:19 AM	Peak 2	0 Property damage only	Angle	Dry	Daylight	Cloudy	Turning left	Collision with motor vehicle in traffic	Unknown
80	08/17/2019	Sat 7:40 PM	Off-peak 2			Wet	Dark - unlit roadway	Rain	Turning left / Making U-turn	Collision with motor vehicle in traffic	
81	09/03/2019	Tue 8:34 PM	Off-peak 1	1 Non-incapacitating	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with pedestrian	No improper driving
82	09/15/2019	Sun 6:40 PM	Off-peak 2	0 Property damage only	Angle	Dry	Daylight	Clear	Turning right / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Failed to yield right of way
83	10/05/2019	Sat 4:15 PM	Off-peak 2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	Made an improper turn / No improper driving
84	10/14/2019	Mon 12:15 PM	Off-peak 2	0 Property damage only	Angle	Dry	Daylight	Clear	Turning left / Turning right	Collision with motor vehicle in traffic	No improper driving
85	10/23/2019	Wed 9:00 AM	Peak 2	Property damage only	Sideswipe, same direction		Daylight	Clear	Turning right / Slowing or stopped in traffic	Collision with motor vehicle in traffic	Made an improper turn / No improper driving
86	10/31/2019	Thu 6:18 PM	Peak 4	0 Property damage only		Wet	Dark - lighted roadway	Rain	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Unknown / No improper driving
87	11/04/2019	Mon 11:30 AM	Off-peak 2	2 Possible	Sideswipe, same direction	Dry	Daylight	Clear	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	Failed to yield right of way / Disregarded traffic signs, signals, road markings / No improper driving
88	11/06/2019	Wed 7:21 PM	Off-peak 2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely / Failure to keep in proper lane or running off road
89	11/24/2019	Sun 6:43 PM	Off-peak 2	0 Property damage only	Angle	Wet	Dark - lighted roadway	Rain	Changing lanes / Travelling straight ahead	Collision with motor vehicle in traffic	Inattention / No improper driving

90	11/29/2019	Fri 6:20 PM	Peak	2	Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Overtaking/passing		No improper driving / Failed to yield right of way
91	12/27/2019	Fri 1:53 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Cloudy		Collision with motor vehicle in traffic	Unknown
92	12/28/2019	Sat 5:14 PM	Off-peak	1	1 Non-incapacitating	Single vehicle crash	Dry	Dark - lighted roadway	Clear	Turning left	Collision with tree	Illness



BOSTON REGION MPO



Figure 9
Collision Diagram 2015–19
Route 9 and Oak Street

Addressing Priority Corridors from the LRTP Needs Assessment: Route 9 in Framingham and Natick

Index	Crash Date	Day	Time	Peak Hour	# Veh	# Injured Crash Severity	Manner of Collision	Road Surface Condition	Ambient Light Conditions	Weather Conditions	Vehicle Actions Prior to Crash	Most Harmful Event	Driver Contributing Code
1	01/20/2015	Tue	8:38 AM	Peak		2 0 Property damage on	ly Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Other improper action
2	02/20/2015	Eri	12:00 PM	Off-peak		2 0 Property damage on	Sideswipe, same	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Other improper action
3	03/04/2015		8:54 PM	Off-peak		1 0 Property damage on		Wet	Dark - lighted roadway	Clear	Other	Collision with highway traffic sign post	Other improper action
.	00/04/2010	WCG	0.541 101	Оп-рсак		1 Of Toperty damage on	olligie verilele drasii	Wet	Dank lighted roadway	Olcai	Slowing or stopped in traffic /	Collision with motor vehicle	
4	03/05/2015	Thu	1:26 PM	Off-peak	:	O Property damage on	ly Rear-end	Dry	Daylight	Cloudy	Travelling straight ahead Travelling straight ahead /	in traffic Collision with motor vehicle	Inattention
5	03/06/2015	Fri	5:11 PM	Peak	:	2 0 Property damage on	ly Rear-end	Dry	Daylight	Clear	Changing lanes Travelling straight ahead /	in traffic	Inattention No improper driving / Other
6	03/19/2015	Thu	8:29 AM	Peak	:	2 0 Property damage on	ly Angle	Dry	Daylight	Clear	Changing lanes Travelling straight ahead /	in traffic	improper action No improper driving / Other
7	03/23/2015	Mon	4:51 PM	Peak	:	2 0 Property damage on	,	Dry	Daylight	Cloudy	Changing lanes	in traffic	improper action
8	04/01/2015	Wed	9:26 AM	Peak	:	2 0 Property damage on	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Turning left	in traffic	No improper driving
							Sideswipe, same						Failure to keep in proper lane or running off road / No
9	04/10/2015	Fri	2:23 PM	Off-peak		2 0 Property damage on	ly direction	Dry	Daylight	Cloudy	Travelling straight ahead Slowing or stopped in traffic /	in traffic Collision with motor vehicle	improper driving
10	05/11/2015	Mon	5:40 PM	Peak	:	2 0 Property damage on	ly Rear-end	Dry	Daylight	Clear	Backing	in traffic	No improper driving
11	05/13/2015	Wed	2:10 PM	Off-peak	:	2 0 Property damage on	ly Rear-end	Dry	Daylight	Cloudy	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Other improper action
12	05/22/2015	Fri	7:41 AM	Peak	:	2 0 Property damage on	Sideswipe, same ly direction	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Failure to keep in proper lane or running off road / No improper driving
13	05/00/0045	ть	40:04 DM	0# 1-		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	h. A	D	Dark - lighted roadway	Olara	Tourselling storight about	Collision with motor vehicle in traffic	No improper driving / Inattention
14	05/28/2015		9:40 PM	Off-peak Off-peak		2 0 Property damage on 0 Property damage on	Sideswipe, same	Dry	Dark - lighted roadway	Cloudy	Travelling straight ahead Travelling straight ahead / Changing lanes		Failure to keep in proper lane or running off road / No improper driving
15	06/04/2015	Thu	6:57 PM	Off-peak		2 0 Property damage on	Sideswipe, same ly direction	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	Failure to keep in proper lane or running off road / No improper driving
16	06/04/2015	Thu	2:28 PM	Off-peak	,	3 0 Property damage on	ly Rear-end	Dry	Daylight	Cloudy	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention
17	06/24/2015	Wed	7:26 PM	Off-peak		2 0 Property damage on	ly Angle	Dry	Daylight	Clear	Travelling straight ahead	in traffic	Failure to keep in proper lane or running off road / No improper driving
18	07/12/2015	Sun	12:31 PM	Off-peak		2 0 Property damage on	ly Rear-end	Dry	Daylight	Clear	Entering traffic lane	Collision with motor vehicle in traffic	No improper driving / Followed too closely
											Slowing or stopped in traffic /	Collision with motor vehicle	
19	07/18/2015	Sat	12:19 AM	Off-peak		2 1 Non-incapacitating	Rear-end	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	in traffic	improper driving
20	07/20/2015	Mon	6:45 PM	Off-peak		4 0 Property damage on	ly Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Fatigued/asleep / No improper driving
21	08/04/2015	Tue	6:42 PM	Off-peak		2 0 Property damage on	ly Rear-end	Wet	Daylight	Clear	Backing / Travelling straight ahead		Wrong side or wrong way / Failed to yield right of way / No improper driving
							•					Collision with motor vehicle	
22	08/17/2015	Mon	3:15 PM	Off-peak		2 0 Property damage on	ly Angle	Dry	Daylight	Clear	Travelling straight ahead	in traffic	Other improper action

								nassbor Crash bat	a 2013-2013				
23	08/21/2015	Fri	1:26 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Cloudy	Slowing or stopped in traffic / Turning left	Collision with motor vehicle in traffic	Failure to keep in proper lane or running off road / No improper driving
24	08/21/2015	Fri	7:34 AM	Peak	2	0 Property damage only	Angle	Wet	Daylight	Cloudy / Rain	Slowing or stopped in traffic / Travelling straight ahead	in traffic	No improper driving / Other improper action
25	08/24/2015	Mon	12:25 PM	Off-peak	3	0 Property damage only	Sideswipe, same direction	Wet	Daylight	Cloudy	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
26	08/27/2015	Thu	7:08 AM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	Failure to keep in proper lane or running off road / No improper driving
27	08/31/2015	Mon	12:24 PM	Off-peak	2	Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	Failure to keep in proper lane or running off road / No improper driving
28	09/02/2015	Wed	7:49 AM	Peak	2	Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
29	09/08/2015	Tue	8:46 PM	Off-peak	2	Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Disregarded traffic signs, signals, road markings
30	09/08/2015		1:27 PM	Off-peak	2	Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Turning right	Collision with motor vehicle in traffic	
31	09/11/2015		10:56 AM	Off-peak	2	Property damage only	Rear-end	Wet	Daylight	Cloudy	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Other improper action
32	09/27/2015		8:58 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Inattention
33	10/06/2015	Tue	4:19 PM	Peak	2	Property damage only	Angle	Dry	Daylight	Clear	Overtaking/passing / Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
34	10/07/2015	Wed	10:00 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention
35	10/23/2015	Fri	10:59 AM	Off-peak	3	0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic Collision with motor vehicle	No improper driving / Disregarded traffic signs, signals, road markings / Failure to keep in proper lane or running off road
36	11/03/2015	Tue	10:17 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	in traffic Collision with motor vehicle	No improper driving
37	11/15/2015	Sun	8:28 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead	in traffic	No improper driving
38	01/25/2016	Mon	6:37 AM	Off-peak	2	0 Property damage only	Rear-end	Dry	Dawn	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
39	02/02/2016	Tue	2:03 AM	Off-peak	2	1 Non-incapacitating	Rear-end	Dry	Dark - lighted roadway	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	improper driving
40	02/06/2016	Sat	3:07 PM	Off-peak	2	0 Property damage only	Rear-end	Wet	Daylight	Cloudy	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Other improper action
41	03/13/2016	Sun	6:19 PM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Inattention
42	03/15/2016	Tue	9:47 PM	Off-peak	2	0 Property damage only	Rear-end	Wet	Dark - unlit roadway	Rain / Cloudy	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Inattention
43	03/18/2016	Fri	8:45 AM	Peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	Inattention
44	04/11/2016	Mon	1:21 PM	Off-peak	1	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving

						IV	iassuut Crasn Data	2015-2019				
45	05/04/2016	Wed	2:16 PM	Off-peak 2	0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention
46	06/09/2016	Thu	4:52 AM	Off-peak 2	0 Property damage only	Rear-end	Dry	Dawn	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Other improper action
47	06/30/2016	Thu	11:52 AM	Off-peak 2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Other improper action
48	07/12/2016	Tue	9:30 AM	Peak 2	Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	Followed too closely
49	07/13/2016	Wed	8:07 AM	Peak 2	0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Other improper action
50	08/04/2016	Thu	12:38 PM	Off-peak 2	3 Possible	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Followed too closely
51	08/07/2016	Sun	6:20 AM	Off-peak 2	1 Fatal injury	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left		No improper driving / Disregarded traffic signs, signals, road markings / Failed to yield right of way
52	08/21/2016	Sun	12:56 PM	Off-peak 3	1 Incapacitating	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left	Collision with motor vehicle in traffic	No improper driving / Operating vehicle in erratic, reckless, careless, negligent or aggressive manner
53	09/01/2016	Thu	4:15 PM	Peak 1	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Turning right	Collision with motor vehicle in traffic	No improper driving
54	09/22/2016	Thu	8:31 AM	Peak 3	Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention
55	09/23/2016	Fri	10:33 AM	Off-peak 2	0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Slowing or stopped in traffic	in traffic	No improper driving / Other improper action
56	10/24/2016	Mon	9:06 AM	Peak 2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	in traffic	No improper driving / Other improper action
57	10/27/2016	Thu	7:42 PM	Off-peak 2	Property damage only	Rear-end	Wet	Dark - unlit roadway	Rain / Cloudy	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention
58	12/02/2016	Fri	5:39 PM	Peak 2	Property damage only	Sideswipe, same direction	Dry	Dark - lighted roadway	Cloudy	Travelling straight ahead / Changing lanes	Collision with motor vehicle in traffic	No improper driving / Inattention
59	01/13/2017	Fri	12:25 PM	Off-peak 2	Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention
60	03/26/2017		8:47 AM	Off-peak 2	1 Non-incapacitating	Angle	Dry	Daylight	Clear	Travelling straight ahead / Turning left		No improper driving / Other improper action
61	05/09/2017		2:43 PM	Off-peak 2	0 Property damage only	Rear-end				Slowing or stopped in traffic	Collision with motor vehicle	No improper driving / Other improper action
62	05/09/2017		5:07 PM	Peak 2	Property damage only Property damage only	Sideswipe, same direction	Dry Dry	Daylight Daylight	Cloudy	Turning right	Collision with motor vehicle	Made an improper turn / No improper driving
02	03/11/2017	Tilu	3.07 T W	T Can 2	o i Toperty damage only	Sideswipe, same	ыу	Daylight	Olcai	Slowing or stopped in traffic /	Collision with motor vehicle	
63	05/20/2017	Sat	10:09 PM	Off-peak 2	1 Non-incapacitating	direction	Dry	Dark - lighted roadway	Clear	Travelling straight ahead		driving
64	05/30/2017	Tue	7:03 AM	Peak 2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes		Failure to keep in proper lane or running off road / No improper driving
65	06/06/2017	Tue	1:49 PM	Off-peak 2	Property damage only	Rear-end	Wet	Daylight	Rain	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention
66	07/06/2017		4:38 PM	Peak 2	Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
67	08/11/2017		1:01 PM	Off-peak 2	0 Property damage only	Angle	Dry	Daylight	Clear	Travelling straight ahead / Changing lanes	Collision with motor vehicle	No improper driving / Other improper action
					1 7 7			, ,				

						Sideswipe, same	iassboi Giasii b	ata 2013-2019		Travelling straight ahead /	Collision with motor vehicle	No improper driving / Other
68	10/19/2017	Thu	9:59 AM	Peak	2 0 Property damage only	direction	Dry	Daylight	Clear	Changing lanes	in traffic	improper action
69	10/22/2017	Sun	3:31 PM	Off-peak	2 0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Other improper action
	44/07/0047		40.00.414	0"		5	5	D #14	0	Clausing or atonned in traffic		No improper driving / Other
70	11/27/2017	Mon	10:39 AM	Off-peak	2 0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Slowing or stopped in traffic	in traffic Collision with motor vehicle	improper action
71	12/13/2017	Wed	6:42 PM	Off-peak	2 0 Property damage only	Angle	Dry	Dark - lighted roadway	Cloudy	Turning left / Making U-turn		No improper driving
72	12/14/2017	Thu	1:50 PM	Off-peak	2 0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Inattention
73	02/12/2018	Mon	8:21 PM	Off-peak	2 0 Property damage only	Angle	Dry	Dark - lighted roadway	Clear	Travelling straight ahead / Turning left		Failed to yield right of way / No improper driving
	02/12/2010		0.2	On poun	2 sporty damage omy	7 1.9.5	2.9	,	O.O.O.		Collision with motor vehicle	No improper driving / Other
74	03/22/2018	Thu	1:49 PM	Off-peak	2 0 Property damage only	Rear-end	Wet	Daylight	Cloudy	Slowing or stopped in traffic Slowing or stopped in traffic /	in traffic Collision with motor vehicle	improper action No improper driving /
75	03/29/2018	Thu	5:29 PM	Peak	2 0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Backing	in traffic	Inattention
76	05/03/2018	Thu	6:44 PM	Off-peak	2 0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Slowing or stopped in traffic	Collision with motor vehicle in traffic	Inattention
	05/04/0040	Main	0.54 DM	Deale	O Promosto domosto ank	Danie and	D	Ddilat	01		Collision with motor vehicle in traffic	No improper driving / Other
77	05/21/2018	IVION	3:51 PM	Peak	2 0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	III trailic	improper action
										Slowing or stopped in traffic /	Collision with motor vehicle	
78	06/05/2018	Tue	4:58 PM	Peak	2 0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	in traffic	No improper driving
						Sideswipe, same					Collision with motor vehicle	Failed to yield right of way /
79	09/06/2018	Thu	4:54 PM	Peak	2 0 Property damage only	direction	Wet	Daylight	Rain / Cloudy	right		No improper driving / Other
80	09/13/2018	Thu	9:04 AM	Peak	2 0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Slowing or stopped in traffic	in traffic	improper action
											0 11: 1 1 1 1 1 1 1	
81	09/23/2018	Sun	1:53 PM	Off-peak	2 0 Property damage only	Rear-end	Dry	Daylight	Cloudy	Slowing or stopped in traffic / Travelling straight ahead	Collision with motor vehicle in traffic	No improper driving / Distracted
•	00/20/2010	Ouri	1.00 i wi	On pour	2 Topolty damage only	rtour ond	D.I.	Dayngrit	Oloudy	3 3		
		_					_			Slowing or stopped in traffic /	Collision with motor vehicle	
82	10/09/2018	Tue	10:09 AM	Off-peak	2 0 Property damage only	Rear-end Sideswipe, same	Dry	Daylight	Clear	Travelling straight ahead	in traffic Collision with motor vehicle	Followed too closely
83	10/10/2018	Wed	1:08 PM	Off-peak	2 0 Property damage only	direction	Dry	Daylight	Clear	Turning left		No improper driving
											Collision with motor vehicle	
84	10/14/2018	Sun	7:27 PM	Off-peak	3 0 Property damage only	Rear-end Sideswipe, same	Dry	Dark - lighted roadway	Clear	Travelling straight ahead Travelling straight ahead /	in traffic Collision with motor vehicle	Inattention
85	10/26/2018	Fri	6:05 PM	Peak	2 0 Property damage only	direction	Dry	Dusk	Clear	Changing lanes		Inattention
	10.20.20						,					
	44/04/0040		0.40.014	0"		Sideswipe, same		5 " 14		Travelling straight ahead /		Failed to yield right of way /
86	11/21/2018	vvea	2:42 PM	Off-peak	2 0 Property damage only	direction	Dry	Daylight	Clear	Changing lanes	in traffic	No improper driving
										Travelling straight ahead / Turning	Collision with motor vehicle	Failed to yield right of way /
87	11/27/2018	Tue	5:04 PM	Peak	2 0 Property damage only	Angle	Dry	Dusk	Clear	left		No improper driving
88	12/10/2018	Mon	1:40 PM	Off-peak	2 0 Property damage only	Rear-end	Dry	Daylight	Clear	Slowing or stopped in traffic	Collision with motor vehicle in traffic	No improper driving / Inattention
00	12/10/2018	IVIOIT	1.40 FW	Оп-реак	2 0 Floperty damage only	Real-ellu	ыу	Daylight	Cleal	Slowing or stopped in trainc	in traine	matterition
										Slowing or stopped in traffic /		No improper driving / Other
89	01/06/2019	Sun	12:57 PM	Off-peak	2 0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	in traffic	improper action
												Failure to keep in proper
						Sideswipe, opposite				Travelling straight ahead /	Collision with motor vehicle	lane or running off road / No
90	02/05/2019	Tue	3:22 PM	Off-peak	2 0 Property damage only	direction	Dry	Daylight	Clear	Changing lanes	in traffic	improper driving
										Slowing or stopped in traffic /	Collision with motor vehicle	No improper driving /
91	02/23/2019	Sat	2:54 PM	Off-peak	3 0 Property damage only	Rear-end	Dry	Daylight	Clear	Travelling straight ahead	in traffic	Inattention
20	00/00/0040	0-1	0.00 014	Off month	0 Draw	Deer and		Davidialet	Cmann		Collision with motor vehicle in traffic	No improper driving / Inattention
92	03/02/2019	Sat	2:23 PM	Off-peak	2 0 Property damage only	Rear-end Sideswipe, same	Snow	Daylight	Snow	Slowing or stopped in traffic Travelling straight ahead /	Collision with motor vehicle	
93	03/18/2019	Mon	4:15 PM	Peak	2 0 Property damage only	direction	Dry	Daylight	Clear	Changing lanes		No improper driving

							iassbui cra	ISN Data 2015-2019				
03/25/2019	Mon 2	2:48 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear			No improper driving / Other improper action
04/07/2019	Sun 8	3:42 AM	Off-peak	2	0 Property damage only	Angle	Dry	Daylight	Clear			No improper driving / Other improper action
05/17/2019	Fri 4	4:45 PM	Peak	2	1 Non-incapacitating	Rear-end	Wet	Daylight	Clear		Collision with motor vehicle in traffic	No improper driving
06/11/2019	Tue 1	1:12 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear			No improper driving / Followed too closely
06/17/2019	Mon 8	3:18 AM	Peak	3	2 Non-incapacitating	Rear-end			Clear		Collision with motor vehicle	No improper driving / Operating vehicle in erratic, reckless, careless, negligent or aggressive manner
08/08/2019	Thu 8	3:00 AM	Peak	2	0 Property damage only	Rear-end	Dry	Daylight	Clear / Other			No improper driving / Other improper action
08/09/2019	Fri 3	3:25 PM	Off-peak	2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Clear		Collision with motor vehicle	No improper driving / Disregarded traffic signs, signals, road markings
08/19/2019	Mon 1	12:47 PM	Off-peak	2	1 Non-incapacitating	Angle	Dry	Daylight	Clear / Other		Collision with motor vehicle	Disregarded traffic signs, signals, road markings / Other improper action / No improper driving
08/31/2019	Sat 1	11:42 PM	Off-peak	1	Property damage only	Single vehicle crash	Dry	Dark - unlit roadway	Clear	Travelling straight ahead	Collision with median	Fatigued/asleep / Operating vehicle in erratic, reckless, careless, negligent or aggressive manner
10/01/2019	Tue 2	2:14 PM	Off-peak	2	0 Property damage only	Rear-end	Dry	Daylight	Cloudy		Collision with motor vehicle in traffic	No improper driving / Other improper action
10/07/2019			Peak	4		Angle				<u> </u>	Collision with motor vehicle in traffic	No improper driving
				2		Sideswipe, same direction					Collision with motor vehicle in traffic	Inattention
11/18/2019			Peak	2	Property damage only	Sideswipe, same direction		Dark - lighted roadway	Rain	Making U-turn / Entering traffic		No improper driving
12/16/2019				2	0 Property damage only	Sideswipe, same direction	Dry	Daylight	Cloudy / Other	Travelling straight ahead	Collision with motor vehicle in traffic	Unknown
	04/07/2019 05/17/2019 06/11/2019 06/17/2019 08/08/2019 08/09/2019 08/19/2019 10/01/2019 10/07/2019 11/06/2019 11/18/2019	04/07/2019 Sun 8 05/17/2019 Fri 4 06/11/2019 Tue 9 06/17/2019 Mon 8 08/08/2019 Fri 3 08/09/2019 Fri 3 08/19/2019 Mon 4 10/01/2019 Tue 9 10/07/2019 Mon 4 11/06/2019 Wed 2 11/18/2019 Mon 4	04/07/2019 Sun 8:42 AM 05/17/2019 Fri 4:45 PM 06/11/2019 Tue 1:12 PM 06/17/2019 Mon 8:18 AM 08/08/2019 Fri 3:25 PM 08/09/2019 Fri 3:25 PM 08/19/2019 Mon 12:47 PM 10/01/2019 Tue 2:14 PM 10/07/2019 Mon 4:06 PM 11/06/2019 Wed 2:49 PM 11/18/2019 Mon 4:58 PM	04/07/2019 Sun 8:42 AM Off-peak 05/17/2019 Fri 4:45 PM Peak 06/11/2019 Tue 1:12 PM Off-peak 06/17/2019 Mon 8:18 AM Peak 08/08/2019 Thu 8:00 AM Peak 08/09/2019 Fri 3:25 PM Off-peak 08/19/2019 Mon 12:47 PM Off-peak 08/31/2019 Sat 11:42 PM Off-peak 10/01/2019 Tue 2:14 PM Off-peak 10/07/2019 Mon 4:06 PM Peak 11/06/2019 Wed 2:49 PM Off-peak 11/18/2019 Mon 4:58 PM Peak	04/07/2019 Sun 8:42 AM Off-peak 2 05/17/2019 Fri 4:45 PM Peak 2 06/11/2019 Tue 1:12 PM Off-peak 2 06/17/2019 Mon 8:18 AM Peak 3 08/08/2019 Thu 8:00 AM Peak 2 08/09/2019 Fri 3:25 PM Off-peak 2 08/19/2019 Mon 12:47 PM Off-peak 2 08/31/2019 Sat 11:42 PM Off-peak 1 10/01/2019 Tue 2:14 PM Off-peak 2 10/07/2019 Mon 4:06 PM Peak 4 11/06/2019 Wed 2:49 PM Off-peak 2 11/18/2019 Mon 4:58 PM Peak 2	04/07/2019 Sun 8:42 AM Off-peak 2 0 Property damage only 05/17/2019 Fri 4:45 PM Peak 2 1 Non-incapacitating 06/11/2019 Tue 1:12 PM Off-peak 2 0 Property damage only 06/17/2019 Mon 8:18 AM Peak 3 2 Non-incapacitating 08/08/2019 Thu 8:00 AM Peak 2 0 Property damage only 08/09/2019 Fri 3:25 PM Off-peak 2 0 Property damage only 08/19/2019 Mon 12:47 PM Off-peak 2 1 Non-incapacitating 08/31/2019 Sat 11:42 PM Off-peak 2 1 Non-incapacitating 08/31/2019 Sat 11:42 PM Off-peak 2 1 Non-incapacitating 08/31/2019 Sat 11:42 PM Off-peak 2 0 Property damage only 10/07/2019 Mon 4:06 PM Peak 4 0 Property damage only 11/06/2019 Wed 2:49 PM Off-peak 2 0 Property damage only 11/18/2019 Mon 4:58 PM Peak 2 0 Property dama	03/25/2019 Mon 2:48 PM Off-peak 2 0 Property damage only Rear-end 04/07/2019 Sun 8:42 AM Off-peak 2 0 Property damage only Angle 05/17/2019 Fri 4:45 PM Peak 2 1 Non-incapacitating Rear-end 06/17/2019 Tue 1:12 PM Off-peak 2 0 Property damage only Rear-end 08/08/2019 Thu 8:00 AM Peak 2 0 Property damage only Rear-end 08/09/2019 Fri 3:25 PM Off-peak 2 0 Property damage only Sideswipe, same direction 08/19/2019 Mon 12:47 PM Off-peak 2 1 Non-incapacitating Angle 08/31/2019 Sat 11:42 PM Off-peak 2 1 Non-incapacitating Angle 08/31/2019 Tue 2:14 PM Off-peak 2 1 Non-incapacitating Angle 08/31/2019 Tue 2:14 PM Off-peak 2 0 Property damage only Rear-end 10/07/2019 Mon 4:06 PM Peak 4 0 Property damage only Angle	03/25/2019 Mon 2:48 PM Off-peak 2 0 Property damage only Rear-end Dry 04/07/2019 Sun 8:42 AM Off-peak 2 0 Property damage only Angle Dry 05/17/2019 Fri 4:45 PM Peak 2 1 Non-incapacitating Rear-end Wet 06/11/2019 Tue 1:12 PM Off-peak 2 0 Property damage only Rear-end Dry 06/09/2019 Thu 8:00 AM Peak 2 0 Property damage only Rear-end Dry 08/09/2019 Fri 3:25 PM Off-peak 2 0 Property damage only Sideswipe, same direction Dry 08/31/2019 Sat 11:42 PM Off-peak 2 1 Non-incapacitating Angle Dry 08/31/2019 Tue 2:14 PM Off-peak 2 1 Property damage only Rear-end Dry 10/07/2019 Mon 4:06 PM Peak 4 0 Property damage only Rear-end Dry 11/06/2019 Wed 2:49 PM Off-peak 2 0 Property damage only Sideswipe, sa	04/07/2019 Sun 8:42 AM Off-peak 2 0 Property damage only Angle Dry Daylight 05/17/2019 Fri 4:45 PM Peak 2 1 Non-incapacitating Rear-end Wet Daylight 06/11/2019 Tue 1:12 PM Off-peak 2 0 Property damage only Rear-end Dry Daylight 06/17/2019 Mon 8:18 AM Peak 3 2 Non-incapacitating Rear-end Dry Daylight 08/08/2019 Thu 8:00 AM Peak 2 0 Property damage only Rear-end Dry Daylight 08/09/2019 Fri 3:25 PM Off-peak 2 0 Property damage only Sideswipe, same direction Dry Daylight 08/19/2019 Mon 12:47 PM Off-peak 2 1 Non-incapacitating Angle Dry Daylight 08/31/2019 Sat 11:42 PM Off-peak 2 1 Non-incapacitating Angle Dry Daylight 08/31/2019 Sat 11:42 PM Off-peak 2 0 Property damage only Single vehicle cra	03/25/2019 Mon 2-48 PM Off-peak 2 0 Property damage only Rear-end Dry Daylight Clear	O3/25/2019 Mon 2.48 PM Off-peak 2 0 Property damage only Rear-end Dry Daylight Clear Travelling straight ahead O6/17/2019 Sun 8.42 AM Off-peak 2 0 Property damage only Rear-end Dry Daylight Clear Slowing or stopped in traffic / Travelling straight ahead O6/17/2019 Fr 4.45 PM Peak 2 1 Non-incapacitating Rear-end Wet Daylight Clear Slowing or stopped in traffic / Travelling straight ahead O6/17/2019 Tue 1.12 PM Off-peak 2 0 Property damage only Rear-end Dry Daylight Clear Travelling straight ahead O6/17/2019 Mon 8.18 AM Peak 3 2 Non-incapacitating Rear-end Dry Daylight Clear Travelling straight ahead O6/08/2019 This 8.00 AM Peak 2 0 Property damage only Rear-end Dry Daylight Clear Travelling straight ahead O6/08/2019 Fr 3.25 PM Off-peak 2 0 Property damage only direction Dry Daylight Clear Travelling straight ahead / Travelling straight ahead O6/19/2019 Mon 12.47 PM Off-peak 2 1 Non-incapacitating Angle Dry Daylight Clear Travelling straight ahead / Travelling st	O3/25/2019 Mon 248 PM Off-peak 2 0 Property damage only Angle Dry Daylight Clear Slowing or stopped in traffic / Travelling straight shead on traffic / Oslision with motor vehicle in traff

Appendix F: MassDOT Highway Division Project Development Process

Overview of the Project Development Process

Transportation decision-making is complex and can be influenced by legislative mandates, environmental regulations, financial limitations, agency programmatic commitments, and partnering opportunities. Decision-makers and reviewing agencies, when consulted early and often throughout the project development process, can ensure that all participants understand the potential impact these factors can have on project implementation. Project development is the process that takes a transportation improvement from concept through construction.

The MassDOT Highway Division has developed a comprehensive project development process which is contained in Chapter 2 of the *MassDOT Highway Division's Project Development and Design Guide*. The eight-step process covers a range of activities extending from identification of a project need, through completion of a set of finished contract plans, to construction of the project. The sequence of decisions made through the project development process progressively narrows the project focus and, ultimately, leads to a project that addresses the identified needs. The descriptions provided below are focused on the process for a highway project, but the same basic process will need to be followed for non-highway projects as well.

1. Needs Identification

For each of the locations at which an improvement is to be implemented, MassDOT leads an effort to define the problem, establishes project goals and objectives, and defines the scope of the planning needed for implementation. To that end, it has to complete a Project Need Form (PNF), which states in general terms the deficiencies or needs related to the transportation facility or location. The PNF documents the problems and explains why corrective action is needed. For this study, the information defining the need for the project will be drawn primarily, perhaps exclusively, from the present report. Also, at this point in the process, MassDOT meets with potential participants, such as the Metropolitan Planning Organization (MPO) and community members, to allow for an informal review of the project.

The PNF is reviewed by the MassDOT Highway Division district office whose jurisdiction includes the location of the proposed project. MassDOT also sends the PNF to the MPO, for informational purposes. The outcome of this step determines whether the project requires further planning, whether it is already well supported by prior planning studies, and, therefore, whether it is ready to move forward into the design phase, or whether it should be dismissed from further consideration.

2. Planning

This phase will likely not be required for the implementation of the improvements proposed in this planning study, as this planning report should constitute the outcome of this step. However, in general, the purpose of this implementation step is for the project proponent to identify issues, impacts, and approvals that may need to be obtained, so that the subsequent design and permitting processes are understood.

The level of planning needed will vary widely, based on the complexity of the project. Typical tasks include: define the existing context, confirm project need, establish goals and objectives, initiate public outreach, define the project, collect data, develop and analyze alternatives, make recommendations, and provide documentation. Likely outcomes include consensus on the project definition to enable it to move forward into environmental documentation (if needed) and design, or a recommendation to delay the project or dismiss it from further consideration.

3. Project Initiation

At this point in the process, the proponent, MassDOT Highway Division, fills out a Project Initiation Form (PIF) for each improvement, which is reviewed by its Project Review Committee (PRC) and the MPO. The PRC is composed of the Chief Engineer, each District Highway Director, and representatives of the Project Management, Environmental, Planning, Right-of-Way, Traffic, and Bridge departments, and the MassDOT Federal Aid Program Office (FAPO). The PIF documents the project type and description, summarizes the project planning process, identifies likely funding and project management responsibility, and defines a plan for interagency and public participation. First the PRC reviews and evaluates the proposed project based on the MassDOT's statewide priorities and criteria. If the result is positive, MassDOT Highway Division moves the project forward to the design phase, and to programming review by the MPO. The PRC may provide a Project Management Plan to define roles and responsibilities for subsequent steps. The MPO review includes project evaluation based on the MPO's regional priorities and criteria. The MPO may assign project evaluation criteria score, a Transportation Improvement Program (TIP) year, a tentative project category, and a tentative funding category.

4. Environmental Permitting, Design, and Right-of-Way Process

This step has four distinct but closely integrated elements: public outreach, environmental documentation and permitting (if required), design, and right-of-way acquisition (if required). The outcome of this step is a fully designed and permitted project ready for construction. However, a project does not have to be fully designed in order for the MPO to program it in the TIP. The sections below provide more detailed information on the four elements of this step of the project development process.

Public Outreach

Continued public outreach in the design and environmental process is essential to maintain public support for the project and to seek meaningful input on the design elements. The public outreach is often in the form of required public hearings, but can also include less formal dialogues with those interested in and affected by a proposed project.

Environmental Documentation and Permitting

The project proponent, in coordination with the Environmental Services section of the MassDOT Highway Division, will be responsible for identifying and complying with all applicable federal, state, and local environmental laws and requirements. This includes determining the appropriate project category for both the Massachusetts Environmental Protection Act (MEPA) and the National Environmental Protection Act (NEPA). Environmental documentation and permitting is often completed in conjunction with the **Preliminary Design** phase described below.

Design

There are three major phases of design. The first is **Preliminary Design**, which is also referred to as the 25-percent submission. The major components of this phase include full survey of the project area, preparation of base plans, development of basic geometric layout, development of preliminary cost estimates, and submission of a functional design report. Preliminary Design, although not required to, is often completed in conjunction with the Environmental Documentation and Permitting. The next phase is **Final Design**, which is also referred to as the 75-percent and 100-percent submission. The major components of this phase include preparation of a subsurface exploratory plan (if required), coordination of utility relocations, development of traffic management plans through construction zones, development of final cost estimates, and refinement and finalization of the construction plans. Once Final Design is complete, a full set of **Plans, Specifications, and Estimates (PS&E)** is developed for the project.

Right-of-Way Acquisition

A separate set of Right-of-Way plans are required for any project that requires land acquisition or easements. The plans must identify the existing and proposed layout lines, easements, property lines, names of property owners, and the dimensions and areas of estimated takings and easements.

5. Programming (Identification of Funding)

Programming, which typically begins during the design phase, can actually occur at any time during the process, from planning to design. In this step, which is distinct from project initiation, the proponent requests that the MPO place the project in the region's Transportation Improvement Program (TIP). The proponent requesting the project's listing on the TIP can be the community or it can be one of the MPO member agencies (the Regional Planning Agency, MassDOT, and the Regional Transit Authority). The MPO then considers the project in terms of state and regional needs, evaluation criteria, and compliance with the regional Transportation Plan and decides whether to place it in the draft TIP for public review and then in the final TIP.

6. Procurement

Following project design and programming of a highway project, the MassDOT Highway Division publishes a request for proposals. It then reviews the bids and awards the contract to the qualified bidder with the lowest bid.

7. Construction

After a construction contract is awarded, MassDOT Highway Division and the contractor develop a public participation plan and a management plan for the construction process.

8. Project Assessment

The purpose of this step is to receive constituents' comments on the project development process and the project's design elements. MassDOT Highway Division can apply what is learned in this process to future projects.

Project Development Schematic Timetable

Description	Schedule Influence	Typical Duration
Step I: Problem/Need/Opportunity Identification The proponent completes a Project Need Form (PNF). This form is then reviewed by the MassDOT District office which provides guidance to the proponent on the subsequent steps	The Project Need Form has been developed so that it can be prepared quickly by the proponent, including any supporting data that is readily available. The District office shall return comments	1 to 3 months
of the process.	to the proponent within one month of PNF submission.	
Step II: Planning Project planning can range from agreement that the problem should be addressed through a clear solution to a detailed analysis of alternatives and their impacts.	For some projects, no planning beyond preparation of the Project Need Form is required. Some projects require a planning study centered on specific project issues associated with the proposed solution or a narrow family of alternatives. More complex projects will likely require a detailed alternatives analysis.	Project Planning Report: 3 to 24+ months
Step III: Project Initiation The proponent prepares and submits a Project Initiation Form (PIF) and a Transportation Evaluation Criteria (TEC) form in this step. The PIF and TEC are informally reviewed by the Metropolitan Planning Organization (MPO) and MassDOT District office, and formally reviewed by the PRC.	The PIF includes refinement of the preliminary information contained in the PNF. Additional information summarizing the results of the planning process, such as the Project Planning Report, are included with the PIF and TEC. The schedule is determined by PRC staff review (dependent on project complexity) and meeting schedule.	1 to 4 months
Step IV: Design, Environmental, and Right of Way The proponent completes the project design. Concurrently, the proponent completes necessary environmental permitting analyses and files applications for permits. Any right of way needed for the project is identified and the acquisition process begins.	The schedule for this step is dependent upon the size of the project and the complexity of the design, permitting, and right-of-way issues. Design review by the MassDOT district and appropriate sections is completed in this step.	3 to 48+ months
Step V: Programming The MPO considers the project in terms of its regional priorities and determines whether or not to include the project in the draft Regional Transportation Improvement Program (TIP) which is then made available for public comment. The TIP includes a project description and funding source.	The schedule for this step is subject to each MPO's programming cycle and meeting schedule. It is also possible that the MPO will not include a project in its Draft TIP based on its review and approval procedures.	3 to 12+ months
Step VI: Procurement The project is advertised for construction and a contract awarded.	Administration of competing projects can influence the advertising schedule.	1 to 12 months
Step VII: Construction The construction process is initiated including public notification and any anticipated public involvement. Construction continues to project completion.	The duration for this step is entirely dependent upon project complexity and phasing.	3 to 60+ months
Step VIII: Project Assessment The construction period is complete and project elements and processes are evaluated on a voluntary basis. Source: Mess DOT Highway Division Project Days	The duration for this step is dependent upon the proponent's approach to this step and any follow-up required.	1 month

Source: MassDOT Highway Division Project Development and Design Guide